

**National Personal Protective
Technology Laboratory**

**Closed-Circuit Escape Respirators
(CCER) - Notice for Proposed
Rulemaking (NPRM) Public Meeting**

Policy And Standards Development Branch

Marriott Denver Tech Center

March 16, 2009

Meeting Format - Agenda

<u>Topic</u>	<u>Presenter</u>
Opening Remarks/General Information	NIOSH
Presentations	Attendees
Questions for Presenters	NIOSH Panel
Meeting Moderator	Frank Hearl

Overview of CCER NPRM

- Closed-circuit escape respirator; description.
- Applicability to new and previously approved CCERs.
- Required components, attributes, and instructions.
- General testing conditions and performance requirements.
- Capacity test requirements.
- Performance test requirements.
- Wearability test requirements.
- Environmental treatments.
- Additional testing.
- Post-certification testing.
- Registration of CCER units.



Administrative Details

Information Docket (Reference Docket # NIOSH 05)

- Mail: NIOSH Docket Office
Robert A. Taft Laboratories, M/S C 34
4676 Columbia Parkway
Cincinnati, OH 45226
- Email: niocindocket@cdc.gov
- Fax: (513) 533-8285
- Phone: (513) 533-8611
- NPPTL Web Site: <http://www.cdc.gov/niosh/npptl>
- **Comments due by Friday, April 10, 2009**

Presentations and Questions

- **Presentations**
- **Moderator**
 - Frank Hearl
- **NIOSH Panel**
 - Jon Szalajda
 - Tim Rehak
 - Ted Katz
 - Jeff Peterson
 - Charlie Wolfe

Final Details

Information Docket (Reference Docket # NIOSH 05)

- Mail: NIOSH Docket Office
Robert A. Taft Laboratories, M/S C 34
4676 Columbia Parkway
Cincinnati, OH 45226
- Email: niocindocket@cdc.gov
- Fax: (513) 533-8285
- Phone: (513) 533-8611
- NPPTL Web Site: <http://www.cdc.gov/niosh/npptl>
- Comments due by Friday, April 10, 2009