

Active Bacterial Core Surveillance (ABCs) Report Emerging Infections Program Network group B streptococcus, 2001



ABCs Areas

California (3 county San Francisco Bay area); Colorado (5 county Denver area); Connecticut; Georgia (20 county Atlanta area); Maryland; Minnesota; New York (7 county Rochester area and 8 county Albany area); Oregon (3 county Portland area); Tennessee (11 urban counties)

ABCs Population

The surveillance areas represent 29,910,626 persons and 423,946 persons <1 yr. Source: National Center for Health Statistics bridged-race vintage 2001 postcensal file

ABCs Case Definition

Invasive group B streptococcal disease: isolation of group B streptococcus from a normally sterile site in a resident of a surveillance area in 2001. Early-onset cases occur at <7 days of age and late-onset occur between 7 and 90 days of age.

ABCs Methodology

Project personnel communicated at least monthly with contacts in all microbiology laboratories serving acute care hospitals in their area to identify cases. Standardized case report forms that include information on demographic characteristics, clinical syndrome, and outcome of illness were completed for each identified case. Regular laboratory audits assess completeness of active surveillance and detect additional cases.

Rates of invasive group B streptococcal disease were calculated using population estimates for 2001. Rates of earlyonset and late-onset group B streptococcal disease were calculated using population estimates for persons <1 yr for 2001. For national projections of cases, race- and age-specific rates of disease were applied from the aggregate surveillance area to the age and racial distribution of the 2001 U. S. population. Cases with unknown race were distributed by area based on reported race distribution for known cases within the eight age categories.

Reported ABCs Profiles

Race	No. (Rate*)	
White	1,440	(6.2)
Black	534	(10.9)
Other	57	(3.0)

Unknown race (n=251) distributed among knowns.

*Cases per 100,000 population for ABCs areas.

Ethnicity	No. (Rate*)
Hispanic	118	(5.1)
Non-Hispanic	869	
Unknown	1044	

*Cases per 100,000 population for ABCs areas.

Age (years)	Cases No. (Rate [*])		Deaths No. (Rate [*])	
<1	362	(85.4)	22	(5.2)
1	3	(0.7)	1	(0.2)
2-4	3	(0.3)	0	(0.0)
5-17	13	(0.2)	1	(0.02)
18-34	130	(1.8)	4	(0.1)
35-49	338	(4.6)	16	(0.2)
50-64	417	(9.1)	39	(0.8)
<u>></u> 65	765	(23.1)	118	(3.6)
Total	2,031	(6.8)	201	(0.7)

*Cases or deaths per 100,000 population for ABCs areas

Race	Early-Onset No. (Rate [*])	Late-Onset No. (Rate [*])
White	104 (0.3)	67 (0.2)
Black	77 (0.9)	71 (0.8)
Other	12 (0.4)	6 (0.2)
Total	193 (0.5)	144 (0.3)

Unknown race (n=20 Early-Onset, n=29 Late-Onset)

distributed among knowns.

*Cases per 1,000 persons <1 yr

National Projection of Invasive Disease

 Early-Onset Cases: 1,750 (0.4/1,000 persons <1 yr)</td>

 Late-Onset Cases: 1,275 (0.3/1,000 persons <1 yr)</td>

 Total Cases: 19,575 (6.9/100,000 population)

 Deaths: 2,000 (0.7/100,000 population)

Healthy People 2010 Update Early-Onset Disease

Objective: Decrease the incidence of invasive early-onset group B streptococcal disease to 0.5 cases per 1,000 live births.

Race	2010 Objective	2001 Rate*
White	0.5/1,000	0.3/1,000
Black	0.5/1,000	0.9/1,000
Other	0.5/1,000	0.4/1,000
Total	0.5/1,000	0.4/1,000

*Projected cases per 1,000 persons <1 yr

For more information, visit our web site http://www.cdc.gov/abcs

Centers for Disease Control and Prevention. 2003. Active Bacterial Core Surveillance Report, Emerging Infections Program Network, Group B Streptococcus, 2001. Available via the Internet: http://www.cdc.gov/abcs/reports-findings/survreports/gbs01.pdf