

# HIV Surveillance Report

**38,739\*** • Total HIV Diagnoses in 2017

## HIV Diagnoses Trends from 2012–2016

Women

down  
9%

White PWID\*\*†

up  
25%

\*\*People who inject drugs.  
†Decreasing among PWID in all other races/ethnicities.

MSM†† overall

stable

††Men who have sex with men.

25–34 year olds

up  
13%

## Diagnoses by Race/Ethnicity

In 2017, Blacks/African Americans **and** Hispanics/Latinos accounted for **69% of HIV diagnoses** but comprised only 31% of the U.S.<sup>1</sup> population.




■ Black/African American ■ Hispanic/Latino ■ White ■ Other<sup>1†</sup>

<sup>1</sup>Does not include 6 dependent areas.



<sup>†</sup>American Indian/Alaska Native: 0.6% • Asian: 2.5%  
Native Hawaiian/Other Pacific Islander: 0.1% • Multiple races: 2.3%

## HIV Diagnoses in MSM by Race/Ethnicity in 2017\*



<sup>§</sup>Trends in MSM HIV diagnoses based on data from 2012–2016

## Percentage of HIV Diagnoses in 2017



Less than 1% of HIV diagnoses are in the 6 U.S. dependent areas: American Samoa, Guam, Northern Mariana Islands, Puerto Rico, Republic of Palau, U.S. Virgin Islands.

National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention  
Division of HIV/AIDS Prevention



\*Data include diagnoses from the U.S. and 6 dependent areas. Data for the year 2017 are preliminary and based on 6 months reporting delay. Please use CDC's Monitoring Selected National HIV Prevention and Care Objectives by Using HIV Surveillance data report for final year data.