



*Required for saving Event #: *Facility ID: *Resident ID: Medicare number (or comparable railroad insurance number): Resident Name, Last: Middle: *Gender: M F Other *Date of Birth: *Race (specify): □ American Indian/Alaska Native □ Asian *Ethnicity (specify):

Hispanic or Latino □ Not Hispanic or Latino □ Black or African American □ Declined to respond □ Unknown □ Native Hawaiian/Other Pacific Islander □ Declined to respond □ Unknown *Date of First Admission to Facility: / / *Date of Current Admission to Facility: / *Event Type: **UTI** *Date of Event: __/__/__ *Resident Care Location: *Primary Resident Service Type: (check one) ☐ Long-term general nursing ☐ Long-term dementia ☐ Long-term psychiatric ☐ Skilled nursing/Short-term rehab (subacute) ☐ Ventilator ☐ Bariatric ☐ Hospice/Palliative *Has resident been transferred from an acute care facility to your facility in the past 4 weeks? ☐ Yes ☐ No If Yes, date of last transfer from acute care to your facility: __/_/ If Yes, did the resident have an indwelling urinary catheter at the time of transfer to your facility? ☐ Yes *Indwelling Urinary Catheter status at time of event onset (check one): ☐ In place ☐ Removed within last 2 calendar days ☐ Not in place If indwelling urinary catheter status in place or removed within last 2 calendar days: Indicate site where indwelling urinary ☐ Your facility ☐ Acute care hospital ☐ Other ☐ Unknown catheter was Inserted (check one): Date of indwelling urinary catheter Insertion: / / If indwelling urinary catheter not in place, was another urinary device type present at the time of event onset?

□Yes If Yes, other device type: ☐ Suprapubic ☐ External Drainage (male or female) ☐ Intermittent straight catheter **Event Details** *Specify Criteria Used: (check all that apply) Signs & Symptoms Laboratory & Diagnostic Testing \square Fever: Single temperature $\ge 37.8^{\circ}\text{C}$ (>100°F), or > 37.2°C (>99°F) on repeated occasions, or an increase of >1.1°C (>2°F) over baseline ☐ Rigors ☐ New onset hypotension Positive urine culture with no more than 2 species of microorganisms, at least one of ☐ New onset confusion/functional decline which is a bacterium of ≥ 10⁵ CFU/mI ☐ Acute pain, swelling, or tenderness of the testes, epididymis, or Leukocytosis (>10,000 cells/mm³), or Left shift prostate (> 6% or 1,500 bands/mm³) ☐ Acute dysuria ☐ Purulent drainage at catheter insertion site New and/or marked increase in (check all that apply): ☐ Positive blood culture with at least 1 matching organism in urine culture ☐ Urgency ☐ Costovertebral angle pain or tenderness ☐ Frequency ☐ Suprapubic tenderness ☐ Incontinence ☐ Visible (gross) hematuria *Specific Event (Check one): Auto-populated in NHSN application ☐ Symptomatic UTI (SUTI) ☐ Symptomatic CA-UTI (CA-SUTI) ☐ Asymptomatic Bacteremic UTI (ABUTI) Secondary Bloodstream Infection: Yes No Died within 7 days of date of event: Yes No *Transfer to acute care facility within 7 days: Yes No *If Yes, specify on page 2 *Pathogens identified: Yes No Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) v11.0





Pathogen #	Gram-positive Organisms									
<i>π</i>	Staphylococcus coagulase-negative		CEFOX/OX S R N	X	VANC SIR N					
	(specify species if available):									
	Enterococcus	s faecium		DAPTO S S-DD NS	SRIN	GENTHL [§] S R N	LNZ SIRN	NIT SIRN	VANC SIRN	
	Enterococcus	s faecalis								
	Enterococcus spp. (Only those not identified to the species level)									
	Staphylococcus aureus	CIPRO/LEV	VO/MOXI	CEFOX/MI S R N	ETH/OX	CEFTAR S S-DD I R N	CLIND SIRN	DAPTO S NS N	DOXY/MINO SIRN	
		GENT SIRN		LNZ SRN	RIF SIRN	TETRA SIRN	TMZ SIRN	VANC SIRN		
Pathogen #	Gram-negative O	rganisms	•							
	Proteus mirabilis	AMP SIRN	AMOX SIRN	CEFUR SIRN	CEFTRX SIRN	CEFIX SIRN	CIPRO SIRN	LEVO SIRN	ERTA/IMI/MERO SIRN	
	Acinetobacter (specify species)	AMK SIRN	AMPSUL SIRN	CEFTAZ/CEFOT/CEF SIRN		TRX	CEFEP SIRN		CIPRO/LEVO SIRN	
		COL/PB SRN	DORI/MERO SIRN	DOXY/MII SIRN	NO	GENT SIRN	imi Sirn	PIPTAZ SIRN	TMZ TOBRA SIRN SIRN	
	Escherichia coli	AMK SIRN	AMP SIRN	AMPSUL/A	AMXCLV	AZT SIRN	CEFAZ SIRN	CEFTAZ SIRN	CEFOT/CEFTRX SIRN	
		CEFEP S I/S-DD R N	CEFTAVI SRN	CEFUR SIRN	CEFTOT SIRN	AZ	CIPRO/LEVO/MOXI S I R N		COL/PB [†] IRN	
		DORI / IMI SIRN	/ MEDRO	DOXY / MINO SIRN	/TETRA	ERTA SIRN		IMIREL SIRN	MERVAB SIRN	
		NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN				
	Enterobacter (specify species)	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFOT/0 SIRN	CEFTRX	CEFEP S I/S-DD F N	CEFTAVI R SRN	CEFTOTAZ SIRN	
		CIPRO/LEVO/MOXI SIRN		COL/PB† IRN			DOXY/MINO/TETRA SIRN		ERTA SIRN	
		IMIREL SIRN	MERVAB SIRN	NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN		
			CEFTOTAZ SIRN	CIPRO/ LEVO/ MOXI SIRN	COL/PB	t	DORI/IMI/ SIRN	MERO	DOXY/MINO/TETRA SIRN	
		GENT SIRN	IMIREL SIRN	MERVA B SIRN	NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN	



Pathogen #	Gram-negative Organisms (continued)										
	Pseudomonas aeruginosa	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFEP SIRN		CEFTAVI SRN	SIRN		CIPRO/L SIRN	-EVO
	acragcc	COL/PB SIRN	DORI/IMI/N SIRN	MERO	GENT SIRN		PIPTAZ SIRN	1			
Pathogen #	Other Organism	ns									
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug S I I		Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Dru S I I		Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Dru S I I		Drug 9 S I R N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

[†] Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:				
AMK = amikacin	MK = amikacin CEFTAR = ceftaroline		PB = polymyxin B	
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam	
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMIREL = imipenem/relebactam	RIF = rifampin	
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	LEVO = levofloxacin	TETRA = tetracycline	
ANID = anidulafungin	CIPRO = ciprofloxacin	LNZ = linezolid	TIG = tigecycline	
AZT = aztreonam	CLIND = clindamycin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole	
CASPO = caspofungin	COL = colistin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin	
CEFAZ= cefazolin	DAPTO = daptomycin	METH = methicillin	VANC = vancomycin	
CEFEP = cefepime	DORI = doripenem	MICA = micafungin	VORI = voriconazole	
CEFIX = cefixime	DOXY = doxycycline	MINO = minocycline		
CEFOT = cefotaxime	ERTA = ertapenem	MOXI = moxifloxacin		
CEFOX= cefoxitin	FLUCO = fluconazole	NIT = nitrofurantoin		
CEFTAZ = ceftazidime	GENT = gentamicin	OX = oxacillin		

[§] GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic





Custom Fields			
Label		Label	
	/		//
Comments			