

## *AGENDA*

### *NIOSH/NPPTL Public Meeting Discussion of Concepts for Standards for a Multi-Function PAPR*

*JULY 20, 2005*

*HOLIDAY INN SELECT PITTSBURGH SOUTH — PITTSBURGH, PENNSYLVANIA*

- |                   |  |   |
|-------------------|--|---|
| <b>8:30 a.m.</b>  | <i>Welcome</i>   | <b>Les Boord, NIOSH/NPPTL</b>   |
| <b>8:35 a.m.</b>  | <b>CBRN Overview/PAPR Strategy</b>   | <b>Jon Szalajda, NIOSH/NPPTL</b>  |
| <b>9:15 a.m.</b>  | <b>CBRN PAPR Benchmark Testing<br/>(Breathing Rates, Battery Indicators,<br/>Low Flow Indicators, Particulate Tests,<br/>Crisis Provision)</b> | <b>Terry Thornton, NIOSH/NPPTL<br/>Rich Vojtko, EG&amp;G<br/>Jeff Palcic, EG&amp;G<br/>Paul Gardner, ECBC</b> |
| <b>10:15 a.m.</b> | <i>Break</i>   |   |
| <b>10:30 a.m.</b> | <b>CBRN PAPR Benchmark Testing (Continued)</b>   |   |
| <b>11:15 a.m.</b> | <b>Hazard Assessment for Non-Tight-Fitting<br/>CBRN PAPR</b>   | <b>Frank Palya, NIOSH/NPPTL</b>   |
| <b>11:30 a.m.</b> | <i>Lunch</i>   |   |
| <b>12:30 p.m.</b> | <b>Customer Satisfaction</b>   | <b>Maryann D'Alessandro, NIOSH/NPPTL</b>  |
| <b>12:45 p.m.</b> | <b>Shrouds for Non-Tight-Fitting PAPRs<br/>Used by First Receivers</b>   | <b>Ray Roberge, NIOSH/NPPTL</b>   |
| <b>1:10 p.m.</b>  | <b>Detecting PAPR Facial Leakage</b>   | <b>Frank Koh, University of Maryland</b>  |
| <b>1:30 p.m.</b>  | <b>Pittsburgh Matrix Project</b>   | <b>Mike Allswede,<br/>University of Pittsburgh Medical Center</b>   |
| <b>1:50 p.m.</b>  | <i>Break</i>   |   |
| <b>2:00 p.m.</b>  | <b>Industrial PAPR</b>   | <b>Bill Hoffman/Jon Szalajda, NIOSH/NPPTL</b>   |
| <b>2:30 p.m.</b>  | <b>Guest Presentation</b>  | <b>Craig Colton, 3M</b>   |
| <b>2:45 p.m.</b>  | <b>Open Comment Period and Closing Comments</b>  |   |



## **Methods for Submitting Formal Comments to NIOSH CBRN PAPR Standards Development**

- **Mail:**
  - NIOSH Docket Office
  - Robert A. Taft Laboratories, M/S C 34  
Reference NIOSH Docket Number 010  
4676 Columbia Parkway  
Cincinnati, OH 45226
- **Email:** [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
- **Fax:** (513) 533-8285
- **Phone:** (513) 533-8303
- **NPPTL Web Site:** <http://www.cdc.gov/niosh/npptl>

---

## **Methods for Submitting Formal Comments to NIOSH Industrial PAPR Standards Development**

- **Mail:**
    - NIOSH Docket Office
    - Robert A. Taft Laboratories, M/S C 34  
Reference NIOSH Docket Number 008  
4676 Columbia Parkway  
Cincinnati, OH 45226
  - **Email:** [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
  - **Fax:** (513) 533-8285
  - **Phone:** (513) 533-8303
  - **NPPTL Web Site:** <http://www.cdc.gov/niosh/npptl>
- 