

Adolescent Behaviors and Experiences Survey						
Dietary Behaviors	Heterosexual		Gay, Lesbian, or Bisexual		Other/Questioning	
	Percentage	Confidence Interval	Percentage	Confidence Interval	Percentage	Confidence Interval
Did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	39.1	36.8 - 41.5	41.7	38.4 - 45.1	42.8	37.8 - 47.9
Did not eat fruit (one or more times during the 7 days before the survey)	13.9	11.6 - 16.4	16.4	12.6 - 21.0	16.5	12.1 - 22.3
Did not eat green salad (one or more times during the 7 days before the survey)	47.6	44.3 - 50.8	49.1	44.7 - 53.5	53.4	47.9 - 58.9
Did not eat potatoes (one or more times during the 7 days before the survey)	35.8	34.2 - 37.5	42.5	38.6 - 46.5	40.9	36.1 - 46.0
Did not eat carrots (one or more times during the 7 days before the survey)	58.0	55.1 - 60.8	62.0	57.3 - 66.6	58.0	52.5 - 63.3
Did not eat other vegetables (one or more times during the 7 days before the survey)	18.6	15.9 - 21.7	16.3	13.1 - 20.1	18.6	14.7 - 23.2
Did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	8.7	7.1 - 10.5	10.6	7.0 - 15.7	7.9	5.4 - 11.6
Ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	48.7	45.8 - 51.6	43.2	40.0 - 46.5	42.8	36.2 - 49.6
Ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	22.4	20.4 - 24.4	18.3	15.5 - 21.5	20.6	16.8 - 25.1
Did not eat vegetables (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	7.9	6.6 - 9.4	9.1	6.8 - 12.2	6.1	4.3 - 8.4
Ate vegetables one or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	55.5	52.6 - 58.3	52.8	48.9 - 56.6	51.1	45.1 - 57.0
Ate vegetables two or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	21.8	19.7 - 24.1	19.5	16.5 - 22.9	20.3	15.8 - 25.7
Ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	11.5	10.5 - 12.7	9.6	7.8 - 11.9	8.1	5.6 - 11.6
Drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	15.3	12.1 - 19.1	17.3	11.6 - 24.8	16.9	12.8 - 21.9
Did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)	35.5	32.6 - 38.5	31.4	27.0 - 36.2	34.5	29.6 - 39.7
Drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	9.0	6.7 - 12.0	11.1	6.7 - 17.9	11.3	8.5 - 14.9
Did not drink milk (during the 7 days before the survey)	32.6	30.3 - 35.0	41.9	37.7 - 46.2	41.4	35.9 - 47.2
Drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	24.9	23.0 - 26.9	18.1	14.6 - 22.2	17.5	13.1 - 23.0
Drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	5.0	4.3 - 5.8	4.2	2.6 - 6.8	3.8	2.1 - 6.7
Did not eat breakfast (during the 7 days before the survey)	13.8	12.3 - 15.6	18.0	14.8 - 21.6	18.6	15.8 - 21.8
Ate breakfast on all 7 days (during the 7 days before the survey)	31.2	28.9 - 33.7	18.9	15.6 - 22.6	22.2	17.5 - 27.7
Did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not counting low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)	51.1	47.7 - 54.4	65.1	59.8 - 70.0	70.3	64.7 - 75.3
Drank a can, bottle, or glass of a sports drink one or more times per day (such as Gatorade or PowerAde, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)	10.8	9.0 - 12.8	6.6	4.3 - 10.0	5.4	3.3 - 8.8
Drank a can, bottle, or glass of a sports drink two or more times per day (such as Gatorade or PowerAde, not counting low calorie sports drinks such as Propel or G2, during the 7 days before the survey)	6.0	4.8 - 7.5	2.7	1.7 - 4.4	2.7	1.4 - 5.0
Did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	4.2	3.3 - 5.4	2.9	1.9 - 4.5	1.6	0.9 - 2.8
Drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	76.5	73.9 - 79.0	74.1	69.2 - 78.6	76.0	71.0 - 80.3
Drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	69.4	66.0 - 72.6	66.2	61.4 - 70.7	67.8	63.2 - 72.1
Drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	55.1	51.9 - 58.2	50.3	45.0 - 55.6	49.8	43.8 - 55.9