

Table C2_2
Child Current Asthma Prevalence Rate (Number)
by Sex and State or Territory: BRFSS 2005

State	Male Sample Size	Male Prevalence	Male 95% CI *		Female Sample Size	Female Prevalence	Female 95% CI *
Total **	22,628	1,269,718	(1,188,197 - 1,351,240)		21,384	907,435	(835,369 - 979,502)
AZ	787	69,129	(43,905 - 94,353)		690	41,978	(21,425 - 62,530)
CT	833	50,240	(37,357 - 63,122)		719	35,423	(25,871 - 44,976)
HI	546	20,500	(14,016 - 26,983)		537	12,486	(7,649 - 17,322)
ID	971	17,003	(12,776 - 21,230)		930	7,967	(5,481 - 10,453)
IN	876	82,257	(61,888 - 102,625)		891	67,222	(50,147 - 84,297)
IA	826	29,385	(21,244 - 37,526)		734	16,326	(9,969 - 22,683)
KS	675	29,588	(21,117 - 38,060)		656	20,525	(14,242 - 26,809)
MD	701	59,856	(42,399 - 77,313)		651	42,675	(29,052 - 56,299)
MI	1,861	154,517	(129,711 - 179,323)		1,867	105,098	(83,733 - 126,463)
MN	397	38,282	(21,862 - 54,702)		429	34,762	(19,276 - 50,248)
MT	757	6,629	(4,218 - 9,040)		714	4,068	(1,883 - 6,254)
NH	994	17,028	(13,241 - 20,815)		898	14,800	(11,306 - 18,295)
NJ	2,050	113,872	(95,065 - 132,680)		1,899	82,674	(64,744 - 100,604)
NM	851	30,631	(23,806 - 37,455)		833	20,021	(13,663 - 26,379)
OH	1,114	153,921	(112,209 - 195,632)		1,004	118,771	(79,847 - 157,695)
OR	1,776	39,687	(32,870 - 46,505)		1,655	31,305	(24,894 - 37,716)
PA	1,898	151,332	(120,289 - 182,375)		1,815	123,826	(96,654 - 150,998)
RI	605	14,616	(10,934 - 18,298)		519	10,883	(7,551 - 14,215)
SD	1,015	5,678	(4,069 - 7,287)		990	5,041	(3,240 - 6,842)
VT	973	6,223	(4,697 - 7,749)		917	4,663	(3,412 - 5,913)
VA	865	90,709	(68,470 - 112,948)		788	52,629	(37,075 - 68,184)
WV	492	18,157	(12,489 - 23,825)		503	14,311	(9,317 - 19,306)
WI	765	70,479	(52,438 - 88,520)		745	39,980	(18,984 - 60,976)
Territories							
PR	700	106,218	(83,618 - 128,818)		600	66,988	(49,151 - 84,824)

Notes:

* CI denotes confidence interval.

** Total includes data from 23 states and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.