

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	32,271	8.3	0.25	(7.8 - 8.8)	1,434,014	(1,346,706 - 1,521,321)
Total **	Black NH	3,199	13.2	0.86	(11.7 - 15.0)	318,213	(276,346 - 360,080)
Total **	Other NH	2,240	7.3	0.92	(5.7 - 9.3)	79,469	(59,193 - 99,745)
Total **	Multirace NH	1,425	12.9	1.55	(10.2 - 16.3)	93,057	(69,593 - 116,520)
Total **	Hispanic	4,716	9.1	0.71	(7.8 - 10.6)	234,148	(197,266 - 271,030)
AZ	White NH	671	7.5	1.44	(5.1 - 10.9)	60,111	(37,395 - 82,827)
AZ	Black NH	22	4.2			2,056	
AZ	Other NH	109	5.7	3.02	(1.9 - 15.4)	5,524	(0 - 11,271)
AZ	Multirace NH	30	8.2			2,079	
AZ	Hispanic	647	7.3	1.99	(4.2 - 12.3)	40,776	(18,530 - 63,022)
CT	White NH	1,097	9.0	1.06	(7.2 - 11.4)	56,187	(43,023 - 69,351)
CT	Black NH	146	11.2	2.91	(6.7 - 18.3)	6,194	(3,140 - 9,249)
CT	Other NH	65	13.7	5.14	(6.4 - 27.1)	3,968	(860 - 7,075)
CT	Multirace NH	26	17.6			3,052	
CT	Hispanic	204	17.4	3.66	(11.3 - 25.8)	15,226	(8,308 - 22,144)
HI	White NH	200	10.0	3.51	(4.9 - 19.2)	4,263	(1,111 - 7,415)
HI	Black NH	11	17.4			662	
HI	Other NH	298	8.8	2.30	(5.2 - 14.4)	8,351	(3,862 - 12,839)
HI	Multirace NH	397	14.2	2.38	(10.1 - 19.5)	15,184	(9,874 - 20,493)
HI	Hispanic	161	10.6	3.12	(5.8 - 18.4)	4,393	(1,719 - 7,066)
ID	White NH	1,560	6.1	0.70	(4.9 - 7.6)	18,311	(14,198 - 22,425)
ID	Black NH	9	35.4			773	
ID	Other NH	55	8.9			1,018	
ID	Multirace NH	34	8.8			546	
ID	Hispanic	238	8.4	2.12	(5.1 - 13.6)	4,322	(2,135 - 6,508)
IN	White NH	1,437	9.7	0.95	(8.0 - 11.8)	120,792	(97,145 - 144,440)
IN	Black NH	134	12.2	2.92	(7.5 - 19.1)	16,421	(8,638 - 24,204)

**Notes:**

\* CI denotes confidence interval.

\*\* Total includes data from 23 states and excludes the territory, Puerto Rico.

\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	Prevalence (Number)	95% CI* (Number)
IN	Other NH	29	2.1			514	
IN	Multirace NH	42	9.4			3,268	
IN	Hispanic	127	6.5	2.96	(2.6 - 15.3)	8,087	(555 - 15,619)
IA	White NH	1,377	6.3	0.78	(5.0 - 8.0)	38,185	(28,885 - 47,485)
IA	Black NH	29	26.5	9.42	(12.2 - 48.2)	3,212	(645 - 5,778)
IA	Other NH	30	6.3			669	
IA	Multirace NH	26	15.8			2,070	
IA	Hispanic	96	3.5			1,575	
KS	White NH	1,074	7.4	0.86	(5.9 - 9.3)	40,222	(31,010 - 49,434)
KS	Black NH	46	14.2	6.10	(5.9 - 30.7)	3,797	(331 - 7,262)
KS	Other NH	49	8.4			1,827	
KS	Multirace NH	24	15.4			1,767	
KS	Hispanic	142	3.1			2,502	
MD	White NH	938	7.7	0.99	(5.9 - 9.9)	45,553	(33,787 - 57,318)
MD	Black NH	272	11.7	2.22	(8.0 - 16.8)	42,025	(25,568 - 58,483)
MD	Other NH	56	7.5			4,210	
MD	Multirace NH	30	15.0			5,501	
MD	Hispanic	57	7.8			4,906	
MI	White NH	2,952	8.8	0.62	(7.7 - 10.1)	155,013	(133,409 - 176,617)
MI	Black NH	407	16.7	2.23	(12.8 - 21.6)	69,784	(50,185 - 89,383)
MI	Other NH	109	5.5	2.22	(2.5 - 11.9)	5,222	(1,034 - 9,410)
MI	Multirace NH	106	8.7	2.96	(4.4 - 16.5)	7,831	(2,411 - 13,250)
MI	Hispanic	139	15.5	4.68	(8.4 - 27.0)	19,794	(6,614 - 32,973)
MN	White NH	709	6.0	1.03	(4.3 - 8.4)	61,824	(40,869 - 82,780)
MN	Black NH	28	5.6			3,452	
MN	Other NH	36	2.2			1,386	
MN	Multirace NH	23	12.8			4,382	

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 23 states and excludes the territory, Puerto Rico.

\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
MN	Hispanic	31	4.5				1,999	
MT	White NH	1,161	4.5	0.83	(3.2 - 6.5)		8,024	(5,117 - 10,931)
MT	Black NH	6	0.0				0	
MT	Other NH	222	6.6	2.38	(3.2 - 13.1)		1,352	(364 - 2,340)
MT	Multirace NH	39	4.4				297	
MT	Hispanic	39	13.8	6.97	(4.9 - 33.6)		898	(0 - 1,854)
NH	White NH	1,724	10.2	0.88	(8.6 - 12.1)		27,730	(22,985 - 32,474)
NH	Black NH	23	18.2				699	
NH	Other NH	61	14.8	6.01	(6.4 - 30.6)		1,201	(138 - 2,263)
NH	Multirace NH	31	2.9				132	
NH	Hispanic	48	18.0	6.19	(8.8 - 33.3)		1,691	(467 - 2,914)
NJ	White NH	2,483	8.1	0.72	(6.8 - 9.6)		94,291	(77,346 - 111,236)
NJ	Black NH	466	13.1	1.81	(9.9 - 17.0)		37,453	(26,918 - 47,988)
NJ	Other NH	216	6.9	2.08	(3.8 - 12.2)		8,746	(3,395 - 14,096)
NJ	Multirace NH	59	15.4	5.69	(7.2 - 30.0)		6,837	(1,656 - 12,018)
NJ	Hispanic	690	10.0	1.56	(7.3 - 13.5)		43,432	(29,444 - 57,419)
NM	White NH	614	10.3	1.43	(7.8 - 13.5)		16,865	(12,136 - 21,593)
NM	Black NH	21	7.2				720	
NM	Other NH	112	8.3	3.00	(4.0 - 16.4)		3,331	(914 - 5,749)
NM	Multirace NH	28	12.6				952	
NM	Hispanic	909	10.7	1.35	(8.3 - 13.7)		29,064	(21,612 - 36,517)
OH	White NH	1,405	9.2	1.14	(7.2 - 11.7)		203,138	(152,587 - 253,689)
OH	Black NH	472	15.4	3.40	(9.8 - 23.3)		44,240	(24,080 - 64,399)
OH	Other NH	112	9.7	4.73	(3.6 - 23.7)		11,606	(0 - 23,312)
OH	Multirace NH	44	15.6	8.43	(5.0 - 39.3)		5,394	(0 - 11,482)
OH	Hispanic	74	10.6	4.60	(4.3 - 23.5)		8,313	(1,063 - 15,563)
OR	White NH	2,572	8.6	0.65	(7.4 - 10.0)		51,988	(44,066 - 59,910)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 23 states and excludes the territory, Puerto Rico.

\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
OR	Black NH	40	1.5				167	
OR	Other NH	114	11.3	3.12	(6.5 - 19.0)		3,027	(1,321 - 4,733)
OR	Multirace NH	171	16.7	3.43	(11.0 - 24.5)		6,640	(3,721 - 9,560)
OR	Hispanic	523	5.4	1.11	(3.6 - 8.0)		8,326	(4,871 - 11,782)
PA	White NH	2,913	8.8	0.75	(7.5 - 10.4)		181,201	(150,834 - 211,567)
PA	Black NH	472	14.2	2.81	(9.6 - 20.7)		40,759	(24,297 - 57,220)
PA	Other NH	87	8.1	4.33	(2.8 - 21.6)		7,201	(0 - 15,077)
PA	Multirace NH	79	22.6	8.38	(10.3 - 42.8)		18,713	(2,530 - 34,897)
PA	Hispanic	152	12.0	3.30	(6.8 - 20.1)		23,500	(10,320 - 36,680)
RI	White NH	820	11.4	1.25	(9.2 - 14.1)		20,041	(15,635 - 24,447)
RI	Black NH	53	10.9	4.59	(4.6 - 23.6)		1,212	(195 - 2,229)
RI	Other NH	51	4.5				455	
RI	Multirace NH	30	9.0				625	
RI	Hispanic	169	10.1	2.49	(6.2 - 16.1)		3,122	(1,556 - 4,689)
SD	White NH	1,589	5.3	0.69	(4.1 - 6.8)		8,490	(6,292 - 10,688)
SD	Black NH	6	13.5				88	
SD	Other NH	279	6.2	1.71	(3.6 - 10.5)		1,089	(491 - 1,686)
SD	Multirace NH	56	9.2	4.76	(3.2 - 23.6)		489	(0 - 1,007)
SD	Hispanic	76	4.8				366	
VT	White NH	1,737	8.3	0.76	(6.9 - 9.9)		10,107	(8,251 - 11,964)
VT	Black NH	10	0.0				0	
VT	Other NH	38	1.6				37	
VT	Multirace NH	39	1.5				37	
VT	Hispanic	55	18.9	7.18	(8.6 - 36.9)		703	(108 - 1,299)
VA	White NH	1,145	7.3	0.92	(5.7 - 9.3)		88,198	(66,392 - 110,003)
VA	Black NH	311	12.1	2.26	(8.3 - 17.3)		34,685	(22,030 - 47,340)
VA	Other NH	61	7.9				6,866	

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 23 states and excludes the territory, Puerto Rico.

\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C5**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2005**

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
VA	Multirace NH	56	7.1				4,708	
VA	Hispanic	58	7.6				7,217	
WV	White NH	907	9.2	1.09	(7.3 - 11.6)		31,441	(24,073 - 38,810)
WV	Black NH	27	0.0				0	
WV	Other NH	14	0.0				0	
WV	Multirace NH	21	6.8				553	
WV	Hispanic	27	4.3				474	
WI	White NH	1,186	8.4	1.19	(6.4 - 11.1)		92,039	(65,707 - 118,370)
WI	Black NH	188	11.8	2.96	(7.2 - 19.0)		9,814	(4,891 - 14,736)
WI	Other NH	37	6.3				1,871	
WI	Multirace NH	34	6.0				1,999	
WI	Hispanic	54	6.8				3,462	
Territories								
PR	White NH	17	13.3				2,188	
PR	Black NH	2	0.0				0	
PR	Other NH	7	9.1				451	
PR	Multirace NH	0					0	
PR	Hispanic	1,276	16.9	1.35	(14.4 - 19.7)		170,567	(142,854 - 198,279)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 23 states and excludes the territory, Puerto Rico.

\*\*\* NH denotes Not Hispanic or Latino.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.