

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
Total **	0-4	14,832	5.8	0.37	(5.1 - 6.6)	885,512	(772,154 - 998,870)
Total **	5-9	14,604	9.1	0.40	(8.3 - 9.9)	1,348,891	(1,229,226 - 1,468,557)
Total **	10-14	16,420	11.1	0.50	(10.2 - 12.1)	1,652,867	(1,499,356 - 1,806,379)
Total **	15-17	13,114	10.6	0.57	(9.5 - 11.8)	1,028,042	(914,101 - 1,141,983)
AK	0-4	254	1.9			960	
AK	5-9	238	7.4	2.39	(3.9 - 13.6)	3,577	(1,253 - 5,901)
AK	10-14	245	8.5	2.52	(4.7 - 14.9)	4,423	(1,750 - 7,097)
AK	15-17	200	11.1	2.92	(6.5 - 18.2)	4,160	(1,937 - 6,382)
AZ	0-4	288	5.5	1.84	(2.8 - 10.4)	25,898	(8,855 - 42,941)
AZ	5-9	328	8.2	2.43	(4.5 - 14.4)	36,862	(14,620 - 59,104)
AZ	10-14	352	9.7	2.55	(5.7 - 16.0)	37,638	(17,579 - 57,696)
AZ	15-17	241	7.7	2.29	(4.2 - 13.5)	20,334	(8,510 - 32,159)
CA	0-4	417	3.8	0.93	(2.3 - 6.1)	101,746	(51,943 - 151,549)
CA	5-9	412	5.9	1.14	(4.0 - 8.6)	152,532	(93,702 - 211,363)
CA	10-14	484	11.2	1.70	(8.3 - 15.0)	300,426	(206,853 - 393,999)
CA	15-17	358	11.3	2.26	(7.6 - 16.6)	186,798	(109,141 - 264,455)
CT	0-4	518	5.5	1.29	(3.4 - 8.6)	10,106	(5,305 - 14,907)
CT	5-9	509	11.4	1.58	(8.6 - 14.9)	24,957	(17,954 - 31,960)
CT	10-14	472	10.6	1.66	(7.8 - 14.3)	25,512	(17,359 - 33,665)
CT	15-17	380	11.0	1.92	(7.8 - 15.4)	17,115	(11,005 - 23,225)
DC	0-4	251	15.6	3.85	(9.4 - 24.7)	5,051	(2,319 - 7,783)
DC	5-9	175	18.8	3.69	(12.6 - 27.1)	5,885	(3,411 - 8,360)
DC	10-14	189	15.8	3.41	(10.2 - 23.7)	4,808	(2,627 - 6,990)
DC	15-17	157	10.9	3.74	(5.4 - 20.6)	1,583	(447 - 2,718)
GA	0-4	521	6.8	1.71	(4.1 - 11.0)	47,299	(22,975 - 71,623)
GA	5-9	491	10.7	1.55	(8.0 - 14.1)	63,373	(44,868 - 81,878)
GA	10-14	566	12.2	1.92	(8.9 - 16.5)	73,018	(49,086 - 96,951)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
GA	15-17	441	10.5	1.93	(7.3 - 14.9)		41,128	(25,652 - 56,605)
HI	0-4	542	8.9	1.63	(6.2 - 12.7)		8,095	(5,074 - 11,117)
HI	5-9	532	14.9	1.85	(11.6 - 18.9)		11,993	(8,897 - 15,090)
HI	10-14	609	14.1	1.72	(11.0 - 17.8)		11,301	(8,460 - 14,143)
HI	15-17	454	10.3	1.76	(7.4 - 14.3)		5,411	(3,533 - 7,289)
IL	0-4	378	3.6	1.18	(1.9 - 6.8)		32,478	(11,439 - 53,517)
IL	5-9	387	7.0	1.54	(4.6 - 10.7)		61,672	(34,566 - 88,778)
IL	10-14	391	10.0	1.86	(6.9 - 14.3)		90,238	(55,888 - 124,589)
IL	15-17	329	11.9	2.88	(7.3 - 18.8)		65,626	(31,834 - 99,418)
IN	0-4	387	4.8	1.46	(2.7 - 8.6)		20,833	(8,280 - 33,386)
IN	5-9	417	6.7	1.45	(4.3 - 10.1)		28,910	(16,268 - 41,553)
IN	10-14	469	11.1	1.82	(8.0 - 15.2)		50,322	(33,491 - 67,153)
IN	15-17	323	9.4	1.98	(6.2 - 14.1)		25,587	(14,824 - 36,349)
IA	0-4	372	1.8	0.66	(0.9 - 3.7)		3,224	(926 - 5,523)
IA	5-9	368	4.9	1.19	(3.0 - 7.8)		8,679	(4,475 - 12,883)
IA	10-14	428	8.4	1.54	(5.9 - 12.0)		15,696	(9,884 - 21,507)
IA	15-17	335	5.4	1.18	(3.5 - 8.3)		6,600	(3,789 - 9,411)
KS	0-4	580	4.9	1.01	(3.3 - 7.3)		9,204	(5,433 - 12,975)
KS	5-9	577	8.2	1.25	(6.0 - 11.0)		14,769	(10,223 - 19,315)
KS	10-14	655	10.6	1.35	(8.3 - 13.6)		19,655	(14,536 - 24,773)
KS	15-17	564	9.7	1.44	(7.2 - 12.9)		11,793	(8,211 - 15,376)
ME	0-4	382	4.5	1.16	(2.7 - 7.4)		2,982	(1,435 - 4,529)
ME	5-9	420	10.7	1.68	(7.9 - 14.5)		7,514	(5,108 - 9,920)
ME	10-14	449	9.8	1.65	(7.0 - 13.5)		7,749	(5,062 - 10,437)
ME	15-17	336	8.6	1.64	(5.9 - 12.4)		4,982	(3,074 - 6,891)
MD	0-4	575	8.3	1.94	(5.2 - 13.0)		31,541	(16,250 - 46,833)
MD	5-9	572	8.3	1.38	(6.0 - 11.5)		30,739	(20,537 - 40,940)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
MD	10-14	626	10.7	1.46	(8.1 - 13.9)		37,784	(27,305 - 48,263)
MD	15-17	547	8.8	1.52	(6.2 - 12.3)		22,162	(14,475 - 29,848)
MA	0-4	296	5.2	1.64	(2.8 - 9.5)		19,037	(6,967 - 31,107)
MA	5-9	258	13.0	2.37	(9.0 - 18.4)		49,414	(31,391 - 67,436)
MA	10-14	330	12.4	2.60	(8.1 - 18.5)		45,956	(25,830 - 66,082)
MA	15-17	251	12.5	2.47	(8.4 - 18.2)		31,963	(19,217 - 44,709)
MI	0-4	430	7.0	1.91	(4.0 - 11.8)		44,777	(19,558 - 69,996)
MI	5-9	479	10.1	1.59	(7.4 - 13.7)		66,108	(44,959 - 87,257)
MI	10-14	578	11.0	1.63	(8.2 - 14.6)		77,981	(54,124 - 101,837)
MI	15-17	509	12.1	1.77	(9.0 - 16.0)		54,604	(38,060 - 71,149)
MS	0-4	516	9.3	1.68	(6.5 - 13.1)		19,097	(11,990 - 26,204)
MS	5-9	521	10.0	1.59	(7.3 - 13.6)		20,131	(13,661 - 26,600)
MS	10-14	605	11.0	1.57	(8.3 - 14.5)		22,570	(15,954 - 29,186)
MS	15-17	518	11.9	1.89	(8.7 - 16.1)		14,912	(9,948 - 19,877)
MO	0-4	334	4.8	1.38	(2.7 - 8.4)		18,051	(7,862 - 28,241)
MO	5-9	332	10.2	1.97	(6.9 - 14.8)		37,644	(23,211 - 52,076)
MO	10-14	365	9.0	1.83	(6.0 - 13.3)		34,768	(20,700 - 48,836)
MO	15-17	328	11.2	2.16	(7.6 - 16.2)		28,186	(17,334 - 39,037)
MT	0-4	351	4.5	1.25	(2.6 - 7.7)		2,432	(1,100 - 3,765)
MT	5-9	359	4.5	1.16	(2.7 - 7.4)		2,369	(1,163 - 3,575)
MT	10-14	408	8.7	1.74	(5.8 - 12.8)		4,506	(2,668 - 6,343)
MT	15-17	345	11.9	2.29	(8.1 - 17.2)		5,028	(3,018 - 7,038)
NE	0-4	716	3.2	1.14	(1.6 - 6.4)		3,924	(1,149 - 6,699)
NE	5-9	775	8.7	1.84	(5.7 - 13.0)		9,905	(5,601 - 14,210)
NE	10-14	862	13.2	2.26	(9.4 - 18.3)		15,441	(9,895 - 20,988)
NE	15-17	712	9.3	1.74	(6.4 - 13.3)		7,244	(4,508 - 9,981)
NV	0-4	293	4.7	1.86	(2.2 - 10.0)		8,588	(1,801 - 15,375)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
NV	5-9	279	5.6	1.56	(3.3 - 9.6)	9,945	(4,504 - 15,385)
NV	10-14	301	6.6	1.45	(4.2 - 10.0)	10,818	(6,111 - 15,525)
NV	15-17	268	10.5	2.42	(6.7 - 16.3)	10,803	(5,794 - 15,812)
NH	0-4	373	2.5	0.84	(1.3 - 4.8)	1,788	(602 - 2,974)
NH	5-9	331	8.0	1.58	(5.4 - 11.7)	6,185	(3,727 - 8,643)
NH	10-14	427	9.1	1.57	(6.5 - 12.7)	7,573	(4,938 - 10,208)
NH	15-17	350	11.2	2.23	(7.5 - 16.3)	6,597	(3,840 - 9,354)
NJ	0-4	238	8.9	2.50	(5.1 - 15.2)	49,240	(21,236 - 77,244)
NJ	5-9	201	9.6	2.45	(5.7 - 15.5)	54,626	(26,166 - 83,087)
NJ	10-14	244	11.7	2.72	(7.4 - 18.2)	64,768	(34,000 - 95,536)
NJ	15-17	190	12.2	3.52	(6.8 - 20.9)	46,587	(18,753 - 74,422)
NM	0-4	443	4.9	1.44	(2.7 - 8.6)	6,460	(2,639 - 10,280)
NM	5-9	441	9.2	1.55	(6.6 - 12.7)	11,918	(7,873 - 15,962)
NM	10-14	543	10.0	1.67	(7.2 - 13.8)	13,632	(9,004 - 18,260)
NM	15-17	395	11.0	2.01	(7.7 - 15.6)	10,002	(6,258 - 13,746)
NY	0-4	363	9.7	2.36	(6.0 - 15.4)	120,128	(59,377 - 180,880)
NY	5-9	396	13.2	2.00	(9.8 - 17.7)	155,801	(107,649 - 203,953)
NY	10-14	441	13.7	2.48	(9.5 - 19.3)	169,944	(104,353 - 235,535)
NY	15-17	356	8.8	1.59	(6.1 - 12.4)	68,679	(44,017 - 93,341)
OH	0-4	707	6.3	1.13	(4.5 - 9.0)	45,811	(29,338 - 62,284)
OH	5-9	697	8.7	1.24	(6.6 - 11.5)	63,573	(45,417 - 81,729)
OH	10-14	782	9.5	1.35	(7.1 - 12.5)	69,949	(49,589 - 90,309)
OH	15-17	634	11.3	1.58	(8.6 - 14.8)	55,776	(39,662 - 71,889)
OK	0-4	537	7.9	1.39	(5.5 - 11.1)	19,060	(12,215 - 25,905)
OK	5-9	515	11.3	1.53	(8.7 - 14.7)	25,856	(18,741 - 32,971)
OK	10-14	541	12.9	1.68	(10.0 - 16.6)	29,699	(21,720 - 37,678)
OK	15-17	448	12.4	1.87	(9.2 - 16.6)	18,485	(12,728 - 24,241)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
OR	0-4	310	3.0	0.90	(1.6 - 5.3)	6,565	(2,636 - 10,493)
OR	5-9	287	11.4	2.20	(7.8 - 16.5)	25,755	(15,497 - 36,013)
OR	10-14	371	9.6	1.75	(6.7 - 13.7)	21,960	(13,850 - 30,070)
OR	15-17	248	10.2	2.31	(6.4 - 15.7)	15,419	(8,211 - 22,627)
PA	0-4	743	8.0	1.80	(5.1 - 12.4)	57,115	(30,766 - 83,464)
PA	5-9	758	11.2	1.71	(8.2 - 15.0)	81,054	(56,209 - 105,900)
PA	10-14	904	11.5	1.65	(8.6 - 15.1)	92,221	(65,062 - 119,380)
PA	15-17	713	12.2	2.05	(8.7 - 16.8)	62,481	(40,737 - 84,225)
TX	0-4	665	5.0	1.09	(3.2 - 7.6)	93,714	(52,524 - 134,903)
TX	5-9	648	10.2	1.57	(7.5 - 13.7)	176,652	(121,143 - 232,162)
TX	10-14	673	12.2	1.99	(8.8 - 16.7)	177,464	(116,544 - 238,384)
TX	15-17	472	11.2	2.11	(7.7 - 16.0)	118,309	(71,936 - 164,682)
UT	0-4	603	7.5	1.59	(4.9 - 11.3)	17,842	(10,100 - 25,583)
UT	5-9	529	7.0	1.26	(4.9 - 9.9)	14,092	(8,993 - 19,191)
UT	10-14	487	8.3	1.38	(6.0 - 11.5)	16,026	(10,671 - 21,381)
UT	15-17	375	9.0	1.65	(6.2 - 12.8)	10,759	(6,790 - 14,727)
VT	0-4	403	2.5	1.12	(1.1 - 6.0)	798	(94 - 1,501)
VT	5-9	406	6.7	1.24	(4.6 - 9.6)	2,182	(1,376 - 2,988)
VT	10-14	516	9.9	1.52	(7.3 - 13.3)	3,807	(2,611 - 5,002)
VT	15-17	423	12.1	1.93	(8.8 - 16.4)	3,295	(2,194 - 4,397)
VA	0-4	442	5.7	1.29	(3.6 - 8.8)	24,856	(13,570 - 36,142)
VA	5-9	379	8.9	1.68	(6.1 - 12.8)	43,657	(27,214 - 60,100)
VA	10-14	423	9.2	1.60	(6.5 - 12.8)	46,868	(30,756 - 62,979)
VA	15-17	347	7.0	1.72	(4.3 - 11.2)	22,688	(11,614 - 33,763)
WV	0-4	263	4.1	1.58	(1.9 - 8.6)	4,132	(961 - 7,302)
WV	5-9	269	13.5	2.29	(9.6 - 18.7)	13,573	(8,821 - 18,325)
WV	10-14	291	13.6	2.24	(9.8 - 18.6)	14,567	(9,646 - 19,488)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2007

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WV	15-17	238	9.0	2.17	(5.5 - 14.2)		6,054	(3,062 - 9,047)
WI	0-4	341	6.7	2.03	(3.7 - 12.0)		22,680	(9,042 - 36,317)
WI	5-9	318	8.0	1.98	(4.9 - 12.9)		26,987	(13,492 - 40,482)
WI	10-14	393	9.5	2.18	(6.0 - 14.7)		33,779	(17,906 - 49,653)
WI	15-17	329	6.9	1.45	(4.6 - 10.4)		16,890	(9,961 - 23,819)
Territories								
PR	0-4	206	16.0	3.14	(10.8 - 23.1)		41,904	(24,185 - 59,623)
PR	5-9	231	15.0	2.55	(10.7 - 20.7)		43,888	(28,342 - 59,434)
PR	10-14	337	11.4	1.85	(8.3 - 15.6)		34,708	(23,273 - 46,144)
PR	15-17	293	11.8	2.09	(8.3 - 16.6)		21,273	(13,543 - 29,003)

Notes:
* CI denotes confidence interval.
** Total includes data from 33 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.