

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
Total **	0-4	17,613	5.7	0.35	(5.1 - 6.5)	859,562	(754,397 - 964,728)
Total **	5-9	17,590	10.6	0.42	(9.8 - 11.4)	1,584,392	(1,452,873 - 1,715,911)
Total **	10-14	20,171	10.4	0.40	(9.6 - 11.2)	1,390,691	(1,281,684 - 1,499,698)
Total **	15-17	16,038	10.1	0.43	(9.3 - 11.0)	1,013,943	(925,399 - 1,102,486)
AZ	0-4	350	3.8	1.41	(1.9 - 7.8)	18,895	(5,474 - 32,315)
AZ	5-9	346	11.3	3.86	(5.7 - 21.3)	42,233	(11,675 - 72,792)
AZ	10-14	380	11.0	3.40	(5.9 - 19.6)	45,945	(16,835 - 75,055)
AZ	15-17	301	7.5	2.23	(4.1 - 13.2)	19,411	(8,064 - 30,759)
CA	0-4	934	3.1	0.64	(2.1 - 4.6)	64,647	(38,387 - 90,907)
CA	5-9	931	7.8	1.06	(6.0 - 10.2)	202,834	(147,524 - 258,145)
CA	10-14	1,006	8.5	1.06	(6.6 - 10.8)	222,171	(165,920 - 278,422)
CA	15-17	738	9.2	1.37	(6.8 - 12.2)	153,044	(106,277 - 199,812)
CT	0-4	387	6.2	2.29	(3.0 - 12.5)	11,935	(2,925 - 20,945)
CT	5-9	370	13.5	2.39	(9.4 - 18.9)	28,734	(17,980 - 39,489)
CT	10-14	465	12.3	1.96	(8.9 - 16.7)	24,935	(16,671 - 33,198)
CT	15-17	290	13.2	2.69	(8.8 - 19.4)	19,057	(10,885 - 27,229)
DC	0-4	286	11.4	3.71	(5.9 - 20.9)	2,984	(891 - 5,076)
DC	5-9	205	17.3	3.70	(11.2 - 25.8)	5,300	(2,839 - 7,762)
DC	10-14	179	10.4	2.48	(6.5 - 16.4)	3,135	(1,629 - 4,641)
DC	15-17	167	11.0	2.64	(6.8 - 17.3)	1,978	(1,023 - 2,932)
GA	0-4	363	11.0	2.57	(6.9 - 17.1)	77,736	(39,310 - 116,163)
GA	5-9	396	10.5	1.89	(7.3 - 14.8)	59,331	(37,147 - 81,515)
GA	10-14	395	15.4	2.66	(10.8 - 21.3)	85,294	(53,539 - 117,049)
GA	15-17	327	12.0	2.39	(8.0 - 17.5)	49,433	(28,800 - 70,065)
HI	0-4	474	8.1	1.49	(5.6 - 11.5)	6,596	(4,153 - 9,038)
HI	5-9	486	17.1	2.24	(13.2 - 22.0)	13,439	(9,679 - 17,199)
HI	10-14	524	13.0	1.79	(9.8 - 16.9)	8,140	(5,820 - 10,459)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
HI	15-17	406	12.2	1.91	(8.9 - 16.5)		6,070	(4,135 - 8,004)
ID	0-4	387	3.9	1.28	(2.1 - 7.4)		4,240	(1,501 - 6,978)
ID	5-9	383	7.3	1.59	(4.7 - 11.1)		6,817	(3,803 - 9,832)
ID	10-14	412	8.5	2.04	(5.2 - 13.4)		7,337	(3,711 - 10,964)
ID	15-17	313	8.9	2.17	(5.5 - 14.2)		6,082	(3,039 - 9,125)
IL	0-4	339	3.5	1.19	(1.8 - 6.7)		30,916	(9,929 - 51,904)
IL	5-9	342	10.6	1.92	(7.4 - 15.0)		79,449	(49,831 - 109,068)
IL	10-14	396	10.8	2.03	(7.4 - 15.5)		86,420	(53,036 - 119,804)
IL	15-17	380	10.4	2.19	(6.8 - 15.5)		58,048	(32,726 - 83,370)
IN	0-4	329	6.2	2.19	(3.1 - 12.2)		26,804	(7,615 - 45,993)
IN	5-9	318	11.6	2.18	(8.0 - 16.6)		49,960	(30,755 - 69,166)
IN	10-14	394	9.4	1.83	(6.4 - 13.6)		32,743	(19,819 - 45,666)
IN	15-17	255	7.3	1.89	(4.3 - 12.0)		19,799	(9,457 - 30,141)
IA	0-4	414	2.2	0.78	(1.1 - 4.4)		3,511	(1,066 - 5,956)
IA	5-9	392	8.8	1.57	(6.2 - 12.4)		15,368	(9,791 - 20,945)
IA	10-14	449	7.7	1.36	(5.4 - 10.8)		12,636	(8,139 - 17,133)
IA	15-17	328	8.7	1.71	(5.9 - 12.7)		10,795	(6,545 - 15,044)
KS	0-4	569	5.9	1.14	(4.1 - 8.6)		11,460	(7,021 - 15,899)
KS	5-9	563	8.3	1.21	(6.2 - 11.0)		15,497	(10,928 - 20,065)
KS	10-14	653	10.7	1.33	(8.3 - 13.6)		16,846	(12,565 - 21,126)
KS	15-17	540	12.4	1.75	(9.4 - 16.3)		15,176	(10,718 - 19,635)
KY	0-4	479	8.0	1.75	(5.2 - 12.2)		21,725	(12,000 - 31,449)
KY	5-9	477	10.6	1.90	(7.4 - 14.9)		28,469	(18,047 - 38,890)
KY	10-14	604	11.1	1.49	(8.5 - 14.3)		25,513	(18,656 - 32,370)
KY	15-17	500	8.2	1.46	(5.7 - 11.6)		13,820	(8,851 - 18,789)
ME	0-4	377	1.8	0.65	(0.9 - 3.6)		1,240	(348 - 2,131)
ME	5-9	359	9.9	1.73	(7.0 - 13.9)		7,101	(4,598 - 9,604)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
ME	10-14	449	13.8	1.77	(10.7 - 17.7)		8,426	(6,219 - 10,633)
ME	15-17	353	13.9	2.02	(10.4 - 18.3)		7,642	(5,365 - 9,918)
MD	0-4	674	5.4	1.11	(3.6 - 8.1)		19,895	(11,712 - 28,078)
MD	5-9	700	11.8	1.70	(8.9 - 15.6)		38,975	(27,268 - 50,682)
MD	10-14	727	10.7	1.45	(8.2 - 13.9)		34,415	(24,904 - 43,925)
MD	15-17	558	11.6	1.86	(8.5 - 15.8)		29,198	(19,549 - 38,848)
MA	0-4	426	7.3	1.92	(4.3 - 12.1)		27,812	(12,950 - 42,674)
MA	5-9	371	12.5	2.37	(8.6 - 18.0)		47,359	(28,765 - 65,953)
MA	10-14	484	10.5	1.91	(7.3 - 14.9)		29,308	(18,447 - 40,169)
MA	15-17	383	9.7	2.14	(6.2 - 14.7)		25,364	(13,904 - 36,824)
MI	0-4	481	6.9	1.91	(3.9 - 11.7)		43,439	(18,563 - 68,315)
MI	5-9	556	13.3	1.83	(10.1 - 17.3)		86,058	(61,051 - 111,065)
MI	10-14	718	11.8	1.47	(9.2 - 15.0)		66,375	(49,333 - 83,417)
MI	15-17	585	12.3	1.55	(9.6 - 15.7)		54,592	(40,499 - 68,685)
MS	0-4	402	11.0	2.15	(7.4 - 16.0)		18,261	(10,820 - 25,701)
MS	5-9	433	10.9	1.79	(7.8 - 14.9)		20,153	(13,376 - 26,930)
MS	10-14	513	9.5	1.65	(6.7 - 13.2)		13,885	(8,948 - 18,823)
MS	15-17	431	10.3	2.02	(7.0 - 15.0)		11,564	(6,898 - 16,229)
MO	0-4	298	8.0	2.17	(4.7 - 13.4)		28,387	(12,782 - 43,993)
MO	5-9	305	11.2	2.39	(7.3 - 16.8)		43,353	(24,309 - 62,396)
MO	10-14	359	11.2	2.07	(7.8 - 15.9)		37,502	(23,560 - 51,443)
MO	15-17	304	12.4	3.29	(7.2 - 20.4)		30,489	(13,025 - 47,953)
MT	0-4	406	3.2	1.31	(1.4 - 7.0)		1,791	(308 - 3,275)
MT	5-9	367	6.6	1.55	(4.1 - 10.3)		3,605	(1,894 - 5,317)
MT	10-14	443	9.1	1.86	(6.0 - 13.5)		4,685	(2,718 - 6,652)
MT	15-17	363	9.8	1.87	(6.7 - 14.1)		4,012	(2,460 - 5,564)
NE	0-4	1,008	2.9	1.06	(1.4 - 5.9)		3,611	(942 - 6,279)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
NE	5-9	1,047	7.5	1.38	(5.2 - 10.7)	8,770	(5,496 - 12,045)
NE	10-14	1,227	7.7	1.28	(5.5 - 10.6)	7,868	(5,223 - 10,512)
NE	15-17	1,001	8.4	1.42	(6.0 - 11.6)	6,395	(4,232 - 8,558)
NV	0-4	319	6.7	2.50	(3.2 - 13.6)	12,755	(3,110 - 22,400)
NV	5-9	337	6.9	1.87	(4.0 - 11.6)	11,310	(5,250 - 17,369)
NV	10-14	346	8.3	1.85	(5.3 - 12.7)	11,557	(6,406 - 16,708)
NV	15-17	266	10.2	2.57	(6.1 - 16.4)	10,473	(5,097 - 15,850)
NH	0-4	442	5.5	1.27	(3.5 - 8.6)	3,986	(2,145 - 5,828)
NH	5-9	384	6.7	1.50	(4.2 - 10.3)	4,979	(2,718 - 7,239)
NH	10-14	478	12.6	1.84	(9.4 - 16.7)	9,370	(6,533 - 12,207)
NH	15-17	414	9.5	1.73	(6.6 - 13.5)	5,194	(3,273 - 7,116)
NJ	0-4	756	4.1	0.77	(2.8 - 5.9)	18,648	(11,736 - 25,559)
NJ	5-9	688	9.7	1.43	(7.2 - 12.9)	53,594	(37,280 - 69,909)
NJ	10-14	778	11.3	1.63	(8.5 - 14.9)	49,845	(35,047 - 64,643)
NJ	15-17	673	8.8	1.31	(6.5 - 11.7)	32,539	(22,737 - 42,342)
NM	0-4	392	2.1	0.64	(1.1 - 3.8)	2,879	(1,131 - 4,627)
NM	5-9	445	8.5	1.76	(5.6 - 12.6)	10,844	(6,234 - 15,453)
NM	10-14	491	11.4	1.81	(8.3 - 15.4)	13,900	(9,400 - 18,400)
NM	15-17	404	10.6	1.86	(7.4 - 14.8)	9,611	(6,189 - 13,033)
NY	0-4	479	6.4	1.42	(4.1 - 9.8)	77,136	(42,657 - 111,616)
NY	5-9	425	15.7	2.26	(11.7 - 20.6)	186,311	(128,743 - 243,880)
NY	10-14	556	11.6	1.87	(8.4 - 15.8)	110,893	(73,743 - 148,042)
NY	15-17	409	8.7	1.64	(6.0 - 12.5)	69,713	(43,227 - 96,198)
ND	0-4	323	2.7	0.97	(1.4 - 5.4)	1,074	(321 - 1,828)
ND	5-9	269	7.2	1.68	(4.5 - 11.3)	2,689	(1,419 - 3,959)
ND	10-14	330	6.7	1.81	(3.9 - 11.2)	1,995	(893 - 3,097)
ND	15-17	291	6.5	1.63	(3.9 - 10.5)	1,785	(881 - 2,689)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
OH	0-4	720	6.2	1.15	(4.3 - 8.9)		44,186	(27,821 - 60,552)
OH	5-9	744	10.2	1.49	(7.6 - 13.5)		73,237	(51,318 - 95,156)
OH	10-14	867	10.1	1.34	(7.8 - 13.1)		68,063	(49,755 - 86,372)
OH	15-17	746	12.1	1.77	(9.0 - 16.0)		58,495	(40,673 - 76,318)
OK	0-4	540	6.5	1.28	(4.4 - 9.5)		15,351	(9,265 - 21,437)
OK	5-9	558	11.3	1.62	(8.5 - 14.9)		26,212	(18,489 - 33,934)
OK	10-14	575	13.2	1.71	(10.2 - 17.0)		29,484	(21,532 - 37,435)
OK	15-17	438	10.6	1.58	(7.9 - 14.1)		15,904	(11,097 - 20,711)
OR	0-4	263	2.2	1.04	(0.8 - 5.5)		4,975	(245 - 9,705)
OR	5-9	257	7.8	2.08	(4.6 - 13.0)		18,124	(8,254 - 27,994)
OR	10-14	333	6.1	1.41	(3.8 - 9.5)		11,815	(6,361 - 17,268)
OR	15-17	246	7.6	2.00	(4.5 - 12.6)		10,416	(4,895 - 15,936)
PA	0-4	674	7.8	1.85	(4.8 - 12.2)		51,760	(26,368 - 77,152)
PA	5-9	769	9.9	1.64	(7.1 - 13.6)		71,827	(47,419 - 96,234)
PA	10-14	827	9.7	1.52	(7.1 - 13.1)		63,615	(43,380 - 83,851)
PA	15-17	670	14.0	2.27	(10.1 - 19.1)		73,629	(48,203 - 99,054)
RI	0-4	288	10.1	2.34	(6.3 - 15.7)		6,124	(3,173 - 9,075)
RI	5-9	306	13.3	2.20	(9.6 - 18.3)		8,143	(5,355 - 10,932)
RI	10-14	337	14.2	2.17	(10.4 - 19.0)		7,224	(4,916 - 9,533)
RI	15-17	253	13.2	2.44	(9.1 - 18.7)		5,531	(3,396 - 7,667)
TX	0-4	760	7.4	1.55	(4.9 - 11.1)		144,055	(82,273 - 205,838)
TX	5-9	757	10.8	1.66	(7.9 - 14.5)		190,375	(129,514 - 251,236)
TX	10-14	862	10.1	1.48	(7.6 - 13.4)		128,832	(90,256 - 167,409)
TX	15-17	603	10.0	1.65	(7.2 - 13.7)		106,354	(70,839 - 141,870)
UT	0-4	556	3.2	0.78	(2.0 - 5.1)		7,317	(3,798 - 10,835)
UT	5-9	572	8.1	1.80	(5.2 - 12.4)		16,895	(9,183 - 24,607)
UT	10-14	565	7.6	1.43	(5.3 - 10.9)		14,159	(8,797 - 19,522)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2008

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
UT	15-17	432	9.6	1.95	(6.4 - 14.2)		11,705	(6,833 - 16,577)
VT	0-4	358	6.1	1.48	(3.8 - 9.7)		1,996	(1,023 - 2,969)
VT	5-9	400	11.9	1.88	(8.7 - 16.1)		3,948	(2,650 - 5,246)
VT	10-14	501	9.3	1.42	(6.9 - 12.5)		2,989	(2,063 - 3,915)
VT	15-17	419	12.7	1.91	(9.4 - 16.9)		3,429	(2,356 - 4,503)
VA	0-4	306	5.2	1.60	(2.8 - 9.4)		25,451	(9,770 - 41,132)
VA	5-9	286	10.9	2.56	(6.8 - 17.0)		52,909	(27,390 - 78,427)
VA	10-14	362	14.0	2.93	(9.2 - 20.8)		52,935	(29,813 - 76,058)
VA	15-17	284	8.8	2.07	(5.5 - 13.8)		28,400	(15,218 - 41,583)
WV	0-4	221	5.0	1.67	(2.6 - 9.5)		5,266	(1,758 - 8,774)
WV	5-9	246	14.9	2.71	(10.3 - 21.0)		15,265	(9,384 - 21,146)
WV	10-14	257	16.2	2.55	(11.8 - 21.8)		13,835	(9,268 - 18,401)
WV	15-17	186	11.5	3.12	(6.7 - 19.2)		7,875	(3,382 - 12,369)
WI	0-4	305	3.0	1.22	(1.3 - 6.5)		9,737	(1,765 - 17,708)
WI	5-9	300	9.8	2.79	(5.6 - 16.8)		33,262	(13,606 - 52,918)
WI	10-14	358	7.9	1.68	(5.2 - 11.9)		23,978	(13,916 - 34,040)
WI	15-17	314	7.9	2.03	(4.8 - 13.0)		19,248	(9,287 - 29,210)
WY	0-4	528	2.9	0.89	(1.6 - 5.3)		982	(380 - 1,584)
WY	5-9	500	5.1	1.07	(3.4 - 7.7)		1,661	(972 - 2,351)
WY	10-14	571	10.0	1.42	(7.6 - 13.2)		2,623	(1,868 - 3,377)
WY	15-17	467	7.4	1.29	(5.3 - 10.4)		1,670	(1,092 - 2,248)
Territories								
PR	0-4	187	14.1	2.87	(9.3 - 20.7)		37,095	(21,145 - 53,045)
PR	5-9	235	15.0	2.59	(10.6 - 20.8)		43,843	(27,954 - 59,732)
PR	10-14	348	15.4	2.25	(11.5 - 20.3)		37,193	(25,695 - 48,692)
PR	15-17	273	12.1	2.41	(8.1 - 17.6)		21,405	(12,437 - 30,373)

Notes:
* CI denotes confidence interval.
** Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.