

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
Total **	0-4	17,669	8.0	0.41	(7.2 - 8.8)	1,199,376	(1,073,592 - 1,325,159)
Total **	5-9	17,656	14.9	0.49	(14.0 - 15.9)	2,247,507	(2,092,323 - 2,402,691)
Total **	10-14	20,252	16.2	0.48	(15.2 - 17.1)	2,170,520	(2,035,097 - 2,305,943)
Total **	15-17	16,131	16.5	0.53	(15.5 - 17.6)	1,660,304	(1,547,200 - 1,773,408)
AZ	0-4	352	7.1	2.42	(3.6 - 13.5)	34,893	(11,304 - 58,483)
AZ	5-9	347	15.2	3.98	(8.9 - 24.7)	56,759	(24,650 - 88,869)
AZ	10-14	381	17.2	4.11	(10.5 - 26.8)	72,099	(35,889 - 108,309)
AZ	15-17	302	10.4	2.47	(6.4 - 16.3)	26,882	(14,458 - 39,307)
CA	0-4	937	5.5	0.90	(4.0 - 7.6)	115,724	(78,216 - 153,232)
CA	5-9	935	13.2	1.33	(10.8 - 16.0)	343,199	(271,712 - 414,687)
CA	10-14	1,012	14.9	1.34	(12.5 - 17.7)	393,750	(320,361 - 467,139)
CA	15-17	742	15.4	1.69	(12.4 - 19.0)	257,672	(198,483 - 316,862)
CT	0-4	387	8.1	2.40	(4.5 - 14.2)	15,534	(5,997 - 25,072)
CT	5-9	371	20.0	2.72	(15.1 - 25.8)	42,540	(29,826 - 55,255)
CT	10-14	466	18.7	2.30	(14.7 - 23.7)	38,137	(28,195 - 48,078)
CT	15-17	294	21.3	3.28	(15.6 - 28.5)	31,309	(20,548 - 42,071)
DC	0-4	289	13.5	3.73	(7.7 - 22.6)	3,587	(1,431 - 5,743)
DC	5-9	205	21.6	3.90	(14.9 - 30.2)	6,604	(3,945 - 9,262)
DC	10-14	180	20.2	3.50	(14.2 - 27.9)	6,108	(3,845 - 8,372)
DC	15-17	170	20.8	3.60	(14.6 - 28.7)	3,845	(2,440 - 5,250)
GA	0-4	364	12.8	2.72	(8.4 - 19.2)	91,644	(50,256 - 133,033)
GA	5-9	398	14.5	2.13	(10.8 - 19.2)	82,392	(56,967 - 107,816)
GA	10-14	397	20.0	2.83	(15.1 - 26.2)	111,645	(77,063 - 146,227)
GA	15-17	329	20.5	2.89	(15.4 - 26.8)	84,839	(58,511 - 111,168)
HI	0-4	477	11.2	1.87	(8.0 - 15.4)	9,241	(6,066 - 12,416)
HI	5-9	490	22.8	2.41	(18.4 - 27.8)	17,995	(13,845 - 22,145)
HI	10-14	526	20.3	2.15	(16.4 - 24.9)	12,836	(9,945 - 15,728)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
HI	15-17	411	21.2	2.49	(16.7 - 26.5)		10,643	(7,978 - 13,307)
ID	0-4	388	4.6	1.33	(2.6 - 8.1)		4,968	(2,092 - 7,843)
ID	5-9	383	10.5	1.86	(7.4 - 14.8)		9,851	(6,289 - 13,414)
ID	10-14	412	10.6	2.13	(7.1 - 15.5)		9,159	(5,332 - 12,985)
ID	15-17	314	12.7	2.44	(8.6 - 18.3)		8,672	(5,197 - 12,146)
IL	0-4	340	4.2	1.24	(2.3 - 7.4)		37,201	(15,170 - 59,231)
IL	5-9	343	14.8	2.19	(11.0 - 19.6)		111,322	(76,866 - 145,777)
IL	10-14	396	15.6	2.37	(11.5 - 20.8)		124,244	(84,425 - 164,063)
IL	15-17	380	16.0	2.49	(11.7 - 21.5)		89,676	(60,192 - 119,159)
IN	0-4	331	7.7	2.28	(4.3 - 13.5)		33,155	(13,032 - 53,277)
IN	5-9	321	15.0	2.40	(10.9 - 20.3)		65,129	(43,566 - 86,693)
IN	10-14	394	15.4	2.35	(11.3 - 20.6)		53,661	(36,570 - 70,752)
IN	15-17	257	16.0	2.76	(11.3 - 22.1)		43,660	(28,046 - 59,273)
IA	0-4	414	3.9	1.10	(2.3 - 6.8)		6,275	(2,790 - 9,759)
IA	5-9	393	10.9	1.70	(8.0 - 14.7)		19,122	(13,062 - 25,181)
IA	10-14	449	11.7	1.68	(8.8 - 15.4)		19,313	(13,694 - 24,933)
IA	15-17	328	11.4	1.89	(8.2 - 15.6)		14,063	(9,340 - 18,786)
KS	0-4	569	7.7	1.30	(5.5 - 10.7)		14,898	(9,820 - 19,976)
KS	5-9	564	10.0	1.35	(7.7 - 13.0)		18,809	(13,650 - 23,968)
KS	10-14	655	15.4	1.56	(12.6 - 18.7)		24,310	(19,200 - 29,419)
KS	15-17	541	19.0	2.12	(15.2 - 23.5)		23,285	(17,629 - 28,941)
KY	0-4	481	10.5	1.94	(7.3 - 15.0)		28,827	(17,929 - 39,725)
KY	5-9	480	15.6	2.13	(11.8 - 20.2)		42,009	(30,104 - 53,914)
KY	10-14	606	18.0	1.84	(14.7 - 21.9)		41,488	(32,867 - 50,108)
KY	15-17	500	12.1	1.73	(9.1 - 15.9)		20,472	(14,550 - 26,394)
ME	0-4	378	4.2	1.09	(2.5 - 6.9)		2,944	(1,434 - 4,454)
ME	5-9	361	15.2	2.14	(11.5 - 19.9)		10,895	(7,688 - 14,102)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
ME	10-14	450	19.0	2.12	(15.2 - 23.5)		11,605	(8,872 - 14,338)
ME	15-17	356	20.9	2.37	(16.7 - 25.9)		11,643	(8,878 - 14,409)
MD	0-4	675	6.2	1.17	(4.3 - 9.0)		22,949	(14,352 - 31,546)
MD	5-9	702	16.8	1.94	(13.3 - 20.9)		55,332	(41,612 - 69,052)
MD	10-14	733	18.3	1.83	(15.0 - 22.1)		59,486	(46,934 - 72,039)
MD	15-17	559	16.9	2.15	(13.1 - 21.5)		42,448	(30,978 - 53,917)
MA	0-4	428	10.1	2.18	(6.6 - 15.3)		38,744	(21,519 - 55,970)
MA	5-9	373	13.4	2.37	(9.4 - 18.8)		51,067	(32,277 - 69,858)
MA	10-14	486	15.8	2.20	(11.9 - 20.6)		44,300	(31,498 - 57,102)
MA	15-17	384	18.6	2.78	(13.7 - 24.6)		48,861	(33,393 - 64,329)
MI	0-4	485	10.2	2.15	(6.7 - 15.3)		64,838	(36,182 - 93,494)
MI	5-9	559	16.7	1.97	(13.2 - 21.0)		108,850	(81,426 - 136,274)
MI	10-14	725	18.3	1.71	(15.2 - 21.9)		103,588	(83,261 - 123,916)
MI	15-17	589	20.0	1.92	(16.5 - 24.1)		89,377	(71,186 - 107,567)
MS	0-4	406	13.3	2.34	(9.3 - 18.6)		22,254	(13,993 - 30,515)
MS	5-9	433	14.1	1.94	(10.8 - 18.4)		26,234	(18,829 - 33,639)
MS	10-14	514	14.6	1.92	(11.2 - 18.7)		21,413	(15,556 - 27,270)
MS	15-17	433	16.3	2.65	(11.8 - 22.2)		18,356	(11,892 - 24,820)
MO	0-4	298	10.4	2.57	(6.3 - 16.6)		36,824	(17,989 - 55,660)
MO	5-9	305	14.7	2.59	(10.3 - 20.5)		56,902	(36,054 - 77,750)
MO	10-14	359	18.1	2.71	(13.4 - 24.0)		60,537	(41,552 - 79,522)
MO	15-17	304	17.7	3.42	(11.9 - 25.4)		43,517	(24,760 - 62,275)
MT	0-4	406	4.0	1.36	(2.1 - 7.7)		2,276	(740 - 3,811)
MT	5-9	368	11.2	1.97	(7.9 - 15.7)		6,163	(3,944 - 8,383)
MT	10-14	445	13.5	2.08	(9.9 - 18.1)		6,996	(4,747 - 9,245)
MT	15-17	366	14.1	2.14	(10.4 - 18.8)		5,838	(4,020 - 7,656)
NE	0-4	1,012	3.5	1.09	(1.9 - 6.4)		4,501	(1,741 - 7,262)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NE	5-9	1,049	8.7	1.43	(6.3 - 12.0)		10,255	(6,859 - 13,651)
NE	10-14	1,234	10.6	1.42	(8.1 - 13.7)		10,823	(7,845 - 13,801)
NE	15-17	1,003	11.6	1.59	(8.8 - 15.1)		8,924	(6,499 - 11,350)
NV	0-4	321	8.4	2.63	(4.5 - 15.2)		15,990	(5,729 - 26,251)
NV	5-9	341	11.7	2.44	(7.7 - 17.4)		19,117	(11,067 - 27,167)
NV	10-14	347	11.9	2.10	(8.3 - 16.7)		16,540	(10,666 - 22,413)
NV	15-17	267	17.4	3.36	(11.8 - 25.0)		17,944	(10,640 - 25,248)
NH	0-4	442	6.2	1.32	(4.0 - 9.3)		4,449	(2,536 - 6,361)
NH	5-9	385	10.1	1.78	(7.1 - 14.1)		7,545	(4,832 - 10,259)
NH	10-14	479	16.8	2.02	(13.2 - 21.2)		12,543	(9,378 - 15,708)
NH	15-17	417	16.2	2.13	(12.5 - 20.8)		8,916	(6,469 - 11,363)
NJ	0-4	757	5.1	0.89	(3.6 - 7.2)		23,390	(15,334 - 31,445)
NJ	5-9	692	13.9	1.62	(11.0 - 17.4)		77,556	(58,704 - 96,408)
NJ	10-14	781	17.3	1.94	(13.9 - 21.5)		76,299	(58,142 - 94,457)
NJ	15-17	680	17.2	2.02	(13.6 - 21.5)		64,123	(47,968 - 80,278)
NM	0-4	394	3.6	0.90	(2.2 - 5.9)		5,049	(2,585 - 7,513)
NM	5-9	445	10.3	1.84	(7.2 - 14.5)		13,160	(8,302 - 18,018)
NM	10-14	493	17.5	2.21	(13.6 - 22.3)		21,432	(15,804 - 27,060)
NM	15-17	406	16.5	2.30	(12.5 - 21.6)		15,140	(10,777 - 19,502)
NY	0-4	480	9.7	1.67	(6.9 - 13.5)		117,726	(76,553 - 158,900)
NY	5-9	426	23.7	2.68	(18.9 - 29.4)		282,772	(210,032 - 355,511)
NY	10-14	559	16.5	2.07	(12.8 - 21.0)		158,138	(116,007 - 200,268)
NY	15-17	412	14.7	2.21	(10.9 - 19.6)		119,407	(82,338 - 156,476)
ND	0-4	323	3.8	1.12	(2.1 - 6.7)		1,493	(623 - 2,363)
ND	5-9	269	9.3	1.82	(6.3 - 13.5)		3,476	(2,106 - 4,847)
ND	10-14	331	8.9	1.92	(5.8 - 13.4)		2,658	(1,479 - 3,837)
ND	15-17	292	9.6	1.88	(6.5 - 14.0)		2,658	(1,599 - 3,717)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Prevalence (Number)	95% CI * (Number)
OH	0-4	723	8.6	1.38	(6.2 - 11.7)	60,877	(40,822 - 80,931)
OH	5-9	746	14.9	1.76	(11.7 - 18.6)	107,541	(80,882 - 134,201)
OH	10-14	872	16.1	1.62	(13.1 - 19.5)	108,523	(85,702 - 131,343)
OH	15-17	746	16.2	1.90	(12.8 - 20.3)	78,158	(58,856 - 97,460)
OK	0-4	542	8.8	1.43	(6.3 - 12.0)	20,842	(13,947 - 27,737)
OK	5-9	559	15.3	1.83	(12.0 - 19.2)	35,444	(26,513 - 44,375)
OK	10-14	578	17.1	1.86	(13.8 - 21.1)	38,410	(29,581 - 47,239)
OK	15-17	441	16.1	1.96	(12.6 - 20.3)	24,319	(18,156 - 30,482)
OR	0-4	263	3.1	1.17	(1.5 - 6.4)	7,136	(1,795 - 12,477)
OR	5-9	258	12.4	2.48	(8.3 - 18.1)	28,842	(16,727 - 40,956)
OR	10-14	334	12.9	2.00	(9.5 - 17.3)	25,094	(17,157 - 33,031)
OR	15-17	264	13.1	2.39	(9.1 - 18.6)	18,996	(11,930 - 26,062)
PA	0-4	678	9.2	1.91	(6.1 - 13.7)	61,678	(35,200 - 88,156)
PA	5-9	773	14.1	2.05	(10.5 - 18.6)	102,530	(70,731 - 134,330)
PA	10-14	830	13.1	1.77	(10.0 - 17.0)	86,081	(61,991 - 110,171)
PA	15-17	672	21.6	2.54	(17.0 - 27.0)	114,013	(84,540 - 143,487)
RI	0-4	289	11.3	2.39	(7.4 - 16.9)	6,896	(3,854 - 9,938)
RI	5-9	307	19.3	2.58	(14.7 - 24.9)	11,812	(8,423 - 15,200)
RI	10-14	339	21.2	2.55	(16.7 - 26.7)	10,868	(8,054 - 13,683)
RI	15-17	256	18.3	2.73	(13.5 - 24.3)	7,809	(5,315 - 10,304)
TX	0-4	760	10.7	1.87	(7.6 - 15.0)	208,067	(131,920 - 284,214)
TX	5-9	761	15.0	1.80	(11.8 - 18.9)	266,975	(200,113 - 333,837)
TX	10-14	866	16.9	1.80	(13.6 - 20.7)	216,484	(167,239 - 265,729)
TX	15-17	606	16.5	2.09	(12.8 - 21.0)	175,541	(128,939 - 222,144)
UT	0-4	559	5.4	1.25	(3.4 - 8.4)	12,535	(6,724 - 18,347)
UT	5-9	573	10.7	1.89	(7.5 - 15.0)	22,377	(14,172 - 30,581)
UT	10-14	568	11.9	1.68	(8.9 - 15.6)	22,023	(15,609 - 28,437)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2008**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
UT	15-17	433	13.7	2.19	(9.9 - 18.5)		16,649	(11,092 - 22,205)
VT	0-4	359	7.9	1.76	(5.1 - 12.2)		2,600	(1,418 - 3,783)
VT	5-9	405	16.7	2.17	(12.9 - 21.4)		5,599	(4,040 - 7,158)
VT	10-14	504	15.7	1.79	(12.5 - 19.5)		5,073	(3,870 - 6,275)
VT	15-17	420	18.0	2.19	(14.1 - 22.7)		4,894	(3,619 - 6,168)
VA	0-4	307	8.2	1.95	(5.1 - 12.9)		40,127	(20,796 - 59,459)
VA	5-9	288	12.8	2.69	(8.4 - 19.1)		62,104	(34,982 - 89,226)
VA	10-14	362	23.2	3.77	(16.6 - 31.3)		87,274	(54,721 - 119,826)
VA	15-17	285	17.8	3.16	(12.4 - 24.8)		57,514	(36,466 - 78,562)
WV	0-4	221	6.3	1.88	(3.4 - 11.1)		6,586	(2,592 - 10,580)
WV	5-9	247	17.9	2.89	(13.0 - 24.3)		18,475	(12,040 - 24,910)
WV	10-14	257	21.6	2.85	(16.5 - 27.7)		18,498	(13,267 - 23,730)
WV	15-17	187	16.5	3.42	(10.8 - 24.3)		11,308	(6,250 - 16,366)
WI	0-4	305	3.4	1.27	(1.7 - 7.0)		11,333	(3,027 - 19,639)
WI	5-9	300	11.3	2.85	(6.8 - 18.2)		38,358	(18,186 - 58,530)
WI	10-14	358	11.7	2.14	(8.1 - 16.6)		35,475	(22,397 - 48,553)
WI	15-17	315	15.1	3.13	(9.9 - 22.3)		36,526	(20,199 - 52,852)
WY	0-4	529	3.9	1.00	(2.3 - 6.4)		1,323	(642 - 2,005)
WY	5-9	501	7.4	1.23	(5.3 - 10.2)		2,394	(1,596 - 3,192)
WY	10-14	574	13.8	1.73	(10.7 - 17.5)		3,609	(2,655 - 4,562)
WY	15-17	470	10.6	1.52	(8.0 - 14.0)		2,406	(1,714 - 3,097)
Territories								
PR	0-4	187	19.5	3.20	(13.9 - 26.5)		51,367	(33,127 - 69,607)
PR	5-9	236	35.9	3.46	(29.5 - 43.0)		105,553	(81,172 - 129,934)
PR	10-14	348	33.5	2.85	(28.2 - 39.3)		81,132	(65,082 - 97,181)
PR	15-17	273	29.0	3.19	(23.1 - 35.6)		51,421	(38,299 - 64,543)

Notes:  
\* CI denotes confidence interval.  
\*\* Total includes data from 37 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.