

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	16,333	7.6	0.40	(6.8 - 8.4)		1,124,718	(1,004,224 - 1,245,213)
Total **	5-9	17,105	14.9	0.51	(14.0 - 16.0)		2,166,149	(2,008,735 - 2,323,564)
Total **	10-14	19,984	16.3	0.49	(15.4 - 17.3)		1,920,072	(1,799,326 - 2,040,819)
Total **	15-17	15,721	16.1	0.52	(15.1 - 17.2)		1,509,123	(1,408,496 - 1,609,751)
CA	0-4	1,050	7.1	1.09	(5.3 - 9.6)		189,938	(130,802 - 249,074)
CA	5-9	1,057	12.2	1.35	(9.8 - 15.1)		304,835	(234,588 - 375,082)
CA	10-14	1,269	13.8	1.19	(11.6 - 16.3)		217,928	(179,012 - 256,843)
CA	15-17	935	15.1	1.38	(12.6 - 18.1)		248,751	(202,349 - 295,154)
CT	0-4	370	8.6	1.87	(5.5 - 13.0)		15,282	(8,547 - 22,018)
CT	5-9	384	17.7	2.38	(13.5 - 22.9)		38,900	(27,789 - 50,011)
CT	10-14	448	21.8	2.54	(17.2 - 27.2)		45,898	(34,137 - 57,658)
CT	15-17	317	21.1	2.92	(15.9 - 27.3)		30,915	(21,578 - 40,252)
DE	0-4	279	10.7	2.54	(6.7 - 16.8)		6,448	(3,289 - 9,607)
DE	5-9	250	17.6	2.89	(12.6 - 24.0)		9,958	(6,477 - 13,439)
DE	10-14	348	22.2	2.86	(17.1 - 28.3)		11,200	(8,061 - 14,340)
DE	15-17	242	26.6	3.70	(20.0 - 34.4)		9,488	(6,487 - 12,489)
DC	0-4	224	9.3	2.96	(4.9 - 16.9)		2,622	(879 - 4,365)
DC	5-9	167	19.8	3.50	(13.8 - 27.5)		5,870	(3,630 - 8,110)
DC	10-14	150	29.0	4.27	(21.4 - 38.0)		8,291	(5,547 - 11,035)
DC	15-17	120	24.9	4.72	(16.8 - 35.2)		4,421	(2,588 - 6,254)
GA	0-4	322	10.5	2.22	(6.9 - 15.7)		80,071	(45,723 - 114,419)
GA	5-9	381	19.4	2.76	(14.5 - 25.4)		137,181	(94,680 - 179,682)
GA	10-14	391	20.2	2.67	(15.5 - 25.9)		91,918	(65,970 - 117,866)
GA	15-17	314	12.2	2.35	(8.3 - 17.6)		50,396	(30,544 - 70,248)
HI	0-4	398	8.6	1.65	(5.9 - 12.4)		7,391	(4,558 - 10,225)
HI	5-9	453	20.6	2.53	(16.1 - 26.0)		15,568	(11,367 - 19,769)
HI	10-14	514	24.0	2.30	(19.8 - 28.7)		14,409	(11,442 - 17,376)
HI	15-17	403	22.8	2.84	(17.7 - 28.8)		10,788	(7,857 - 13,719)
ID	0-4	327	3.7	1.13	(2.0 - 6.6)		4,583	(1,800 - 7,367)
ID	5-9	362	7.9	1.67	(5.1 - 11.8)		7,593	(4,344 - 10,842)

Notes:
* CI denotes confidence interval.
** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
ID	10-14	370	12.6	2.15	(9.0 - 17.5)		13,082	(8,502 - 17,662)
ID	15-17	263	14.2	2.36	(10.2 - 19.5)		9,510	(6,256 - 12,763)
IL	0-4	358	7.2	1.66	(4.6 - 11.2)		56,793	(30,445 - 83,142)
IL	5-9	383	15.4	2.39	(11.2 - 20.7)		133,811	(89,235 - 178,387)
IL	10-14	424	15.4	1.95	(12.0 - 19.7)		135,257	(101,089 - 169,425)
IL	15-17	394	15.5	2.86	(10.7 - 21.9)		71,745	(43,365 - 100,125)
IN	0-4	474	10.0	1.97	(6.7 - 14.6)		44,196	(26,111 - 62,282)
IN	5-9	513	16.6	1.97	(13.1 - 20.8)		66,591	(50,082 - 83,100)
IN	10-14	607	17.1	2.06	(13.4 - 21.5)		59,985	(44,561 - 75,410)
IN	15-17	433	16.1	2.15	(12.3 - 20.8)		42,018	(30,356 - 53,680)
IA	0-4	366	2.7	0.92	(1.4 - 5.3)		5,504	(1,863 - 9,144)
IA	5-9	370	6.7	1.51	(4.3 - 10.3)		12,703	(6,907 - 18,500)
IA	10-14	447	7.3	1.35	(5.1 - 10.4)		11,860	(7,492 - 16,228)
IA	15-17	314	13.5	2.37	(9.5 - 18.8)		16,198	(10,228 - 22,169)
KS	0-4	1,123	6.2	0.85	(4.7 - 8.1)		12,199	(8,830 - 15,568)
KS	5-9	1,216	13.0	1.09	(11.0 - 15.3)		24,536	(20,247 - 28,825)
KS	10-14	1,370	14.1	1.03	(12.2 - 16.3)		23,950	(20,361 - 27,540)
KS	15-17	1,110	17.0	1.35	(14.5 - 19.8)		19,706	(16,386 - 23,025)
LA	0-4	443	10.8	1.80	(7.7 - 14.9)		29,545	(19,392 - 39,699)
LA	5-9	538	16.3	1.93	(12.8 - 20.4)		50,999	(38,355 - 63,643)
LA	10-14	641	14.9	1.76	(11.8 - 18.7)		39,572	(29,832 - 49,312)
LA	15-17	506	17.9	2.34	(13.8 - 23.0)		30,138	(21,742 - 38,534)
ME	0-4	209	5.8	1.71	(3.2 - 10.2)		4,159	(1,723 - 6,594)
ME	5-9	244	15.6	2.56	(11.2 - 21.3)		11,063	(7,318 - 14,808)
ME	10-14	275	18.5	2.61	(13.9 - 24.1)		11,825	(8,275 - 15,375)
ME	15-17	223	19.0	3.15	(13.6 - 26.0)		10,318	(6,620 - 14,015)
MD	0-4	532	12.3	2.17	(8.6 - 17.2)		41,585	(25,921 - 57,248)
MD	5-9	574	19.8	2.46	(15.4 - 25.1)		69,344	(50,187 - 88,502)
MD	10-14	669	18.4	2.16	(14.6 - 23.0)		58,319	(43,840 - 72,799)
MD	15-17	536	20.0	2.30	(15.9 - 24.9)		49,135	(37,105 - 61,166)

Notes:
* CI denotes confidence interval.
** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
MA	0-4	293	6.1	1.80	(3.4 - 10.7)		23,029	(9,460 - 36,598)
MA	5-9	309	15.6	2.60	(11.1 - 21.4)		59,131	(38,858 - 79,405)
MA	10-14	370	16.0	2.59	(11.5 - 21.7)		44,983	(29,673 - 60,293)
MA	15-17	295	19.6	3.42	(13.8 - 27.2)		50,944	(31,852 - 70,036)
MI	0-4	438	4.3	1.09	(2.6 - 7.0)		27,012	(13,454 - 40,569)
MI	5-9	527	11.8	1.73	(8.8 - 15.7)		76,769	(53,711 - 99,828)
MI	10-14	657	13.6	1.57	(10.8 - 16.9)		74,167	(56,569 - 91,765)
MI	15-17	558	16.6	2.18	(12.8 - 21.3)		72,516	(52,030 - 93,001)
MS	0-4	592	10.0	1.37	(7.6 - 13.0)		21,752	(15,746 - 27,758)
MS	5-9	571	17.9	1.92	(14.5 - 22.0)		37,305	(28,893 - 45,717)
MS	10-14	793	15.1	1.61	(12.2 - 18.5)		26,215	(20,362 - 32,069)
MS	15-17	553	17.6	2.08	(13.9 - 22.1)		22,049	(16,521 - 27,577)
MT	0-4	403	3.8	1.25	(2.0 - 7.2)		2,262	(774 - 3,749)
MT	5-9	417	8.1	1.66	(5.4 - 12.0)		4,695	(2,750 - 6,640)
MT	10-14	500	12.9	1.87	(9.6 - 17.0)		6,238	(4,392 - 8,085)
MT	15-17	400	14.2	2.21	(10.4 - 19.1)		5,803	(3,921 - 7,684)
NE	0-4	779	2.9	0.77	(1.7 - 4.9)		3,501	(1,654 - 5,348)
NE	5-9	846	7.7	1.31	(5.5 - 10.7)		9,358	(6,204 - 12,513)
NE	10-14	1,050	12.4	1.91	(9.2 - 16.7)		12,981	(8,890 - 17,073)
NE	15-17	880	16.2	2.43	(12.0 - 21.6)		12,344	(8,371 - 16,317)
NV	0-4	175	9.2	3.83	(4.0 - 19.9)		18,472	(2,512 - 34,431)
NV	5-9	213	11.1	3.05	(6.4 - 18.6)		16,071	(6,935 - 25,208)
NV	10-14	234	10.2	2.83	(5.9 - 17.2)		17,281	(7,693 - 26,870)
NV	15-17	179	11.1	3.14	(6.3 - 18.9)		11,547	(5,183 - 17,911)
NJ	0-4	729	9.2	1.55	(6.6 - 12.7)		50,953	(33,315 - 68,591)
NJ	5-9	812	17.1	1.63	(14.1 - 20.5)		95,186	(76,209 - 114,163)
NJ	10-14	972	16.3	1.54	(13.5 - 19.5)		60,825	(48,849 - 72,802)
NJ	15-17	746	17.7	1.80	(14.5 - 21.5)		63,338	(49,800 - 76,876)
NM	0-4	295	6.8	1.69	(4.1 - 10.9)		9,391	(4,729 - 14,053)
NM	5-9	341	16.6	2.45	(12.3 - 21.9)		19,957	(13,769 - 26,145)

Notes:
* CI denotes confidence interval.
** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NM	10-14	399	14.2	2.30	(10.3 - 19.4)		17,445	(11,641 - 23,249)
NM	15-17	348	18.8	2.94	(13.7 - 25.3)		16,030	(10,511 - 21,549)
NY	0-4	384	10.2	2.13	(6.7 - 15.2)		121,719	(68,928 - 174,510)
NY	5-9	363	20.4	2.70	(15.6 - 26.2)		234,601	(166,727 - 302,474)
NY	10-14	448	21.3	2.40	(17.0 - 26.4)		191,604	(145,483 - 237,725)
NY	15-17	332	16.6	2.55	(12.2 - 22.2)		130,915	(89,137 - 172,693)
ND	0-4	291	3.0	1.28	(1.3 - 6.8)		1,212	(174 - 2,249)
ND	5-9	276	10.7	1.89	(7.5 - 15.0)		3,941	(2,531 - 5,350)
ND	10-14	317	10.5	1.67	(7.6 - 14.2)		3,181	(2,169 - 4,192)
ND	15-17	269	15.8	2.68	(11.2 - 21.7)		4,263	(2,720 - 5,806)
OH	0-4	219	5.1	1.83	(2.5 - 10.1)		19,105	(5,607 - 32,603)
OH	5-9	226	11.7	2.53	(7.5 - 17.6)		47,896	(26,754 - 69,037)
OH	10-14	257	18.0	2.78	(13.1 - 24.1)		62,525	(42,203 - 82,847)
OH	15-17	229	17.8	3.02	(12.6 - 24.5)		47,937	(31,183 - 64,691)
OK	0-4	227	9.0	2.37	(5.3 - 14.8)		21,750	(9,913 - 33,586)
OK	5-9	242	17.4	2.62	(12.8 - 23.1)		45,421	(31,255 - 59,587)
OK	10-14	257	15.0	2.59	(10.6 - 20.8)		31,945	(20,603 - 43,286)
OK	15-17	160	19.0	3.78	(12.6 - 27.5)		25,528	(14,713 - 36,343)
OR	0-4	167	7.4	2.24	(4.0 - 13.2)		17,622	(6,826 - 28,418)
OR	5-9	196	17.2	3.01	(12.1 - 23.9)		39,198	(24,751 - 53,645)
OR	10-14	228	19.4	3.08	(14.0 - 26.1)		39,038	(25,788 - 52,287)
OR	15-17	173	16.5	2.94	(11.5 - 23.1)		25,233	(16,090 - 34,375)
PA	0-4	461	8.3	2.29	(4.7 - 14.0)		60,177	(25,540 - 94,814)
PA	5-9	461	17.2	2.21	(13.3 - 22.0)		116,573	(85,010 - 148,136)
PA	10-14	546	17.2	2.53	(12.8 - 22.7)		105,186	(71,866 - 138,506)
PA	15-17	442	18.0	2.43	(13.7 - 23.2)		92,396	(65,957 - 118,836)
RI	0-4	415	8.1	1.54	(5.5 - 11.6)		4,974	(3,057 - 6,890)
RI	5-9	394	18.2	2.29	(14.2 - 23.2)		11,037	(8,075 - 13,999)
RI	10-14	421	20.4	2.19	(16.4 - 25.0)		10,277	(7,951 - 12,604)
RI	15-17	348	19.1	2.50	(14.7 - 24.5)		7,888	(5,755 - 10,020)

Notes:
* CI denotes confidence interval.
** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
TX	0-4	821	6.8	1.27	(4.7 - 9.7)		121,652	(75,515 - 167,789)
TX	5-9	780	15.8	2.08	(12.2 - 20.3)		272,688	(196,781 - 348,594)
TX	10-14	857	17.4	2.03	(13.8 - 21.8)		279,299	(210,354 - 348,244)
TX	15-17	688	13.6	1.78	(10.4 - 17.4)		151,303	(112,255 - 190,351)
UT	0-4	985	4.3	0.92	(2.8 - 6.5)		10,322	(5,922 - 14,723)
UT	5-9	907	12.0	1.34	(9.6 - 14.9)		26,460	(20,319 - 32,601)
UT	10-14	996	15.4	1.44	(12.8 - 18.4)		29,294	(23,547 - 35,042)
UT	15-17	780	16.2	1.75	(13.1 - 20.0)		20,710	(15,974 - 25,446)
VT	0-4	362	10.7	1.94	(7.4 - 15.1)		3,501	(2,178 - 4,824)
VT	5-9	387	16.5	2.20	(12.6 - 21.3)		5,482	(3,924 - 7,040)
VT	10-14	472	18.8	2.08	(15.1 - 23.3)		5,637	(4,297 - 6,976)
VT	15-17	338	17.3	2.36	(13.1 - 22.4)		4,534	(3,221 - 5,848)
VA	0-4	275	5.2	1.66	(2.7 - 9.6)		26,449	(9,413 - 43,485)
VA	5-9	296	14.5	2.87	(9.7 - 21.1)		72,630	(42,333 - 102,927)
VA	10-14	347	17.2	3.11	(11.9 - 24.1)		58,614	(35,623 - 81,605)
VA	15-17	273	14.5	2.51	(10.2 - 20.1)		45,607	(29,751 - 61,464)
WA	0-4	1,072	5.4	0.80	(4.0 - 7.2)		22,975	(16,100 - 29,850)
WA	5-9	1,154	10.7	1.09	(8.7 - 13.0)		44,378	(35,104 - 53,653)
WA	10-14	1,374	15.4	1.21	(13.1 - 17.9)		51,419	(42,859 - 59,978)
WA	15-17	1,164	16.9	1.40	(14.3 - 19.8)		44,910	(36,964 - 52,857)
WV	0-4	264	7.0	1.79	(4.2 - 11.4)		7,362	(3,595 - 11,129)
WV	5-9	276	13.9	2.38	(9.8 - 19.2)		14,403	(9,279 - 19,528)
WV	10-14	278	17.4	2.54	(13.0 - 23.0)		14,706	(10,223 - 19,188)
WV	15-17	198	15.7	2.88	(10.8 - 22.2)		10,504	(6,507 - 14,501)
WI	0-4	211	8.2	2.86	(4.0 - 15.8)		29,210	(8,261 - 50,158)
WI	5-9	219	6.8	2.05	(3.8 - 12.1)		24,015	(9,674 - 38,357)
WI	10-14	288	11.1	2.36	(7.2 - 16.6)		33,716	(19,105 - 48,327)
WI	15-17	258	16.9	3.71	(10.8 - 25.5)		39,296	(20,788 - 57,804)
Territories								
PR	0-4	200	19.3	3.04	(14.0 - 25.9)		51,503	(34,374 - 68,633)

Notes:
* CI denotes confidence interval.
** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2009

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
PR	5-9	205	24.8	3.34	(18.8 - 31.9)		72,752	(51,173 - 94,330)
PR	10-14	322	28.1	2.79	(23.0 - 33.9)		63,569	(49,383 - 77,755)
PR	15-17	234	25.7	3.13	(20.1 - 32.3)		44,613	(32,556 - 56,670)

Notes:
 * CI denotes confidence interval.
 ** Total includes data from 35 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.