

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	12,599	11.2	0.46	(10.3 - 12.1)		2,931,792	(2,683,193 - 3,180,391)
U.S. Total**	25-34	36,221	8.4	0.25	(7.9 - 8.9)		3,487,376	(3,277,427 - 3,697,325)
U.S. Total**	35-44	58,502	7.7	0.19	(7.3 - 8.0)		3,428,431	(3,257,436 - 3,599,426)
U.S. Total**	45-54	84,779	8.4	0.16	(8.1 - 8.7)		3,676,746	(3,534,573 - 3,818,919)
U.S. Total**	55-64	92,983	8.7	0.17	(8.4 - 9.0)		2,919,085	(2,806,127 - 3,032,042)
U.S. Total**	65+	133,219	7.5	0.12	(7.3 - 7.7)		2,955,359	(2,859,517 - 3,051,201)
AL	18-24	215	13.1	3.10	(7.0 - 19.2)		40,313	(20,405 - 60,222)
AL	25-34	638	6.5	1.25	(4.0 - 8.9)		39,572	(24,074 - 55,070)
AL	35-44	847	7.9	1.18	(5.6 - 10.2)		50,625	(35,383 - 65,867)
AL	45-54	1,303	5.5	0.73	(4.1 - 6.9)		38,548	(28,387 - 48,708)
AL	55-64	1,478	8.8	1.01	(6.8 - 10.7)		47,076	(36,041 - 58,110)
AL	65+	2,190	7.3	0.73	(5.8 - 8.7)		50,973	(40,735 - 61,212)
AK	18-24	149	10.8	3.56	(3.8 - 17.8)		7,762	(2,519 - 13,004)
AK	25-34	328	6.1	1.68	(2.8 - 9.4)		6,260	(2,826 - 9,694)
AK	35-44	432	9.1	1.87	(5.4 - 12.8)		8,709	(5,080 - 12,339)
AK	45-54	575	11.9	2.02	(7.9 - 15.8)		12,339	(7,951 - 16,727)
AK	55-64	507	8.9	1.61	(5.8 - 12.1)		6,813	(4,321 - 9,305)
AK	65+	386	6.1	1.47	(3.2 - 9.0)		3,180	(1,657 - 4,703)
AZ	18-24	142	16.2	4.90	(6.6 - 25.9)		88,860	(33,471 - 144,249)
AZ	25-34	437	12.5	2.71	(7.1 - 17.8)		124,304	(67,221 - 181,388)
AZ	35-44	658	8.9	1.64	(5.6 - 12.1)		78,171	(48,666 - 107,675)
AZ	45-54	909	9.9	1.58	(6.8 - 13.1)		84,335	(56,778 - 111,892)
AZ	55-64	1,158	11.9	1.58	(8.9 - 15.0)		78,961	(57,270 - 100,653)
AZ	65+	2,092	7.7	0.86	(6.1 - 9.4)		67,217	(52,227 - 82,208)
AR	18-24	95	6.9	2.92	(1.1 - 12.7)		13,875	(1,775 - 25,974)
AR	25-34	296	8.4	2.13	(4.2 - 12.6)		37,102	(17,580 - 56,624)
AR	35-44	472	7.7	1.49	(4.7 - 10.6)		28,605	(17,317 - 39,894)
AR	45-54	696	7.0	1.10	(4.8 - 9.2)		27,212	(18,567 - 35,857)
AR	55-64	931	7.2	0.97	(5.3 - 9.1)		23,374	(17,074 - 29,674)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,463	7.9	0.83	(6.3 - 9.5)		32,469	(25,635 - 39,303)
CA	18-24	744	9.2	1.26	(6.8 - 11.7)		356,906	(256,801 - 457,010)
CA	25-34	1,829	6.6	0.68	(5.2 - 7.9)		351,660	(278,852 - 424,468)
CA	35-44	2,817	8.2	0.58	(7.1 - 9.3)		445,849	(382,896 - 508,802)
CA	45-54	3,327	8.0	0.53	(6.9 - 9.0)		418,607	(362,235 - 474,979)
CA	55-64	3,469	8.8	0.60	(7.6 - 10.0)		336,513	(289,632 - 383,394)
CA	65+	5,176	6.7	0.44	(5.9 - 7.6)		282,475	(245,114 - 319,835)
CO	18-24	336	10.3	1.88	(6.6 - 14.0)		47,588	(29,595 - 65,582)
CO	25-34	1,040	7.7	1.05	(5.6 - 9.8)		56,361	(40,705 - 72,018)
CO	35-44	1,791	8.4	0.77	(6.9 - 9.9)		60,332	(49,100 - 71,565)
CO	45-54	2,516	7.5	0.60	(6.3 - 8.6)		55,098	(46,259 - 63,937)
CO	55-64	2,727	8.9	0.67	(7.5 - 10.2)		48,042	(40,655 - 55,428)
CO	65+	3,328	7.3	0.52	(6.3 - 8.3)		38,385	(32,940 - 43,830)
CT	18-24	158	16.2	3.71	(8.9 - 23.5)		45,287	(22,960 - 67,615)
CT	25-34	529	8.8	1.78	(5.3 - 12.3)		36,791	(21,364 - 52,218)
CT	35-44	942	8.2	1.08	(6.1 - 10.3)		42,934	(31,462 - 54,406)
CT	45-54	1,255	9.1	0.95	(7.2 - 11.0)		50,173	(39,537 - 60,808)
CT	55-64	1,320	8.6	0.93	(6.8 - 10.5)		33,513	(26,174 - 40,853)
CT	65+	2,134	8.4	0.75	(7.0 - 9.9)		40,806	(33,478 - 48,135)
DE	18-24	138	11.6	3.45	(4.8 - 18.4)		9,442	(3,563 - 15,321)
DE	25-34	361	10.3	2.31	(5.8 - 14.9)		10,989	(5,850 - 16,128)
DE	35-44	617	9.4	1.39	(6.7 - 12.1)		11,234	(7,849 - 14,620)
DE	45-54	789	7.3	1.16	(5.0 - 9.6)		9,114	(6,171 - 12,057)
DE	55-64	918	9.0	1.26	(6.6 - 11.5)		8,887	(6,354 - 11,420)
DE	65+	1,418	6.0	0.72	(4.6 - 7.4)		7,385	(5,622 - 9,149)
DC	18-24	90	16.9	4.35	(8.3 - 25.6)		6,383	(2,847 - 9,918)
DC	25-34	454	10.5	1.57	(7.4 - 13.6)		14,527	(10,058 - 18,995)
DC	35-44	622	7.9	1.19	(5.5 - 10.2)		6,710	(4,651 - 8,769)
DC	45-54	711	9.5	1.24	(7.1 - 12.0)		7,185	(5,262 - 9,108)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	829	9.7	1.21	(7.3 - 12.1)		5,792	(4,311 - 7,272)
DC	65+	1,087	8.0	0.96	(6.1 - 9.9)		5,746	(4,350 - 7,142)
FL	18-24	282	8.5	2.21	(4.1 - 12.8)		80,377	(39,302 - 121,451)
FL	25-34	789	7.3	1.75	(3.9 - 10.7)		147,710	(74,864 - 220,557)
FL	35-44	1,298	5.9	1.04	(3.9 - 7.9)		209,303	(135,460 - 283,145)
FL	45-54	2,172	7.7	0.84	(6.1 - 9.4)		203,314	(158,865 - 247,764)
FL	55-64	2,670	8.3	0.88	(6.6 - 10.0)		177,872	(139,992 - 215,753)
FL	65+	4,672	6.0	0.46	(5.1 - 6.9)		195,192	(165,730 - 224,654)
GA	18-24	133	11.0	4.38	(2.3 - 19.7)		61,327	(9,100 - 113,555)
GA	25-34	531	7.2	1.37	(4.5 - 9.9)		126,781	(78,410 - 175,152)
GA	35-44	895	5.2	0.79	(3.6 - 6.8)		75,923	(53,023 - 98,824)
GA	45-54	1,214	7.7	0.92	(5.9 - 9.6)		105,348	(80,059 - 130,637)
GA	55-64	1,310	7.2	0.91	(5.4 - 9.0)		73,058	(54,286 - 91,831)
GA	65+	1,729	5.4	0.64	(4.2 - 6.7)		54,917	(41,972 - 67,863)
HI	18-24	270	16.7	2.83	(11.1 - 22.3)		19,589	(12,470 - 26,709)
HI	25-34	582	6.8	1.11	(4.6 - 8.9)		11,982	(8,057 - 15,906)
HI	35-44	900	8.1	1.00	(6.1 - 10.1)		14,225	(10,690 - 17,761)
HI	45-54	1,375	10.5	1.07	(8.4 - 12.6)		18,905	(14,922 - 22,889)
HI	55-64	1,525	10.4	1.07	(8.3 - 12.5)		15,932	(12,552 - 19,312)
HI	65+	1,946	6.8	0.72	(5.4 - 8.2)		12,803	(10,064 - 15,541)
ID	18-24	171	14.0	2.87	(8.4 - 19.7)		18,175	(10,461 - 25,888)
ID	25-34	522	6.3	1.16	(4.0 - 8.5)		14,799	(9,291 - 20,308)
ID	35-44	718	7.6	1.10	(5.5 - 9.8)		15,015	(10,652 - 19,379)
ID	45-54	1,036	8.3	1.01	(6.4 - 10.3)		17,190	(12,988 - 21,392)
ID	55-64	1,169	8.0	0.85	(6.3 - 9.7)		13,207	(10,408 - 16,006)
ID	65+	1,698	8.1	0.82	(6.5 - 9.7)		14,845	(11,778 - 17,912)
IL	18-24	212	13.1	2.60	(7.9 - 18.2)		168,186	(97,499 - 238,874)
IL	25-34	519	8.4	1.30	(5.8 - 11.0)		148,215	(101,507 - 194,923)
IL	35-44	882	7.2	1.13	(5.0 - 9.4)		130,686	(88,786 - 172,586)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	1,278	9.2	0.93	(7.4 - 11.0)	169,883	(134,845 - 204,920)
IL	55-64	1,154	8.6	1.12	(6.4 - 10.8)	118,276	(86,346 - 150,206)
IL	65+	1,766	8.6	0.78	(7.1 - 10.2)	137,355	(112,244 - 162,466)
IN	18-24	292	12.4	2.42	(7.6 - 17.2)	76,771	(45,250 - 108,293)
IN	25-34	853	7.7	1.13	(5.4 - 9.9)	64,063	(45,042 - 83,083)
IN	35-44	1,213	8.7	0.96	(6.9 - 10.6)	75,539	(58,771 - 92,307)
IN	45-54	1,940	10.7	0.90	(8.9 - 12.5)	98,370	(81,377 - 115,364)
IN	55-64	2,035	8.7	0.74	(7.2 - 10.2)	61,105	(50,520 - 71,691)
IN	65+	2,809	7.1	0.62	(5.8 - 8.3)	57,683	(47,363 - 68,003)
IA	18-24	172	3.9	1.49	(1.0 - 6.9)	11,617	(2,749 - 20,486)
IA	25-34	546	9.5	1.35	(6.9 - 12.2)	35,724	(25,354 - 46,093)
IA	35-44	825	6.6	1.02	(4.6 - 8.6)	25,079	(17,242 - 32,916)
IA	45-54	1,163	6.4	1.03	(4.4 - 8.5)	28,068	(18,846 - 37,290)
IA	55-64	1,249	6.0	0.72	(4.6 - 7.5)	20,214	(15,374 - 25,055)
IA	65+	1,974	7.5	0.64	(6.2 - 8.7)	33,377	(27,654 - 39,100)
KS	18-24	502	15.0	1.76	(11.5 - 18.4)	42,284	(31,655 - 52,914)
KS	25-34	1,570	8.7	0.78	(7.1 - 10.2)	31,445	(25,684 - 37,206)
KS	35-44	2,509	7.8	0.57	(6.6 - 8.9)	27,906	(23,751 - 32,062)
KS	45-54	3,937	7.5	0.47	(6.6 - 8.4)	29,922	(26,159 - 33,686)
KS	55-64	4,091	7.4	0.43	(6.5 - 8.2)	22,383	(19,726 - 25,040)
KS	65+	6,074	6.2	0.33	(5.5 - 6.8)	22,637	(20,191 - 25,084)
KY	18-24	247	18.2	3.79	(10.7 - 25.6)	48,682	(26,345 - 71,019)
KY	25-34	748	9.4	1.68	(6.1 - 12.7)	59,206	(37,166 - 81,245)
KY	35-44	1,273	8.0	1.08	(5.9 - 10.2)	53,746	(39,265 - 68,226)
KY	45-54	2,009	10.6	1.11	(8.4 - 12.7)	64,750	(50,670 - 78,830)
KY	55-64	2,237	10.0	0.92	(8.2 - 11.8)	49,696	(40,394 - 58,998)
KY	65+	3,006	9.6	0.80	(8.0 - 11.1)	54,720	(45,463 - 63,978)
LA	18-24	296	8.9	2.03	(5.0 - 12.9)	31,286	(16,725 - 45,846)
LA	25-34	761	6.4	1.09	(4.2 - 8.5)	38,702	(25,237 - 52,166)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	 	Prevalence (number)	95% CI* (number)
LA	35-44	1,165	5.8	0.79	(4.2 - 7.3)		39,219	(28,421 - 50,016)
LA	45-54	1,812	6.2	0.67	(4.9 - 7.5)		38,992	(30,609 - 47,374)
LA	55-64	1,983	5.7	0.56	(4.6 - 6.8)		28,104	(22,592 - 33,617)
LA	65+	2,778	6.0	0.54	(5.0 - 7.1)		33,299	(27,341 - 39,258)
ME	18-24	207	13.8	2.58	(8.8 - 18.9)		15,936	(9,650 - 22,221)
ME	25-34	503	12.4	1.67	(9.1 - 15.7)		18,371	(13,228 - 23,514)
ME	35-44	1,095	11.1	1.03	(9.0 - 13.1)		19,927	(16,098 - 23,757)
ME	45-54	1,725	11.2	0.84	(9.6 - 12.9)		24,057	(20,371 - 27,742)
ME	55-64	1,985	8.7	0.70	(7.3 - 10.0)		15,118	(12,646 - 17,590)
ME	65+	2,452	9.3	0.66	(8.0 - 10.6)		18,730	(16,021 - 21,440)
MD	18-24	254	13.9	2.67	(8.6 - 19.1)		68,912	(40,827 - 96,997)
MD	25-34	789	10.1	1.37	(7.4 - 12.8)		76,082	(54,766 - 97,397)
MD	35-44	1,330	9.2	1.03	(7.1 - 11.2)		74,655	(57,461 - 91,849)
MD	45-54	1,904	7.3	0.69	(6.0 - 8.7)		61,337	(49,879 - 72,795)
MD	55-64	1,744	8.1	0.88	(6.3 - 9.8)		50,542	(39,275 - 61,810)
MD	65+	2,372	8.0	0.73	(6.6 - 9.5)		55,006	(44,818 - 65,193)
MA	18-24	465	14.7	2.45	(9.8 - 19.5)		91,773	(59,123 - 124,423)
MA	25-34	1,517	12.4	1.27	(9.9 - 14.9)		100,460	(79,032 - 121,887)
MA	35-44	2,574	10.8	0.83	(9.2 - 12.5)		101,161	(85,442 - 116,881)
MA	45-54	3,581	9.6	0.66	(8.3 - 10.9)		94,072	(81,038 - 107,107)
MA	55-64	3,486	10.5	0.71	(9.1 - 11.9)		75,612	(65,127 - 86,097)
MA	65+	4,708	8.4	0.58	(7.3 - 9.6)		73,791	(63,557 - 84,025)
MI	18-24	345	13.2	2.06	(9.1 - 17.2)		135,876	(91,273 - 180,479)
MI	25-34	619	9.6	1.28	(7.1 - 12.1)		115,278	(83,965 - 146,592)
MI	35-44	1,168	9.3	1.03	(7.3 - 11.3)		126,832	(97,941 - 155,723)
MI	45-54	1,834	10.3	0.79	(8.7 - 11.8)		154,218	(129,958 - 178,477)
MI	55-64	2,111	10.8	0.85	(9.1 - 12.4)		124,772	(104,457 - 145,088)
MI	65+	3,024	7.8	0.55	(6.7 - 8.8)		101,765	(87,371 - 116,159)
MN	18-24	125	7.4	2.59	(2.3 - 12.6)		37,733	(10,625 - 64,841)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	449	7.5	1.32	(5.0 - 10.1)		51,892	(33,556 - 70,228)
MN	35-44	776	6.0	0.90	(4.2 - 7.7)		43,178	(30,130 - 56,226)
MN	45-54	1,175	6.9	0.82	(5.3 - 8.5)		55,574	(42,206 - 68,942)
MN	55-64	1,250	5.1	0.62	(3.9 - 6.3)		30,207	(22,974 - 37,440)
MN	65+	1,809	6.7	0.63	(5.4 - 7.9)		43,824	(35,538 - 52,111)
MS	18-24	351	8.1	1.84	(4.5 - 11.7)		20,523	(10,957 - 30,090)
MS	25-34	862	7.0	1.04	(4.9 - 9.0)		30,232	(21,128 - 39,336)
MS	35-44	1,366	7.2	0.94	(5.4 - 9.0)		24,915	(18,302 - 31,528)
MS	45-54	2,054	7.7	0.71	(6.3 - 9.1)		32,742	(26,658 - 38,825)
MS	55-64	2,508	7.5	0.63	(6.3 - 8.8)		23,891	(19,843 - 27,939)
MS	65+	3,931	8.2	0.51	(7.2 - 9.2)		30,582	(26,708 - 34,456)
MO	18-24	159	14.1	4.08	(6.1 - 22.2)		66,845	(24,990 - 108,700)
MO	25-34	446	10.9	2.04	(6.9 - 14.9)		94,188	(57,342 - 131,035)
MO	35-44	647	6.9	1.24	(4.5 - 9.4)		54,291	(34,693 - 73,890)
MO	45-54	1,017	9.6	1.36	(6.9 - 12.3)		82,621	(58,503 - 106,738)
MO	55-64	1,066	8.9	1.10	(6.7 - 11.1)		58,601	(43,974 - 73,227)
MO	65+	1,659	8.3	0.85	(6.6 - 9.9)		68,574	(54,402 - 82,745)
MT	18-24	238	9.7	2.25	(5.3 - 14.1)		9,247	(4,903 - 13,592)
MT	25-34	562	6.5	1.33	(3.9 - 9.1)		7,691	(4,495 - 10,888)
MT	35-44	918	7.7	1.02	(5.7 - 9.7)		9,025	(6,610 - 11,439)
MT	45-54	1,580	7.4	0.75	(5.9 - 8.9)		11,164	(8,886 - 13,441)
MT	55-64	1,777	9.8	0.87	(8.1 - 11.5)		12,405	(10,154 - 14,655)
MT	65+	2,475	8.0	0.67	(6.7 - 9.3)		11,180	(9,302 - 13,059)
NE	18-24	366	10.5	2.25	(6.1 - 14.9)		13,071	(7,427 - 18,715)
NE	25-34	1,167	7.7	1.54	(4.7 - 10.7)		22,317	(13,082 - 31,552)
NE	35-44	1,933	7.3	1.05	(5.2 - 9.3)		16,333	(11,515 - 21,151)
NE	45-54	3,029	7.4	0.81	(5.8 - 9.0)		18,657	(14,554 - 22,760)
NE	55-64	3,410	7.8	0.75	(6.3 - 9.3)		15,138	(12,185 - 18,090)
NE	65+	5,942	6.4	0.48	(5.5 - 7.3)		15,418	(13,112 - 17,724)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	93	10.0	4.76	(0.6 - 19.5)		14,092	(0 - 28,283)
NV	25-34	342	8.3	2.29	(3.8 - 12.8)		38,272	(16,581 - 59,964)
NV	35-44	545	8.4	1.67	(5.1 - 11.7)		32,678	(19,467 - 45,889)
NV	45-54	715	10.6	1.89	(6.9 - 14.3)		38,698	(24,299 - 53,096)
NV	55-64	868	8.8	1.45	(6.0 - 11.7)		25,007	(16,604 - 33,411)
NV	65+	1,211	8.3	1.14	(6.1 - 10.5)		25,414	(18,339 - 32,490)
NH	18-24	154	12.3	2.95	(6.5 - 18.1)		13,123	(6,708 - 19,539)
NH	25-34	401	11.2	1.72	(7.9 - 14.6)		18,556	(12,791 - 24,321)
NH	35-44	837	10.8	1.34	(8.2 - 13.4)		20,863	(15,530 - 26,196)
NH	45-54	1,252	10.5	1.14	(8.3 - 12.8)		23,412	(18,187 - 28,638)
NH	55-64	1,392	9.6	0.96	(7.7 - 11.5)		15,544	(12,383 - 18,706)
NH	65+	1,863	7.9	0.77	(6.4 - 9.4)		13,731	(11,022 - 16,440)
NJ	18-24	277	9.4	2.01	(5.4 - 13.3)		71,674	(40,467 - 102,881)
NJ	25-34	1,070	8.4	1.08	(6.3 - 10.5)		87,349	(64,625 - 110,072)
NJ	35-44	2,107	7.1	0.65	(5.8 - 8.4)		91,856	(75,058 - 108,654)
NJ	45-54	2,775	7.5	0.64	(6.2 - 8.7)		98,804	(81,714 - 115,894)
NJ	55-64	2,544	8.1	0.75	(6.6 - 9.6)		77,864	(63,263 - 92,466)
NJ	65+	3,357	6.7	0.54	(5.6 - 7.7)		77,518	(64,970 - 90,066)
NM	18-24	301	7.7	1.86	(4.1 - 11.4)		15,730	(8,044 - 23,417)
NM	25-34	752	7.8	1.18	(5.4 - 10.1)		20,959	(14,543 - 27,376)
NM	35-44	1,139	9.2	1.09	(7.1 - 11.4)		23,458	(17,790 - 29,126)
NM	45-54	1,804	8.4	0.78	(6.9 - 9.9)		23,079	(18,770 - 27,388)
NM	55-64	2,035	9.1	0.77	(7.6 - 10.6)		20,185	(16,704 - 23,667)
NM	65+	2,689	9.4	0.70	(8.1 - 10.8)		24,457	(20,768 - 28,146)
NY	18-24	227	13.5	2.52	(8.5 - 18.4)		255,029	(154,108 - 355,949)
NY	25-34	558	9.1	1.24	(6.7 - 11.5)		229,248	(166,556 - 291,939)
NY	35-44	959	8.0	1.01	(6.1 - 10.0)		220,066	(164,474 - 275,658)
NY	45-54	1,407	10.1	0.99	(8.2 - 12.1)		282,991	(226,353 - 339,628)
NY	55-64	1,489	11.3	1.03	(9.2 - 13.3)		237,705	(193,243 - 282,168)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	2,120	8.5	0.71	(7.1 - 9.8)		219,922	(182,866 - 256,978)
NC	18-24	407	10.1	1.80	(6.6 - 13.7)		89,706	(57,988 - 121,423)
NC	25-34	1,220	8.8	1.26	(6.4 - 11.3)		107,471	(76,099 - 138,844)
NC	35-44	1,991	6.1	0.70	(4.7 - 7.5)		81,784	(63,217 - 100,352)
NC	45-54	2,556	8.3	0.90	(6.5 - 10.0)		108,238	(84,023 - 132,453)
NC	55-64	2,768	7.6	0.64	(6.4 - 8.9)		79,887	(66,564 - 93,209)
NC	65+	4,156	6.7	0.56	(5.6 - 7.8)		78,373	(65,400 - 91,346)
ND	18-24	150	13.1	2.82	(7.5 - 18.7)		10,599	(5,812 - 15,387)
ND	25-34	433	8.8	1.51	(5.9 - 11.8)		7,219	(4,688 - 9,751)
ND	35-44	639	7.9	1.17	(5.6 - 10.2)		5,865	(4,093 - 7,637)
ND	45-54	1,018	7.5	0.90	(5.7 - 9.3)		6,750	(5,106 - 8,394)
ND	55-64	989	7.2	0.85	(5.5 - 8.8)		5,032	(3,822 - 6,243)
ND	65+	1,456	8.3	0.79	(6.8 - 9.8)		7,825	(6,318 - 9,333)
OH	18-24	253	14.9	2.80	(9.3 - 20.4)		115,780	(69,348 - 162,211)
OH	25-34	760	11.2	1.54	(8.2 - 14.3)		196,455	(140,029 - 252,881)
OH	35-44	1,338	9.2	0.99	(7.2 - 11.1)		140,641	(109,528 - 171,753)
OH	45-54	2,006	9.2	0.80	(7.6 - 10.8)		156,734	(128,957 - 184,511)
OH	55-64	2,221	10.2	0.76	(8.7 - 11.7)		132,825	(112,577 - 153,073)
OH	65+	3,042	7.4	0.57	(6.3 - 8.5)		116,357	(98,398 - 134,316)
OK	18-24	242	13.4	3.00	(7.5 - 19.3)		34,055	(17,533 - 50,578)
OK	25-34	796	11.1	1.36	(8.4 - 13.7)		65,516	(48,884 - 82,149)
OK	35-44	986	8.8	0.98	(6.8 - 10.7)		39,478	(30,455 - 48,500)
OK	45-54	1,446	10.1	0.90	(8.3 - 11.9)		52,283	(42,712 - 61,854)
OK	55-64	1,680	8.5	0.71	(7.1 - 9.9)		35,581	(29,632 - 41,530)
OK	65+	2,617	9.3	0.64	(8.0 - 10.6)		45,897	(39,433 - 52,360)
OR	18-24	113	12.0	3.21	(5.7 - 18.4)		41,221	(18,071 - 64,371)
OR	25-34	279	13.1	2.38	(8.4 - 17.8)		67,680	(41,758 - 93,602)
OR	35-44	481	10.4	1.48	(7.5 - 13.3)		53,322	(37,829 - 68,814)
OR	45-54	768	12.6	1.32	(10.0 - 15.1)		69,740	(54,507 - 84,974)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,040	10.2	1.12	(8.0 - 12.4)		47,220	(36,431 - 58,009)
OR	65+	1,534	8.8	0.81	(7.2 - 10.3)		45,332	(36,842 - 53,821)
PA	18-24	306	13.7	2.36	(9.1 - 18.4)		162,444	(104,048 - 220,839)
PA	25-34	692	9.4	1.35	(6.8 - 12.1)		135,835	(96,100 - 175,570)
PA	35-44	1,234	10.2	1.04	(8.1 - 12.2)		169,129	(133,660 - 204,599)
PA	45-54	1,739	8.0	0.86	(6.4 - 9.7)		150,503	(117,834 - 183,173)
PA	55-64	1,991	7.9	0.76	(6.5 - 9.4)		115,263	(93,147 - 137,379)
PA	65+	3,057	7.0	0.57	(5.9 - 8.1)		135,025	(112,931 - 157,118)
RI	18-24	163	10.7	2.62	(5.5 - 15.9)		11,945	(5,889 - 18,001)
RI	25-34	555	9.5	1.40	(6.7 - 12.2)		12,303	(8,602 - 16,003)
RI	35-44	938	11.6	1.21	(9.2 - 13.9)		16,887	(13,222 - 20,552)
RI	45-54	1,308	10.2	1.01	(8.2 - 12.2)		15,944	(12,703 - 19,185)
RI	55-64	1,319	12.1	1.00	(10.1 - 14.0)		14,362	(11,935 - 16,789)
RI	65+	1,880	7.2	0.63	(5.9 - 8.4)		10,649	(8,771 - 12,526)
SC	18-24	284	10.0	2.57	(4.9 - 15.1)		34,294	(16,077 - 52,512)
SC	25-34	693	6.4	1.09	(4.2 - 8.5)		35,774	(23,609 - 47,938)
SC	35-44	1,231	7.3	1.14	(5.1 - 9.6)		51,459	(35,129 - 67,789)
SC	45-54	1,820	8.5	0.88	(6.7 - 10.2)		54,438	(42,969 - 65,906)
SC	55-64	2,289	7.0	0.74	(5.5 - 8.4)		36,767	(28,921 - 44,614)
SC	65+	3,380	8.9	0.83	(7.3 - 10.5)		53,519	(43,208 - 63,830)
SD	18-24	205	10.5	2.90	(4.7 - 16.2)		8,554	(3,617 - 13,491)
SD	25-34	571	8.2	1.32	(5.6 - 10.8)		8,231	(5,560 - 10,901)
SD	35-44	839	7.5	1.15	(5.3 - 9.8)		7,290	(5,017 - 9,563)
SD	45-54	1,382	5.8	0.74	(4.3 - 7.2)		6,579	(4,894 - 8,265)
SD	55-64	1,435	6.9	0.82	(5.3 - 8.5)		6,293	(4,798 - 7,789)
SD	65+	2,318	8.1	0.67	(6.8 - 9.5)		9,434	(7,868 - 11,000)
TN	18-24	125	3.5				10,101	
TN	25-34	420	8.6	1.77	(5.2 - 12.1)		66,206	(38,431 - 93,981)
TN	35-44	696	7.8	1.28	(5.2 - 10.3)		95,464	(63,599 - 127,329)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,054	8.0	1.00	(6.0 - 9.9)		71,895	(53,839 - 89,950)
TN	55-64	1,287	9.1	1.08	(7.0 - 11.3)		66,518	(50,349 - 82,686)
TN	65+	1,946	9.0	0.85	(7.3 - 10.7)		75,081	(60,722 - 89,440)
TX	18-24	386	9.1	2.11	(4.9 - 13.2)		162,195	(84,830 - 239,561)
TX	25-34	1,150	5.9	0.91	(4.1 - 7.6)		206,141	(142,372 - 269,910)
TX	35-44	1,751	5.2	0.78	(3.6 - 6.7)		211,615	(147,705 - 275,524)
TX	45-54	2,280	6.2	0.63	(4.9 - 7.4)		201,630	(160,805 - 242,454)
TX	55-64	2,438	7.6	0.73	(6.2 - 9.1)		181,583	(146,782 - 216,384)
TX	65+	3,419	7.0	0.60	(5.8 - 8.1)		175,858	(145,942 - 205,774)
UT	18-24	441	9.1	1.56	(6.1 - 12.2)		30,189	(19,721 - 40,656)
UT	25-34	1,407	7.3	0.83	(5.7 - 8.9)		32,111	(24,701 - 39,520)
UT	35-44	1,789	7.4	0.70	(6.0 - 8.8)		25,109	(20,332 - 29,886)
UT	45-54	1,937	8.0	0.73	(6.6 - 9.4)		24,348	(19,890 - 28,806)
UT	55-64	1,926	7.9	0.70	(6.5 - 9.2)		18,028	(14,809 - 21,247)
UT	65+	2,510	8.4	0.66	(7.1 - 9.6)		20,489	(17,210 - 23,768)
VT	18-24	173	10.9	2.41	(6.1 - 15.6)		6,448	(3,486 - 9,410)
VT	25-34	465	11.8	1.64	(8.6 - 15.0)		8,258	(5,872 - 10,644)
VT	35-44	930	11.0	1.07	(8.9 - 13.1)		9,127	(7,306 - 10,948)
VT	45-54	1,444	8.0	0.76	(6.5 - 9.5)		8,175	(6,597 - 9,753)
VT	55-64	1,608	9.9	0.82	(8.3 - 11.5)		8,267	(6,880 - 9,654)
VT	65+	1,948	8.8	0.70	(7.4 - 10.2)		7,685	(6,448 - 8,922)
VA	18-24	111	8.7	3.22	(2.3 - 15.1)		66,555	(16,337 - 116,772)
VA	25-34	424	8.4	1.69	(5.1 - 11.8)		88,447	(52,094 - 124,799)
VA	35-44	798	6.9	1.09	(4.8 - 9.1)		78,089	(53,223 - 102,956)
VA	45-54	1,108	7.0	0.93	(5.2 - 8.8)		79,522	(58,545 - 100,499)
VA	55-64	1,155	7.7	1.05	(5.6 - 9.7)		66,369	(47,914 - 84,824)
VA	65+	1,479	8.7	1.04	(6.7 - 10.8)		83,270	(62,990 - 103,549)
WA	18-24	583	8.8	1.41	(6.0 - 11.5)		52,212	(35,003 - 69,420)
WA	25-34	1,610	8.1	0.77	(6.6 - 9.6)		72,706	(58,838 - 86,574)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	2,619	8.2	0.61	(7.0 - 9.4)		75,908	(64,500 - 87,317)
WA	45-54	3,940	9.2	0.55	(8.1 - 10.3)		90,800	(79,772 - 101,829)
WA	55-64	4,795	10.0	0.51	(9.0 - 11.0)		75,325	(67,452 - 83,198)
WA	65+	6,416	9.0	0.43	(8.1 - 9.8)		71,402	(64,477 - 78,326)
WV	18-24	167	10.5	2.52	(5.5 - 15.5)		17,124	(8,561 - 25,686)
WV	25-34	478	9.3	1.41	(6.5 - 12.1)		21,098	(14,607 - 27,588)
WV	35-44	648	8.0	1.18	(5.7 - 10.4)		18,986	(13,304 - 24,668)
WV	45-54	868	9.4	1.12	(7.2 - 11.6)		25,228	(19,068 - 31,389)
WV	55-64	1,107	8.6	0.89	(6.8 - 10.3)		20,336	(16,058 - 24,614)
WV	65+	1,505	7.9	0.71	(6.5 - 9.3)		22,731	(18,592 - 26,870)
WI	18-24	143	13.2	3.49	(6.3 - 20.1)		69,374	(30,921 - 107,827)
WI	25-34	364	11.0	2.40	(6.3 - 15.7)		80,995	(44,098 - 117,892)
WI	35-44	623	10.9	1.63	(7.8 - 14.1)		83,618	(58,081 - 109,154)
WI	45-54	984	8.0	1.13	(5.7 - 10.2)		68,032	(48,467 - 87,598)
WI	55-64	1,036	8.1	1.30	(5.6 - 10.7)		52,826	(35,608 - 70,043)
WI	65+	1,353	8.7	1.06	(6.6 - 10.8)		65,883	(49,573 - 82,194)
WY	18-24	141	9.0	2.37	(4.3 - 13.7)		4,721	(2,180 - 7,261)
WY	25-34	534	11.1	1.44	(8.3 - 13.9)		7,844	(5,743 - 9,944)
WY	35-44	701	8.7	1.08	(6.5 - 10.8)		5,609	(4,183 - 7,035)
WY	45-54	1,252	8.8	0.85	(7.2 - 10.5)		7,131	(5,740 - 8,522)
WY	55-64	1,474	8.1	0.76	(6.6 - 9.6)		5,192	(4,204 - 6,180)
WY	65+	1,865	7.7	0.65	(6.5 - 9.0)		5,172	(4,300 - 6,045)
Territories								
GU	18-24	131	6.6	2.36	(2.0 - 11.3)		1,141	(312 - 1,970)
GU	25-34	208	3.4	1.19	(1.1 - 5.8)		854	(263 - 1,445)
GU	35-44	262	6.1	1.84	(2.4 - 9.7)		1,491	(576 - 2,407)
GU	45-54	278	4.4	1.16	(2.1 - 6.7)		780	(374 - 1,186)
GU	55-64	211	6.1	1.66	(2.9 - 9.4)		672	(308 - 1,035)
GU	65+	162	2.7				260	

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Adult Self-Reported Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory, BRFSS 2009**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	243	8.5	1.87	(4.8 - 12.2)		35,268	(19,291 - 51,245)
PR	25-34	347	7.7	1.60	(4.6 - 10.8)		42,187	(24,280 - 60,094)
PR	35-44	539	8.5	1.37	(5.8 - 11.2)		44,835	(30,130 - 59,539)
PR	45-54	695	8.1	1.13	(5.9 - 10.3)		38,809	(27,793 - 49,825)
PR	55-64	905	6.0	0.83	(4.4 - 7.6)		23,690	(17,149 - 30,230)
PR	65+	1,482	6.4	0.71	(5.0 - 7.8)		30,336	(23,564 - 37,107)
VI	18-24	151	7.1	2.05	(3.1 - 11.2)		631	(266 - 997)
VI	25-34	254	4.1	1.13	(1.8 - 6.3)		545	(246 - 844)
VI	35-44	415	6.3	1.40	(3.6 - 9.1)		980	(541 - 1,418)
VI	45-54	550	2.7	0.79	(1.1 - 4.2)		383	(158 - 608)
VI	55-64	554	3.3	0.83	(1.7 - 4.9)		377	(188 - 566)
VI	65+	515	3.1	0.90	(1.3 - 4.9)		280	(117 - 443)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.