

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	15,111	5.9	0.45	(5.1 - 6.9)		964,247	(815,398 - 1,113,097)
Total **	5-9	16,661	9.8	0.44	(9.0 - 10.7)		1,531,635	(1,393,687 - 1,669,583)
Total **	10-14	19,275	9.4	0.44	(8.6 - 10.3)		1,329,809	(1,204,243 - 1,455,374)
Total **	15-17	14,839	9.0	0.44	(8.1 - 9.9)		883,112	(795,294 - 970,930)
AL	0-4	384	8.3	2.01	(5.1 - 13.2)		24,121	(12,185 - 36,057)
AL	5-9	391	16.7	2.55	(12.3 - 22.3)		46,639	(31,530 - 61,748)
AL	10-14	483	12.4	1.95	(9.1 - 16.8)		33,193	(22,510 - 43,876)
AL	15-17	369	9.2	1.97	(6.0 - 13.8)		17,014	(9,728 - 24,299)
AZ	0-4	287	4.9	1.72	(2.4 - 9.6)		25,100	(7,694 - 42,506)
AZ	5-9	262	11.2	2.61	(7.0 - 17.4)		53,051	(28,056 - 78,047)
AZ	10-14	318	13.3	2.91	(8.6 - 20.1)		52,668	(28,752 - 76,583)
AZ	15-17	243	11.3	3.31	(6.3 - 19.6)		29,251	(11,819 - 46,683)
CA	0-4	381	3.9	1.25	(2.0 - 7.2)		106,449	(37,352 - 175,546)
CA	5-9	476	6.0	1.12	(4.2 - 8.6)		117,575	(74,449 - 160,700)
CA	10-14	435	7.7	1.40	(5.4 - 10.9)		195,050	(123,815 - 266,285)
CA	15-17	315	6.4	1.41	(4.1 - 9.8)		102,876	(57,863 - 147,890)
CT	0-4	414	6.1	1.61	(3.6 - 10.1)		11,764	(5,481 - 18,047)
CT	5-9	438	13.4	2.24	(9.6 - 18.5)		26,557	(17,205 - 35,908)
CT	10-14	432	13.8	2.19	(10.0 - 18.7)		29,610	(19,714 - 39,507)
CT	15-17	325	11.8	2.30	(8.0 - 17.1)		17,082	(10,243 - 23,921)
DC	0-4	231	9.0	3.12	(4.5 - 17.2)		2,247	(621 - 3,873)
DC	5-9	172	24.4	4.44	(16.8 - 34.1)		7,414	(4,394 - 10,433)
DC	10-14	156	23.5	4.73	(15.5 - 33.9)		6,227	(3,348 - 9,106)
DC	15-17	111	16.5	4.43	(9.5 - 27.1)		2,855	(1,300 - 4,409)
GA	0-4	324	6.0	1.42	(3.8 - 9.5)		45,184	(23,940 - 66,427)
GA	5-9	373	13.7	2.32	(9.7 - 18.9)		99,946	(64,227 - 135,665)
GA	10-14	389	6.0	1.19	(4.0 - 8.8)		26,349	(15,915 - 36,782)
GA	15-17	280	10.9	2.17	(7.3 - 15.9)		44,373	(26,462 - 62,285)
HI	0-4	385	11.3	1.95	(8.0 - 15.7)		7,720	(4,979 - 10,461)
HI	5-9	384	12.6	2.12	(9.0 - 17.4)		9,796	(6,402 - 13,190)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
HI	10-14	439	10.7	1.88	(7.6 - 15.0)		7,665	(4,932 - 10,398)
HI	15-17	331	10.7	2.38	(6.8 - 16.3)		5,018	(2,702 - 7,335)
IL	0-4	284	7.4	2.43	(3.8 - 13.8)		66,456	(21,584 - 111,328)
IL	5-9	299	12.5	2.50	(8.4 - 18.3)		109,295	(63,877 - 154,713)
IL	10-14	377	10.4	2.63	(6.3 - 16.8)		72,509	(33,875 - 111,142)
IL	15-17	303	8.4	1.87	(5.4 - 12.9)		45,385	(25,135 - 65,634)
IN	0-4	508	7.7	1.64	(5.0 - 11.6)		34,636	(19,521 - 49,752)
IN	5-9	547	9.4	1.59	(6.7 - 13.0)		40,046	(26,173 - 53,919)
IN	10-14	618	9.2	1.58	(6.5 - 12.8)		29,728	(19,282 - 40,174)
IN	15-17	463	9.6	1.71	(6.7 - 13.5)		24,211	(15,420 - 33,002)
IA	0-4	352	5.7	1.61	(3.3 - 9.8)		11,547	(4,951 - 18,142)
IA	5-9	350	6.2	1.69	(3.6 - 10.4)		11,272	(4,990 - 17,554)
IA	10-14	407	5.9	1.20	(3.9 - 8.8)		9,927	(5,916 - 13,938)
IA	15-17	314	6.8	1.75	(4.1 - 11.1)		7,965	(3,833 - 12,097)
KS	0-4	479	4.3	1.04	(2.7 - 6.9)		8,564	(4,450 - 12,678)
KS	5-9	565	9.7	1.37	(7.3 - 12.7)		18,556	(13,226 - 23,886)
KS	10-14	577	10.6	1.50	(8.0 - 13.9)		18,324	(13,017 - 23,631)
KS	15-17	494	5.2	1.03	(3.5 - 7.6)		5,786	(3,488 - 8,084)
KY	0-4	383	4.6	1.34	(2.6 - 8.1)		11,537	(4,914 - 18,159)
KY	5-9	416	13.9	2.54	(9.6 - 19.6)		42,759	(26,598 - 58,920)
KY	10-14	534	13.5	1.93	(10.1 - 17.7)		29,185	(20,636 - 37,735)
KY	15-17	424	12.9	2.31	(9.0 - 18.1)		20,838	(13,235 - 28,442)
LA	0-4	396	4.5	1.16	(2.7 - 7.4)		14,244	(6,871 - 21,617)
LA	5-9	425	10.8	1.77	(7.8 - 14.8)		32,496	(21,518 - 43,474)
LA	10-14	532	9.9	1.66	(7.1 - 13.6)		21,434	(13,974 - 28,893)
LA	15-17	368	10.2	1.90	(7.1 - 14.6)		19,563	(12,064 - 27,062)
ME	0-4	185	3.2	1.77	(1.1 - 9.2)		2,283	(0 - 4,811)
ME	5-9	202	13.6	2.60	(9.2 - 19.5)		9,260	(5,592 - 12,928)
ME	10-14	259	9.9	1.98	(6.7 - 14.5)		5,946	(3,560 - 8,331)
ME	15-17	188	7.3	2.34	(3.8 - 13.4)		3,836	(1,335 - 6,336)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
MD	0-4	536	7.3	1.42	(5.0 - 10.7)		23,376	(14,170 - 32,582)
MD	5-9	560	14.6	2.10	(10.9 - 19.2)		52,094	(36,092 - 68,095)
MD	10-14	608	15.3	2.28	(11.3 - 20.3)		45,488	(30,966 - 60,010)
MD	15-17	504	11.4	1.99	(8.1 - 15.9)		27,303	(17,472 - 37,134)
MA	0-4	291	7.7	2.04	(4.5 - 12.8)		30,311	(14,318 - 46,304)
MA	5-9	302	10.2	2.27	(6.5 - 15.5)		37,349	(20,507 - 54,192)
MA	10-14	327	13.4	2.93	(8.6 - 20.2)		32,460	(17,472 - 47,448)
MA	15-17	295	9.5	2.34	(5.8 - 15.2)		25,131	(12,574 - 37,688)
MI	0-4	350	10.4	2.27	(6.7 - 15.8)		63,905	(34,781 - 93,030)
MI	5-9	427	11.9	1.83	(8.7 - 15.9)		73,441	(50,384 - 96,499)
MI	10-14	598	9.3	1.64	(6.5 - 13.0)		52,703	(33,527 - 71,879)
MI	15-17	520	14.9	1.94	(11.5 - 19.1)		60,167	(43,719 - 76,615)
MS	0-4	380	4.3	1.20	(2.5 - 7.4)		7,576	(3,361 - 11,790)
MS	5-9	447	10.5	1.76	(7.5 - 14.5)		24,493	(16,144 - 32,843)
MS	10-14	579	11.9	1.68	(9.0 - 15.6)		20,974	(14,863 - 27,085)
MS	15-17	424	7.4	1.65	(4.7 - 11.3)		9,135	(5,029 - 13,241)
MO	0-4	234	8.7	3.02	(4.3 - 16.7)		34,771	(9,726 - 59,817)
MO	5-9	301	13.4	2.72	(8.9 - 19.7)		50,278	(28,896 - 71,661)
MO	10-14	345	13.4	2.28	(9.5 - 18.5)		41,293	(26,959 - 55,626)
MO	15-17	288	9.8	2.39	(6.0 - 15.5)		23,701	(11,914 - 35,488)
MT	0-4	379	3.5	1.10	(1.9 - 6.4)		2,158	(851 - 3,465)
MT	5-9	435	8.6	1.94	(5.4 - 13.2)		4,607	(2,462 - 6,752)
MT	10-14	471	6.4	1.60	(3.9 - 10.3)		3,597	(1,785 - 5,408)
MT	15-17	356	12.2	2.60	(8.0 - 18.3)		4,119	(2,277 - 5,962)
NE	0-4	792	3.6	1.37	(1.7 - 7.5)		4,865	(1,216 - 8,514)
NE	5-9	911	6.3	1.40	(4.1 - 9.7)		7,374	(4,088 - 10,659)
NE	10-14	1,056	9.3	1.83	(6.3 - 13.6)		9,778	(5,783 - 13,774)
NE	15-17	892	6.1	1.13	(4.3 - 8.8)		4,604	(2,943 - 6,265)
NV	0-4	178	4.0	2.11	(1.4 - 10.9)		8,091	(0 - 16,591)
NV	5-9	198	12.6	3.62	(7.1 - 21.6)		23,688	(9,539 - 37,837)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
NV	10-14	253	10.7	3.16	(5.9 - 18.7)		13,560	(5,259 - 21,862)
NV	15-17	180	9.9	3.63	(4.7 - 19.6)		10,226	(2,424 - 18,029)
NJ	0-4	734	6.0	1.05	(4.2 - 8.4)		27,832	(18,006 - 37,658)
NJ	5-9	756	10.2	1.45	(7.6 - 13.4)		56,631	(40,046 - 73,216)
NJ	10-14	847	12.5	1.63	(9.7 - 16.1)		56,501	(41,351 - 71,651)
NJ	15-17	670	8.3	1.23	(6.2 - 11.0)		29,717	(21,018 - 38,415)
NM	0-4	292	3.8	1.26	(2.0 - 7.2)		5,573	(1,888 - 9,258)
NM	5-9	405	8.2	1.67	(5.5 - 12.2)		11,463	(6,751 - 16,174)
NM	10-14	482	9.9	1.56	(7.3 - 13.4)		9,882	(6,772 - 12,992)
NM	15-17	370	12.4	2.28	(8.6 - 17.6)		10,420	(6,405 - 14,436)
NY	0-4	150	5.8	2.84	(2.2 - 14.5)		63,704	(0 - 127,465)
NY	5-9	140	8.5	2.81	(4.3 - 15.9)		94,175	(30,673 - 157,678)
NY	10-14	194	9.5	2.61	(5.5 - 16.0)		103,480	(46,710 - 160,249)
NY	15-17	140	6.9	2.90	(3.0 - 15.2)		39,679	(5,926 - 73,432)
ND	0-4	256	4.2	1.58	(2.0 - 8.7)		1,762	(445 - 3,079)
ND	5-9	274	5.0	1.57	(2.7 - 9.1)		1,893	(710 - 3,076)
ND	10-14	300	7.3	1.67	(4.7 - 11.4)		2,163	(1,170 - 3,157)
ND	15-17	244	11.1	2.36	(7.3 - 16.7)		2,795	(1,575 - 4,015)
OH	0-4	152	8.1	3.04	(3.8 - 16.4)		45,336	(10,513 - 80,159)
OH	5-9	180	7.3	3.00	(3.2 - 15.8)		52,260	(8,357 - 96,162)
OH	10-14	215	8.3	2.63	(4.4 - 15.1)		58,820	(21,020 - 96,621)
OH	15-17	176	12.6	2.87	(7.9 - 19.4)		55,380	(30,167 - 80,593)
OK	0-4	451	7.2	1.37	(5.0 - 10.4)		18,470	(11,457 - 25,484)
OK	5-9	481	10.0	1.57	(7.4 - 13.6)		24,271	(16,503 - 32,039)
OK	10-14	555	13.1	2.04	(9.6 - 17.6)		28,187	(18,872 - 37,502)
OK	15-17	376	13.0	1.95	(9.6 - 17.4)		17,801	(12,330 - 23,272)
OR	0-4	182	3.7	1.44	(1.7 - 7.8)		8,575	(1,861 - 15,288)
OR	5-9	248	8.4	2.05	(5.2 - 13.4)		19,900	(9,996 - 29,805)
OR	10-14	262	9.7	1.90	(6.6 - 14.2)		16,956	(10,278 - 23,633)
OR	15-17	176	10.5	2.75	(6.2 - 17.2)		15,404	(7,040 - 23,768)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
PA	0-4	527	6.1	1.39	(3.9 - 9.4)		44,239	(23,920 - 64,557)
PA	5-9	548	12.2	1.88	(9.0 - 16.4)		88,130	(59,775 - 116,485)
PA	10-14	676	10.5	1.40	(8.0 - 13.5)		56,884	(41,524 - 72,243)
PA	15-17	498	9.6	1.81	(6.6 - 13.8)		49,132	(30,184 - 68,081)
RI	0-4	303	9.4	2.20	(5.9 - 14.7)		5,621	(2,925 - 8,317)
RI	5-9	371	12.7	2.01	(9.3 - 17.2)		7,328	(4,920 - 9,736)
RI	10-14	426	12.1	1.77	(9.0 - 16.0)		5,670	(3,973 - 7,367)
RI	15-17	345	15.5	2.25	(11.6 - 20.5)		6,344	(4,434 - 8,254)
TN	0-4	101	2.2				8,898	
TN	5-9	95	8.7	3.48	(3.9 - 18.4)		35,781	(7,230 - 64,331)
TN	10-14	119	6.8	2.47	(3.3 - 13.6)		27,251	(7,654 - 46,848)
TN	15-17	80	8.7	4.16	(3.3 - 21.0)		21,448	(520 - 42,376)
TX	0-4	1,044	8.0	2.08	(4.8 - 13.2)		140,331	(64,251 - 216,410)
TX	5-9	1,189	8.1	1.21	(6.0 - 10.8)		143,765	(100,949 - 186,581)
TX	10-14	1,361	7.2	0.98	(5.5 - 9.4)		121,269	(89,811 - 152,727)
TX	15-17	966	6.2	1.31	(4.1 - 9.3)		60,771	(35,071 - 86,470)
UT	0-4	801	3.0	0.69	(1.9 - 4.7)		8,197	(4,445 - 11,949)
UT	5-9	931	7.8	1.22	(5.8 - 10.6)		16,923	(11,551 - 22,295)
UT	10-14	1,025	9.3	1.24	(7.1 - 12.0)		16,659	(12,111 - 21,208)
UT	15-17	748	9.8	1.39	(7.4 - 12.9)		12,823	(9,130 - 16,516)
VT	0-4	313	8.1	2.37	(4.5 - 14.1)		2,650	(1,031 - 4,268)
VT	5-9	348	8.3	1.56	(5.7 - 11.9)		2,747	(1,709 - 3,784)
VT	10-14	457	12.4	1.73	(9.4 - 16.2)		3,747	(2,673 - 4,821)
VT	15-17	373	10.6	1.84	(7.5 - 14.8)		2,713	(1,751 - 3,674)
WA	0-4	986	4.1	0.81	(2.7 - 6.0)		17,742	(10,649 - 24,834)
WA	5-9	1,035	5.0	0.77	(3.7 - 6.8)		21,040	(14,614 - 27,467)
WA	10-14	1,266	8.0	0.92	(6.4 - 10.0)		26,163	(20,080 - 32,247)
WA	15-17	975	9.0	1.06	(7.2 - 11.3)		23,782	(18,181 - 29,384)
WV	0-4	224	3.9	1.53	(1.8 - 8.3)		4,091	(910 - 7,272)
WV	5-9	213	6.2	1.58	(3.8 - 10.2)		6,448	(3,206 - 9,690)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C3
Child Current Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
WV	10-14	241	9.6	2.20	(6.1 - 14.9)		8,593	(4,592 - 12,594)
WV	15-17	181	6.9	1.75	(4.2 - 11.3)		4,551	(2,294 - 6,808)
WI	0-4	202	3.6	1.64	(1.5 - 8.6)		13,018	(1,278 - 24,757)
WI	5-9	269	13.8	2.87	(9.1 - 20.5)		48,443	(27,412 - 69,475)
WI	10-14	300	8.5	1.93	(5.4 - 13.1)		27,528	(14,967 - 40,089)
WI	15-17	268	8.9	2.39	(5.2 - 14.8)		17,805	(8,076 - 27,535)
WY	0-4	260	3.3	1.22	(1.6 - 6.8)		1,306	(358 - 2,253)
WY	5-9	297	6.9	1.59	(4.3 - 10.7)		2,450	(1,310 - 3,591)
WY	10-14	356	9.2	1.68	(6.4 - 13.0)		2,389	(1,505 - 3,272)
WY	15-17	266	9.4	1.93	(6.3 - 13.9)		2,106	(1,237 - 2,975)
Territories								
PR	0-4	172	13.6	3.15	(8.5 - 21.0)		35,696	(18,314 - 53,078)
PR	5-9	153	16.4	3.27	(11.0 - 23.9)		48,025	(27,802 - 68,248)
PR	10-14	214	11.2	2.27	(7.4 - 16.4)		23,640	(13,823 - 33,456)
PR	15-17	157	6.9	2.29	(3.6 - 13.0)		12,451	(4,152 - 20,750)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.