

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	12,215	18.6	0.56	(17.5 - 19.7)		4,336,364	(4,056,897 - 4,615,830)
U.S. Total**	25-34	34,299	14.5	0.31	(13.9 - 15.1)		5,674,518	(5,419,831 - 5,929,206)
U.S. Total**	35-44	57,655	12.6	0.24	(12.2 - 13.1)		6,152,088	(5,904,774 - 6,399,402)
U.S. Total**	45-54	84,854	12.8	0.22	(12.4 - 13.3)		5,906,210	(5,694,609 - 6,117,811)
U.S. Total**	55-64	100,986	13.5	0.19	(13.1 - 13.9)		4,632,112	(4,497,528 - 4,766,696)
U.S. Total**	65+	149,589	11.5	0.14	(11.2 - 11.7)		4,654,330	(4,538,704 - 4,769,955)
AL	18-24	212	14.0	3.39	(7.3 - 20.7)		35,409	(17,168 - 53,651)
AL	25-34	608	16.8	2.21	(12.5 - 21.2)		85,895	(61,637 - 110,153)
AL	35-44	914	10.2	1.18	(7.9 - 12.5)		65,474	(50,124 - 80,824)
AL	45-54	1,406	9.5	0.99	(7.6 - 11.5)		76,991	(60,731 - 93,250)
AL	55-64	1,700	12.7	1.05	(10.6 - 14.8)		75,647	(62,780 - 88,515)
AL	65+	2,744	11.0	0.75	(9.5 - 12.4)		80,676	(69,393 - 91,958)
AK	18-24	86	25.2	7.33	(10.6 - 39.8)		13,340	(4,461 - 22,219)
AK	25-34	257	11.2	2.89	(5.5 - 16.9)		13,645	(6,283 - 21,007)
AK	35-44	334	13.1	2.48	(8.2 - 18.0)		12,281	(7,549 - 17,014)
AK	45-54	463	12.8	2.05	(8.8 - 16.9)		13,031	(8,769 - 17,293)
AK	55-64	453	15.0	2.53	(10.0 - 20.0)		11,829	(7,587 - 16,072)
AK	65+	337	15.8	3.43	(9.0 - 22.5)		8,683	(4,555 - 12,810)
AZ	18-24	162	17.3	4.29	(8.8 - 25.7)		53,881	(25,613 - 82,149)
AZ	25-34	378	16.6	2.84	(11.1 - 22.2)		98,772	(62,597 - 134,947)
AZ	35-44	574	13.2	2.01	(9.2 - 17.1)		126,494	(86,617 - 166,370)
AZ	45-54	883	17.9	2.02	(13.9 - 21.9)		261,090	(198,706 - 323,474)
AZ	55-64	1,281	15.7	1.52	(12.7 - 18.7)		109,071	(86,924 - 131,218)
AZ	65+	2,415	13.2	1.05	(11.2 - 15.3)		120,644	(100,720 - 140,568)
AR	18-24	96	23.6	5.20	(13.3 - 34.0)		64,276	(32,264 - 96,289)
AR	25-34	235	12.9	2.49	(8.0 - 17.8)		49,173	(29,375 - 68,972)
AR	35-44	410	14.4	1.90	(10.6 - 18.1)		53,216	(38,673 - 67,759)
AR	45-54	663	11.3	1.41	(8.5 - 14.1)		44,350	(32,998 - 55,701)
AR	55-64	934	12.3	1.22	(9.9 - 14.7)		40,747	(32,457 - 49,036)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,644	10.7	0.91	(8.9 - 12.5)		45,201	(37,349 - 53,054)
CA	18-24	721	14.8	1.41	(12.0 - 17.5)		571,825	(457,753 - 685,898)
CA	25-34	1,722	12.3	0.91	(10.5 - 14.1)		659,105	(557,651 - 760,560)
CA	35-44	2,684	10.0	0.63	(8.8 - 11.2)		539,039	(470,465 - 607,613)
CA	45-54	3,397	13.1	0.65	(11.8 - 14.4)		692,964	(622,117 - 763,811)
CA	55-64	3,758	15.4	0.76	(13.9 - 16.9)		608,127	(544,762 - 671,493)
CA	65+	5,480	11.3	0.53	(10.3 - 12.4)		490,098	(443,675 - 536,521)
CO	18-24	283	20.2	2.89	(14.5 - 25.9)		94,321	(64,447 - 124,195)
CO	25-34	853	14.7	1.40	(12.0 - 17.5)		110,920	(89,180 - 132,659)
CO	35-44	1,687	14.9	1.04	(12.8 - 16.9)		107,683	(91,782 - 123,584)
CO	45-54	2,435	13.3	0.85	(11.6 - 14.9)		99,291	(86,109 - 112,474)
CO	55-64	2,816	14.2	0.79	(12.7 - 15.8)		80,841	(71,495 - 90,188)
CO	65+	3,416	12.7	0.68	(11.3 - 14.0)		70,162	(62,355 - 77,969)
CT	18-24	165	24.4	3.95	(16.6 - 32.2)		73,516	(47,267 - 99,766)
CT	25-34	516	19.9	2.34	(15.3 - 24.5)		85,317	(63,493 - 107,141)
CT	35-44	950	15.7	1.46	(12.8 - 18.5)		76,386	(61,394 - 91,377)
CT	45-54	1,347	13.0	1.15	(10.8 - 15.3)		72,695	(59,427 - 85,964)
CT	55-64	1,407	11.8	1.04	(9.8 - 13.9)		47,057	(38,569 - 55,544)
CT	65+	2,253	10.8	0.85	(9.1 - 12.4)		52,992	(44,398 - 61,586)
DE	18-24	130	24.4	4.40	(15.7 - 33.1)		20,585	(12,362 - 28,808)
DE	25-34	324	15.8	2.33	(11.2 - 20.4)		17,446	(12,034 - 22,859)
DE	35-44	554	16.3	1.81	(12.8 - 19.9)		19,514	(14,969 - 24,060)
DE	45-54	777	12.7	1.31	(10.1 - 15.2)		16,365	(12,891 - 19,839)
DE	55-64	964	14.4	1.45	(11.6 - 17.3)		14,760	(11,650 - 17,869)
DE	65+	1,438	10.1	0.88	(8.4 - 11.9)		12,987	(10,714 - 15,260)
DC	18-24	92	33.5	5.98	(21.6 - 45.4)		10,712	(6,012 - 15,412)
DC	25-34	417	13.3	1.76	(9.8 - 16.7)		10,242	(7,423 - 13,060)
DC	35-44	562	16.5	1.82	(12.9 - 20.1)		16,771	(12,821 - 20,721)
DC	45-54	718	14.6	1.63	(11.3 - 17.8)		19,140	(14,589 - 23,692)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	875	16.1	1.35	(13.4 - 18.8)		9,762	(8,056 - 11,468)
DC	65+	1,234	13.0	1.13	(10.8 - 15.2)		9,501	(7,800 - 11,203)
FL	18-24	852	24.0	3.40	(17.3 - 30.7)		233,473	(155,516 - 311,431)
FL	25-34	2,259	17.5	1.79	(14.0 - 21.0)		274,206	(213,263 - 335,149)
FL	35-44	3,605	12.4	1.00	(10.4 - 14.4)		345,802	(288,253 - 403,350)
FL	45-54	5,819	12.2	0.89	(10.5 - 14.0)		464,083	(395,034 - 533,131)
FL	55-64	7,874	13.5	0.81	(11.9 - 15.1)		290,524	(254,473 - 326,576)
FL	65+	14,256	12.0	0.58	(10.8 - 13.1)		400,589	(360,366 - 440,813)
GA	18-24	118	15.0	3.66	(7.7 - 22.2)		56,083	(27,701 - 84,466)
GA	25-34	514	15.2	2.26	(10.8 - 19.6)		192,151	(130,180 - 254,122)
GA	35-44	803	10.1	1.21	(7.7 - 12.5)		219,310	(165,733 - 272,887)
GA	45-54	1,189	9.4	1.01	(7.4 - 11.4)		132,967	(103,765 - 162,169)
GA	55-64	1,267	12.2	1.09	(10.0 - 14.3)		123,598	(100,862 - 146,333)
GA	65+	1,814	10.8	0.86	(9.1 - 12.5)		113,898	(95,423 - 132,373)
HI	18-24	259	23.4	3.28	(16.9 - 29.8)		27,862	(18,974 - 36,750)
HI	25-34	480	21.8	2.33	(17.2 - 26.4)		39,621	(30,387 - 48,854)
HI	35-44	773	15.4	1.58	(12.3 - 18.5)		26,754	(21,021 - 32,488)
HI	45-54	1,167	17.6	1.46	(14.8 - 20.5)		31,496	(25,929 - 37,063)
HI	55-64	1,618	16.9	1.19	(14.6 - 19.3)		25,761	(21,957 - 29,565)
HI	65+	2,183	12.5	0.89	(10.7 - 14.2)		24,307	(20,759 - 27,854)
ID	18-24	183	12.9	2.63	(7.7 - 18.1)		15,563	(8,967 - 22,160)
ID	25-34	589	12.5	1.62	(9.3 - 15.7)		26,283	(19,211 - 33,355)
ID	35-44	879	13.7	1.60	(10.6 - 16.9)		32,387	(24,507 - 40,268)
ID	45-54	1,246	15.1	1.19	(12.8 - 17.4)		31,473	(26,300 - 36,646)
ID	55-64	1,621	14.7	1.13	(12.5 - 16.9)		24,949	(20,882 - 29,016)
ID	65+	2,413	12.4	0.77	(10.9 - 13.9)		23,803	(20,754 - 26,852)
IL	18-24	173	20.9	3.70	(13.6 - 28.2)		213,314	(130,340 - 296,288)
IL	25-34	386	15.7	2.22	(11.4 - 20.1)		211,128	(148,104 - 274,152)
IL	35-44	736	14.6	1.60	(11.4 - 17.7)		362,777	(279,508 - 446,045)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
IL	45-54	1,029	10.9	1.22	(8.5 - 13.2)	200,063	(154,101 - 246,025)
IL	55-64	1,150	11.3	1.14	(9.1 - 13.5)	160,135	(127,124 - 193,145)
IL	65+	1,698	11.4	0.94	(9.5 - 13.2)	184,776	(153,438 - 216,113)
IN	18-24	301	17.1	2.78	(11.7 - 22.6)	82,925	(53,966 - 111,884)
IN	25-34	829	17.8	1.58	(14.7 - 20.9)	174,636	(141,852 - 207,421)
IN	35-44	1,279	14.6	1.28	(12.1 - 17.1)	125,528	(102,489 - 148,566)
IN	45-54	1,850	12.6	0.92	(10.8 - 14.4)	115,529	(98,276 - 132,783)
IN	55-64	2,406	13.1	0.85	(11.4 - 14.7)	93,803	(81,298 - 106,308)
IN	65+	3,431	10.8	0.64	(9.6 - 12.1)	91,092	(80,140 - 102,044)
IA	18-24	161	15.7	3.24	(9.3 - 22.1)	44,290	(24,895 - 63,685)
IA	25-34	449	13.9	1.80	(10.3 - 17.4)	54,822	(39,839 - 69,806)
IA	35-44	767	11.1	1.26	(8.6 - 13.6)	41,645	(31,924 - 51,366)
IA	45-54	1,155	10.4	0.99	(8.5 - 12.4)	45,441	(36,628 - 54,255)
IA	55-64	1,317	11.7	1.01	(9.7 - 13.7)	40,927	(33,564 - 48,289)
IA	65+	2,195	9.0	0.67	(7.7 - 10.3)	40,683	(34,519 - 46,847)
KS	18-24	214	21.5	3.15	(15.3 - 27.7)	48,784	(32,848 - 64,720)
KS	25-34	663	16.0	1.59	(12.9 - 19.1)	64,657	(50,980 - 78,333)
KS	35-44	1,072	11.9	1.06	(9.8 - 14.0)	44,931	(36,680 - 53,182)
KS	45-54	1,662	11.3	0.87	(9.6 - 13.0)	45,778	(38,514 - 53,042)
KS	55-64	1,932	10.9	0.76	(9.4 - 12.4)	34,425	(29,494 - 39,355)
KS	65+	2,947	10.3	0.61	(9.1 - 11.5)	38,740	(34,030 - 43,449)
KY	18-24	228	19.4	3.49	(12.5 - 26.2)	61,983	(38,415 - 85,550)
KY	25-34	599	18.2	2.12	(14.0 - 22.3)	104,330	(78,425 - 130,234)
KY	35-44	1,013	13.4	1.59	(10.3 - 16.5)	88,500	(66,812 - 110,188)
KY	45-54	1,575	13.1	1.08	(11.0 - 15.3)	82,482	(68,840 - 96,123)
KY	55-64	1,921	14.7	1.12	(12.5 - 16.9)	74,298	(62,555 - 86,041)
KY	65+	2,649	13.1	0.86	(11.4 - 14.8)	77,228	(66,879 - 87,577)
LA	18-24	228	17.0	2.85	(11.3 - 22.6)	79,324	(50,472 - 108,176)
LA	25-34	621	12.6	1.91	(8.8 - 16.3)	76,857	(51,809 - 101,906)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	914	9.1	1.10	(7.0 - 11.3)		51,469	(38,783 - 64,155)
LA	45-54	1,422	10.4	0.93	(8.6 - 12.2)		65,500	(53,587 - 77,412)
LA	55-64	1,611	11.8	0.94	(10.0 - 13.6)		59,712	(49,901 - 69,523)
LA	65+	2,163	9.8	0.71	(8.4 - 11.1)		54,911	(46,824 - 62,998)
ME	18-24	214	21.8	3.38	(15.1 - 28.4)		24,898	(16,101 - 33,696)
ME	25-34	517	20.6	2.06	(16.5 - 24.6)		30,527	(23,775 - 37,280)
ME	35-44	997	13.8	1.16	(11.5 - 16.1)		24,127	(19,902 - 28,353)
ME	45-54	1,690	13.5	0.93	(11.7 - 15.3)		28,937	(24,879 - 32,995)
ME	55-64	2,002	16.1	0.95	(14.2 - 17.9)		29,016	(25,402 - 32,630)
ME	65+	2,632	12.3	0.72	(10.9 - 13.7)		25,364	(22,329 - 28,399)
MD	18-24	239	15.6	2.90	(9.8 - 21.3)		76,752	(46,457 - 107,047)
MD	25-34	745	15.3	1.62	(12.1 - 18.5)		115,393	(89,646 - 141,140)
MD	35-44	1,381	10.7	1.05	(8.6 - 12.7)		86,485	(68,859 - 104,111)
MD	45-54	2,057	11.6	0.87	(9.9 - 13.3)		99,049	(83,873 - 114,224)
MD	55-64	2,069	13.1	0.96	(11.2 - 15.0)		84,856	(72,053 - 97,658)
MD	65+	2,540	9.7	0.76	(8.2 - 11.2)		68,658	(57,764 - 79,552)
MA	18-24	364	26.2	3.86	(18.7 - 33.8)		67,030	(43,944 - 90,117)
MA	25-34	1,360	19.4	1.60	(16.3 - 22.6)		138,341	(113,592 - 163,091)
MA	35-44	2,496	14.7	0.95	(12.8 - 16.6)		211,548	(182,870 - 240,225)
MA	45-54	3,429	14.2	0.80	(12.6 - 15.8)		140,950	(124,509 - 157,391)
MA	55-64	3,583	14.0	0.84	(12.4 - 15.6)		103,293	(90,481 - 116,105)
MA	65+	4,764	12.7	0.67	(11.4 - 14.1)		114,885	(102,348 - 127,422)
MI	18-24	314	20.9	2.62	(15.8 - 26.1)		205,004	(148,628 - 261,381)
MI	25-34	499	17.8	2.03	(13.8 - 21.8)		155,590	(117,622 - 193,558)
MI	35-44	980	17.7	1.46	(14.8 - 20.5)		299,217	(246,004 - 352,430)
MI	45-54	1,655	12.7	0.92	(10.9 - 14.5)		188,910	(160,618 - 217,202)
MI	55-64	2,126	14.5	0.89	(12.8 - 16.2)		169,834	(148,240 - 191,427)
MI	65+	3,184	12.7	0.67	(11.4 - 14.0)		169,863	(151,253 - 188,474)
MN	18-24	153	17.4	4.21	(9.1 - 25.7)		87,773	(41,699 - 133,846)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	773	12.1	1.82	(8.5 - 15.7)		84,303	(57,797 - 110,809)
MN	35-44	1,449	10.1	1.10	(8.0 - 12.3)		71,543	(55,655 - 87,430)
MN	45-54	1,995	9.8	1.01	(7.8 - 11.8)		77,421	(60,999 - 93,843)
MN	55-64	2,024	9.0	0.87	(7.3 - 10.7)		53,363	(42,866 - 63,861)
MN	65+	2,448	8.7	0.74	(7.2 - 10.1)		58,354	(48,377 - 68,331)
MS	18-24	228	12.9	2.50	(8.0 - 17.9)		29,306	(17,533 - 41,079)
MS	25-34	590	10.1	1.44	(7.3 - 12.9)		42,550	(30,132 - 54,967)
MS	35-44	920	11.0	1.17	(8.7 - 13.3)		46,194	(36,115 - 56,272)
MS	45-54	1,398	11.1	1.00	(9.2 - 13.1)		44,564	(36,371 - 52,757)
MS	55-64	1,925	14.4	1.00	(12.5 - 16.4)		47,230	(40,367 - 54,093)
MS	65+	2,962	10.9	0.69	(9.6 - 12.3)		41,905	(36,512 - 47,298)
MO	18-24	149	18.4	4.05	(10.4 - 26.4)		92,365	(48,403 - 136,326)
MO	25-34	416	13.2	2.05	(9.2 - 17.2)		112,305	(76,548 - 148,062)
MO	35-44	639	14.1	1.91	(10.4 - 17.9)		109,193	(78,036 - 140,351)
MO	45-54	1,014	15.4	1.60	(12.3 - 18.5)		134,010	(104,879 - 163,140)
MO	55-64	1,187	15.7	1.53	(12.7 - 18.7)		106,436	(84,429 - 128,442)
MO	65+	1,971	10.5	0.92	(8.7 - 12.3)		87,728	(72,092 - 103,364)
MT	18-24	195	11.5	3.39	(4.8 - 18.2)		10,190	(3,905 - 16,476)
MT	25-34	566	16.5	2.10	(12.4 - 20.7)		21,064	(15,514 - 26,614)
MT	35-44	862	11.2	1.32	(8.6 - 13.8)		12,955	(9,830 - 16,081)
MT	45-54	1,370	12.6	1.25	(10.2 - 15.1)		18,810	(14,900 - 22,720)
MT	55-64	1,798	12.4	0.95	(10.5 - 14.2)		16,110	(13,561 - 18,660)
MT	65+	2,452	13.2	0.83	(11.5 - 14.8)		18,969	(16,498 - 21,439)
NE	18-24	389	18.2	3.02	(12.2 - 24.1)		29,712	(19,410 - 40,013)
NE	25-34	1,094	14.1	1.69	(10.8 - 17.4)		35,858	(26,874 - 44,841)
NE	35-44	1,890	13.1	1.42	(10.4 - 15.9)		29,250	(22,595 - 35,905)
NE	45-54	3,086	10.9	0.94	(9.0 - 12.7)		27,056	(22,280 - 31,832)
NE	55-64	3,579	9.8	0.75	(8.3 - 11.3)		19,676	(16,645 - 22,708)
NE	65+	6,259	9.2	0.63	(8.0 - 10.4)		22,722	(19,545 - 25,899)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	130	24.9	5.24	(14.6 - 35.3)		55,271	(28,417 - 82,125)
NV	25-34	331	15.0	2.98	(9.1 - 20.8)		57,038	(33,064 - 81,013)
NV	35-44	515	14.7	2.14	(10.5 - 18.9)		56,468	(39,321 - 73,616)
NV	45-54	721	11.3	1.61	(8.2 - 14.5)		41,309	(29,350 - 53,267)
NV	55-64	887	11.8	1.47	(8.9 - 14.7)		33,734	(25,231 - 42,237)
NV	65+	1,275	12.7	1.33	(10.1 - 15.4)		40,164	(31,447 - 48,881)
NH	18-24	136	20.4	3.79	(12.9 - 27.9)		18,804	(11,117 - 26,491)
NH	25-34	360	20.3	2.38	(15.7 - 25.0)		30,048	(22,373 - 37,722)
NH	35-44	798	15.6	1.47	(12.7 - 18.5)		33,344	(26,733 - 39,954)
NH	45-54	1,246	11.5	1.03	(9.4 - 13.5)		25,572	(20,856 - 30,287)
NH	55-64	1,429	14.3	1.02	(12.3 - 16.3)		23,306	(19,866 - 26,745)
NH	65+	1,967	11.9	0.82	(10.3 - 13.5)		21,185	(18,179 - 24,191)
NJ	18-24	293	20.2	2.92	(14.4 - 25.9)		104,698	(72,186 - 137,209)
NJ	25-34	1,016	15.6	1.47	(12.7 - 18.5)		203,619	(163,214 - 244,024)
NJ	35-44	2,020	12.2	0.93	(10.4 - 14.1)		154,080	(129,734 - 178,425)
NJ	45-54	2,864	12.0	0.78	(10.5 - 13.6)		160,439	(139,034 - 181,844)
NJ	55-64	2,550	12.8	1.04	(10.8 - 14.9)		125,290	(103,721 - 146,859)
NJ	65+	3,469	11.1	0.72	(9.7 - 12.5)		131,421	(113,906 - 148,935)
NM	18-24	211	20.9	3.21	(14.5 - 27.2)		41,923	(27,835 - 56,011)
NM	25-34	516	16.3	2.31	(11.7 - 20.8)		44,394	(30,762 - 58,027)
NM	35-44	828	13.4	1.48	(10.5 - 16.3)		33,352	(25,599 - 41,106)
NM	45-54	1,287	12.7	1.13	(10.5 - 14.9)		34,886	(28,480 - 41,291)
NM	55-64	1,727	14.9	1.02	(12.9 - 16.9)		33,780	(28,969 - 38,590)
NM	65+	2,354	11.0	0.79	(9.5 - 12.5)		29,719	(25,356 - 34,083)
NY	18-24	268	19.6	2.72	(14.2 - 24.9)		252,097	(175,262 - 328,933)
NY	25-34	721	15.8	1.61	(12.7 - 19.0)		366,766	(287,529 - 446,002)
NY	35-44	1,189	14.1	1.16	(11.9 - 16.4)		512,587	(424,664 - 600,511)
NY	45-54	1,717	15.6	0.99	(13.6 - 17.5)		441,199	(382,385 - 500,013)
NY	55-64	1,878	13.5	0.91	(11.7 - 15.2)		290,332	(249,694 - 330,970)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
NY	65+	2,985	12.9	0.74	(11.4 - 14.3)	345,229	(304,082 - 386,376)
NC	18-24	354	18.3	2.83	(12.7 - 23.8)	159,272	(105,456 - 213,088)
NC	25-34	973	13.1	1.52	(10.1 - 16.1)	157,671	(119,542 - 195,799)
NC	35-44	1,710	10.8	0.91	(9.0 - 12.6)	153,415	(126,934 - 179,897)
NC	45-54	2,285	11.2	0.88	(9.5 - 13.0)	149,449	(125,500 - 173,399)
NC	55-64	2,687	12.5	0.84	(10.9 - 14.2)	133,436	(115,042 - 151,830)
NC	65+	3,973	11.9	0.73	(10.5 - 13.4)	144,165	(126,015 - 162,315)
ND	18-24	131	15.2	3.79	(7.7 - 22.7)	12,132	(5,532 - 18,731)
ND	25-34	420	9.5	1.47	(6.6 - 12.4)	7,921	(5,426 - 10,416)
ND	35-44	605	11.6	1.45	(8.7 - 14.4)	8,402	(6,197 - 10,607)
ND	45-54	919	8.6	1.00	(6.6 - 10.5)	7,763	(5,916 - 9,609)
ND	55-64	1,091	10.3	0.96	(8.4 - 12.1)	7,448	(6,031 - 8,866)
ND	65+	1,528	9.3	0.78	(7.7 - 10.8)	8,878	(7,363 - 10,392)
OH	18-24	195	21.9	3.79	(14.5 - 29.4)	151,685	(93,589 - 209,781)
OH	25-34	698	15.1	1.68	(11.8 - 18.4)	275,927	(210,797 - 341,057)
OH	35-44	1,298	13.0	1.13	(10.8 - 15.2)	199,807	(163,586 - 236,028)
OH	45-54	2,028	13.0	0.90	(11.3 - 14.8)	221,995	(190,284 - 253,705)
OH	55-64	2,358	13.4	0.89	(11.6 - 15.1)	179,355	(154,528 - 204,181)
OH	65+	3,158	11.2	0.70	(9.8 - 12.5)	179,770	(156,573 - 202,967)
OK	18-24	235	21.1	3.25	(14.7 - 27.5)	52,262	(34,207 - 70,317)
OK	25-34	701	14.5	1.53	(11.5 - 17.5)	80,415	(62,580 - 98,250)
OK	35-44	920	11.9	1.21	(9.6 - 14.3)	63,214	(49,983 - 76,445)
OK	45-54	1,337	13.3	1.00	(11.3 - 15.2)	66,497	(56,098 - 76,896)
OK	55-64	1,690	15.6	0.97	(13.7 - 17.5)	64,940	(56,439 - 73,441)
OK	65+	2,818	12.4	0.72	(11.0 - 13.9)	63,115	(55,591 - 70,639)
OR	18-24	103	26.2	4.57	(17.1 - 35.2)	90,246	(53,908 - 126,583)
OR	25-34	268	14.9	2.30	(10.4 - 19.4)	77,947	(52,797 - 103,097)
OR	35-44	569	14.6	1.57	(11.5 - 17.6)	74,681	(57,786 - 91,577)
OR	45-54	869	16.9	1.40	(14.2 - 19.7)	93,902	(77,430 - 110,374)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,272	14.8	1.06	(12.7 - 16.9)		71,168	(60,547 - 81,789)
OR	65+	1,911	13.2	0.85	(11.6 - 14.9)		71,596	(62,161 - 81,030)
PA	18-24	265	22.4	3.06	(16.3 - 28.4)		147,559	(103,780 - 191,337)
PA	25-34	794	15.3	1.47	(12.4 - 18.2)		190,794	(152,530 - 229,059)
PA	35-44	1,479	13.0	1.09	(10.8 - 15.1)		311,075	(256,684 - 365,467)
PA	45-54	2,051	13.9	0.96	(12.0 - 15.8)		261,006	(223,524 - 298,489)
PA	55-64	2,541	14.9	0.98	(13.0 - 16.8)		224,686	(193,085 - 256,287)
PA	65+	3,962	10.2	0.58	(9.1 - 11.4)		200,451	(177,133 - 223,768)
RI	18-24	150	25.5	4.21	(17.2 - 33.9)		28,294	(17,468 - 39,121)
RI	25-34	458	19.0	2.38	(14.4 - 23.7)		24,674	(17,856 - 31,493)
RI	35-44	954	15.4	1.29	(12.9 - 17.9)		21,850	(18,026 - 25,674)
RI	45-54	1,313	14.2	1.08	(12.1 - 16.3)		22,582	(19,027 - 26,137)
RI	55-64	1,461	15.3	1.08	(13.2 - 17.4)		18,344	(15,664 - 21,025)
RI	65+	2,172	12.9	0.85	(11.2 - 14.5)		19,346	(16,699 - 21,993)
SC	18-24	250	13.7	2.72	(8.4 - 19.1)		46,396	(27,794 - 64,997)
SC	25-34	645	12.5	2.44	(7.7 - 17.3)		83,519	(48,642 - 118,396)
SC	35-44	1,122	14.0	1.64	(10.8 - 17.3)		89,501	(67,082 - 111,920)
SC	45-54	1,611	11.7	1.18	(9.3 - 14.0)		74,391	(58,847 - 89,934)
SC	55-64	2,186	13.2	1.04	(11.2 - 15.2)		73,103	(61,272 - 84,935)
SC	65+	3,512	13.0	0.84	(11.3 - 14.6)		81,861	(70,922 - 92,801)
SD	18-24	209	16.7	3.28	(10.2 - 23.1)		13,813	(7,990 - 19,637)
SD	25-34	579	14.7	1.96	(10.8 - 18.5)		15,093	(10,807 - 19,380)
SD	35-44	780	9.9	1.35	(7.3 - 12.5)		9,415	(6,780 - 12,050)
SD	45-54	1,289	8.9	1.02	(6.9 - 10.9)		10,190	(7,810 - 12,570)
SD	55-64	1,464	10.0	0.96	(8.1 - 11.8)		9,434	(7,585 - 11,282)
SD	65+	2,344	10.7	0.77	(9.2 - 12.2)		12,754	(10,875 - 14,632)
TN	18-24	114	18.4	5.73	(7.0 - 29.7)		53,897	(15,982 - 91,812)
TN	25-34	407	9.7	2.36	(5.0 - 14.3)		73,655	(36,190 - 111,120)
TN	35-44	690	9.0	1.37	(6.3 - 11.7)		110,347	(75,961 - 144,732)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,081	9.4	1.15	(7.2 - 11.7)		86,276	(64,895 - 107,657)
TN	55-64	1,381	7.8	0.93	(6.0 - 9.6)		58,145	(44,152 - 72,138)
TN	65+	2,054	7.7	0.78	(6.2 - 9.2)		66,381	(52,719 - 80,042)
TX	18-24	562	20.0	3.16	(13.8 - 26.2)		289,252	(188,436 - 390,068)
TX	25-34	1,576	10.2	1.23	(7.8 - 12.7)		332,401	(250,847 - 413,955)
TX	35-44	2,529	12.8	1.23	(10.3 - 15.2)		621,412	(495,325 - 747,499)
TX	45-54	3,265	13.8	1.63	(10.6 - 17.0)		452,945	(334,923 - 570,968)
TX	55-64	3,820	13.1	0.88	(11.3 - 14.8)		319,772	(275,090 - 364,454)
TX	65+	6,123	11.0	0.63	(9.8 - 12.3)		289,737	(256,176 - 323,298)
UT	18-24	465	21.2	2.63	(16.0 - 26.3)		72,935	(52,461 - 93,408)
UT	25-34	1,280	12.9	1.14	(10.6 - 15.1)		57,498	(46,949 - 68,047)
UT	35-44	1,732	11.8	0.88	(10.1 - 13.6)		41,731	(35,345 - 48,117)
UT	45-54	1,951	13.3	0.88	(11.6 - 15.0)		41,403	(35,773 - 47,034)
UT	55-64	2,008	13.3	0.92	(11.5 - 15.1)		32,117	(27,494 - 36,741)
UT	65+	2,607	12.5	0.77	(11.0 - 14.1)		32,611	(28,471 - 36,751)
VT	18-24	156	28.6	3.88	(21.0 - 36.3)		17,442	(11,937 - 22,948)
VT	25-34	443	24.6	2.36	(20.0 - 29.2)		17,481	(13,639 - 21,322)
VT	35-44	826	14.2	1.26	(11.8 - 16.7)		11,554	(9,432 - 13,677)
VT	45-54	1,445	14.6	1.01	(12.6 - 16.6)		14,866	(12,727 - 17,005)
VT	55-64	1,694	14.3	0.92	(12.5 - 16.1)		12,249	(10,598 - 13,901)
VT	65+	2,168	12.3	0.77	(10.8 - 13.8)		11,081	(9,662 - 12,501)
VA	18-24	107	13.7	4.23	(5.3 - 22.1)		105,240	(41,103 - 169,377)
VA	25-34	409	12.7	2.03	(8.7 - 16.7)		136,183	(92,089 - 180,277)
VA	35-44	756	12.0	1.61	(8.9 - 15.2)		134,212	(97,234 - 171,189)
VA	45-54	1,150	12.5	1.42	(9.7 - 15.3)		146,368	(111,755 - 180,981)
VA	55-64	1,236	14.4	1.82	(10.8 - 18.0)		126,055	(91,577 - 160,533)
VA	65+	1,639	13.0	1.25	(10.6 - 15.5)		129,231	(103,228 - 155,234)
WA	18-24	570	17.0	1.79	(13.5 - 20.5)		105,172	(81,600 - 128,743)
WA	25-34	1,329	17.7	1.31	(15.1 - 20.3)		163,532	(137,355 - 189,709)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	2,320	15.3	0.86	(13.7 - 17.0)		141,896	(125,165 - 158,626)
WA	45-54	3,569	15.9	0.74	(14.4 - 17.3)		157,265	(141,868 - 172,662)
WA	55-64	4,870	16.1	0.62	(14.9 - 17.3)		126,102	(115,935 - 136,268)
WA	65+	6,714	13.2	0.50	(12.2 - 14.2)		109,398	(100,863 - 117,933)
WV	18-24	116	17.0	3.75	(9.6 - 24.4)		27,465	(14,357 - 40,572)
WV	25-34	348	11.9	1.94	(8.0 - 15.7)		26,817	(17,652 - 35,982)
WV	35-44	563	11.1	1.56	(8.0 - 14.1)		26,092	(18,399 - 33,784)
WV	45-54	801	8.8	1.10	(6.7 - 11.0)		23,420	(17,512 - 29,329)
WV	55-64	1,020	9.7	0.98	(7.8 - 11.7)		23,342	(18,540 - 28,144)
WV	65+	1,511	8.7	0.78	(7.1 - 10.2)		25,566	(20,934 - 30,198)
WI	18-24	134	14.3	3.66	(7.1 - 21.5)		57,586	(27,215 - 87,958)
WI	25-34	333	17.7	2.89	(12.1 - 23.4)		152,495	(97,909 - 207,080)
WI	35-44	664	11.7	1.56	(8.6 - 14.8)		87,576	(63,288 - 111,865)
WI	45-54	1,061	10.6	1.13	(8.3 - 12.8)		90,440	(70,709 - 110,170)
WI	55-64	1,112	12.3	1.23	(9.9 - 14.7)		81,287	(64,444 - 98,130)
WI	65+	1,426	10.7	0.98	(8.8 - 12.6)		83,286	(67,640 - 98,932)
WY	18-24	152	15.8	3.19	(9.5 - 22.1)		8,426	(4,798 - 12,053)
WY	25-34	435	18.5	2.14	(14.2 - 22.7)		13,494	(10,055 - 16,934)
WY	35-44	664	14.7	1.49	(11.8 - 17.6)		9,605	(7,553 - 11,657)
WY	45-54	1,097	14.5	1.18	(12.2 - 16.8)		11,611	(9,623 - 13,599)
WY	55-64	1,426	13.3	1.01	(11.4 - 15.3)		8,901	(7,504 - 10,298)
WY	65+	1,997	11.5	0.80	(9.9 - 13.1)		7,966	(6,828 - 9,104)
Territories								
GU	18-24	75	11.7	5.19	(1.4 - 22.1)		2,006	(90 - 3,923)
GU	25-34	111	10.4	3.62	(3.3 - 17.6)		2,618	(709 - 4,526)
GU	35-44	187	12.8	2.54	(7.8 - 17.8)		3,173	(1,894 - 4,451)
GU	45-54	142	5.9	1.88	(2.1 - 9.6)		1,003	(363 - 1,644)
GU	55-64	139	8.6	2.68	(3.3 - 13.9)		942	(340 - 1,544)
GU	65+	116	11.8	3.31	(5.3 - 18.4)		1,155	(482 - 1,828)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2010

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	184	15.6	2.81	(10.1 - 21.2)		64,964	(40,036 - 89,892)
PR	25-34	267	18.5	2.53	(13.5 - 23.5)		101,197	(71,503 - 130,890)
PR	35-44	402	10.4	1.65	(7.2 - 13.7)		54,902	(37,105 - 72,698)
PR	45-54	531	16.3	1.75	(12.9 - 19.8)		78,292	(60,528 - 96,055)
PR	55-64	706	14.5	1.42	(11.7 - 17.3)		56,593	(45,082 - 68,104)
PR	65+	1,420	12.0	0.92	(10.2 - 13.8)		57,211	(48,292 - 66,130)
VI	18-24	100	16.6	4.55	(7.6 - 25.7)		1,480	(592 - 2,368)
VI	25-34	168	12.0	3.10	(5.9 - 18.2)		1,625	(748 - 2,503)
VI	35-44	275	10.3	1.97	(6.5 - 14.2)		1,609	(988 - 2,231)
VI	45-54	362	11.2	2.03	(7.2 - 15.2)		1,619	(1,012 - 2,225)
VI	55-64	421	9.1	1.85	(5.5 - 12.7)		1,036	(604 - 1,469)
VI	65+	449	6.4	1.31	(3.8 - 9.0)		584	(344 - 824)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.