

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	< \$15,000	49,237	19.9	0.38	(19.1 - 20.6)		5,383,217	(5,167,124 - 5,599,310)
U.S. Total**	\$15-\$24,999	74,671	15.4	0.27	(14.9 - 15.9)		5,785,743	(5,578,233 - 5,993,253)
U.S. Total**	\$25-\$49,999	108,691	12.8	0.21	(12.4 - 13.2)		6,653,066	(6,430,816 - 6,875,317)
U.S. Total**	\$50-\$74,999	64,718	12.5	0.26	(11.9 - 13.0)		3,831,384	(3,661,826 - 4,000,942)
U.S. Total**	>=\$75,000	115,357	12.0	0.19	(11.6 - 12.4)		7,251,197	(7,009,263 - 7,493,131)
AL	< \$15,000	904	23.1	2.21	(18.8 - 27.5)		99,974	(78,923 - 121,026)
AL	\$15-\$24,999	1,138	14.7	1.50	(11.8 - 17.7)		99,151	(78,407 - 119,895)
AL	\$25-\$49,999	1,284	12.3	1.19	(10.0 - 14.6)		95,852	(77,058 - 114,647)
AL	\$50-\$74,999	747	10.0	1.43	(7.2 - 12.8)		45,022	(31,808 - 58,235)
AL	>=\$75,000	1,057	9.5	1.31	(6.9 - 12.0)		62,307	(44,479 - 80,135)
AK	< \$15,000	400	14.5	2.22	(10.1 - 18.9)		6,481	(4,486 - 8,475)
AK	\$15-\$24,999	535	20.9	3.02	(15.0 - 26.8)		14,201	(9,525 - 18,877)
AK	\$25-\$49,999	896	12.1	1.68	(8.8 - 15.4)		13,433	(9,496 - 17,370)
AK	\$50-\$74,999	760	14.2	2.26	(9.8 - 18.7)		12,229	(8,008 - 16,450)
AK	>=\$75,000	1,575	13.7	1.26	(11.2 - 16.2)		25,745	(20,819 - 30,671)
AZ	< \$15,000	514	18.6	3.02	(12.7 - 24.5)		102,415	(68,476 - 136,355)
AZ	\$15-\$24,999	713	13.5	2.23	(9.1 - 17.9)		110,891	(73,408 - 148,373)
AZ	\$25-\$49,999	1,060	12.9	1.76	(9.5 - 16.4)		152,751	(109,903 - 195,598)
AZ	\$50-\$74,999	529	15.5	2.38	(10.8 - 20.2)		96,782	(65,777 - 127,787)
AZ	>=\$75,000	813	15.9	2.04	(11.9 - 19.9)		172,413	(126,388 - 218,437)
AR	< \$15,000	757	17.3	2.08	(13.2 - 21.4)		57,775	(43,071 - 72,479)
AR	\$15-\$24,999	1,028	15.6	1.65	(12.4 - 18.8)		72,142	(56,156 - 88,128)
AR	\$25-\$49,999	1,186	10.6	1.26	(8.1 - 13.0)		54,362	(41,073 - 67,650)
AR	\$50-\$74,999	573	13.2	1.99	(9.3 - 17.1)		34,528	(23,594 - 45,462)
AR	>=\$75,000	820	7.7	1.17	(5.4 - 10.0)		27,443	(19,022 - 35,864)
CA	< \$15,000	1,977	16.7	1.08	(14.6 - 18.8)		856,134	(740,833 - 971,434)
CA	\$15-\$24,999	1,487	13.7	1.14	(11.4 - 15.9)		517,242	(427,255 - 607,229)
CA	\$25-\$49,999	2,201	13.1	0.95	(11.2 - 14.9)		718,680	(610,567 - 826,792)
CA	\$50-\$74,999	1,405	16.0	1.34	(13.4 - 18.6)		545,087	(448,192 - 641,982)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	>=\$75,000	3,341	13.5	0.81	(11.9 - 15.1)		1,122,377	(982,191 - 1,262,562)
CO	< \$15,000	990	16.8	1.74	(13.4 - 20.2)		48,837	(37,901 - 59,773)
CO	\$15-\$24,999	1,849	14.9	1.25	(12.4 - 17.3)		85,072	(69,735 - 100,409)
CO	\$25-\$49,999	2,953	13.8	0.87	(12.1 - 15.5)		119,125	(103,528 - 134,723)
CO	\$50-\$74,999	1,993	12.3	0.96	(10.4 - 14.2)		72,274	(60,577 - 83,970)
CO	>=\$75,000	4,163	12.1	0.64	(10.9 - 13.4)		148,090	(132,090 - 164,091)
CT	< \$15,000	590	25.4	2.96	(19.6 - 31.2)		53,954	(39,364 - 68,545)
CT	\$15-\$24,999	924	14.0	1.49	(11.0 - 16.9)		42,678	(33,589 - 51,767)
CT	\$25-\$49,999	1,367	13.9	1.32	(11.3 - 16.4)		64,783	(51,973 - 77,593)
CT	\$50-\$74,999	1,049	16.3	1.72	(12.9 - 19.7)		60,604	(46,811 - 74,398)
CT	>=\$75,000	2,621	14.5	0.98	(12.6 - 16.4)		145,615	(124,974 - 166,255)
DE	< \$15,000	428	17.2	2.34	(12.6 - 21.8)		10,215	(7,377 - 13,052)
DE	\$15-\$24,999	735	18.0	1.83	(14.4 - 21.6)		17,742	(13,921 - 21,563)
DE	\$25-\$49,999	1,181	14.6	1.56	(11.6 - 17.7)		23,477	(18,119 - 28,836)
DE	\$50-\$74,999	687	12.4	1.48	(9.5 - 15.3)		11,628	(8,802 - 14,454)
DE	>=\$75,000	1,347	15.3	1.37	(12.6 - 18.0)		30,759	(24,898 - 36,620)
DC	< \$15,000	463	31.9	3.63	(24.8 - 39.1)		22,629	(16,323 - 28,934)
DC	\$15-\$24,999	548	12.9	2.20	(8.6 - 17.2)		9,395	(6,048 - 12,741)
DC	\$25-\$49,999	694	14.3	2.58	(9.2 - 19.4)		11,372	(6,950 - 15,793)
DC	\$50-\$74,999	499	20.1	3.23	(13.8 - 26.5)		10,573	(6,811 - 14,336)
DC	>=\$75,000	2,061	15.0	1.37	(12.3 - 17.7)		28,149	(22,710 - 33,589)
FL	< \$15,000	4,206	21.2	1.70	(17.9 - 24.6)		413,848	(339,718 - 487,977)
FL	\$15-\$24,999	6,370	16.6	1.11	(14.5 - 18.8)		459,115	(394,027 - 524,203)
FL	\$25-\$49,999	8,194	12.1	0.84	(10.5 - 13.8)		445,737	(381,164 - 510,310)
FL	\$50-\$74,999	4,152	10.7	0.92	(8.9 - 12.5)		199,157	(164,120 - 234,194)
FL	>=\$75,000	6,179	10.4	0.76	(8.9 - 11.9)		341,019	(289,761 - 392,278)
GA	< \$15,000	931	24.7	1.95	(20.9 - 28.6)		200,724	(165,567 - 235,882)
GA	\$15-\$24,999	1,303	15.2	1.33	(12.6 - 17.8)		190,652	(155,927 - 225,378)
GA	\$25-\$49,999	1,802	11.7	1.04	(9.7 - 13.7)		207,247	(169,168 - 245,326)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
GA	\$50-\$74,999	1,004	9.3	1.13	(7.0 - 11.5)		84,463	(63,492 - 105,433)
GA	>=\$75,000	1,743	11.8	1.02	(9.8 - 13.8)		187,853	(154,399 - 221,308)
HI	< \$15,000	819	23.7	2.31	(19.2 - 28.3)		21,547	(16,803 - 26,292)
HI	\$15-\$24,999	1,126	18.5	1.77	(15.0 - 22.0)		27,142	(21,497 - 32,786)
HI	\$25-\$49,999	1,911	16.2	1.26	(13.7 - 18.7)		43,675	(36,465 - 50,885)
HI	\$50-\$74,999	1,134	13.9	1.55	(10.9 - 16.9)		21,276	(16,257 - 26,296)
HI	>=\$75,000	2,097	14.9	1.12	(12.7 - 17.1)		47,396	(39,944 - 54,848)
ID	< \$15,000	609	20.3	2.68	(15.0 - 25.5)		24,508	(17,413 - 31,604)
ID	\$15-\$24,999	956	11.4	1.58	(8.3 - 14.5)		24,257	(17,368 - 31,146)
ID	\$25-\$49,999	1,560	11.4	1.11	(9.3 - 13.6)		37,382	(29,983 - 44,780)
ID	\$50-\$74,999	820	12.6	1.87	(8.9 - 16.2)		22,377	(15,296 - 29,459)
ID	>=\$75,000	1,005	11.7	1.34	(9.1 - 14.3)		25,649	(19,603 - 31,695)
IL	< \$15,000	476	15.0	2.26	(10.5 - 19.4)		138,266	(95,704 - 180,828)
IL	\$15-\$24,999	866	10.6	1.50	(7.6 - 13.5)		172,998	(123,222 - 222,774)
IL	\$25-\$49,999	1,388	11.1	1.10	(8.9 - 13.2)		254,186	(203,242 - 305,131)
IL	\$50-\$74,999	879	11.7	1.54	(8.6 - 14.7)		174,881	(126,924 - 222,837)
IL	>=\$75,000	1,686	11.9	1.01	(9.9 - 13.9)		346,658	(286,549 - 406,768)
IN	< \$15,000	1,077	23.6	1.88	(19.9 - 27.2)		117,348	(96,285 - 138,411)
IN	\$15-\$24,999	1,755	17.8	1.33	(15.2 - 20.4)		144,689	(121,159 - 168,218)
IN	\$25-\$49,999	2,480	13.0	0.88	(11.2 - 14.7)		152,787	(131,424 - 174,151)
IN	\$50-\$74,999	1,347	12.9	1.31	(10.4 - 15.5)		87,289	(68,537 - 106,040)
IN	>=\$75,000	2,062	12.8	1.02	(10.8 - 14.8)		136,820	(113,831 - 159,808)
IA	< \$15,000	622	18.5	2.17	(14.3 - 22.8)		38,489	(28,834 - 48,144)
IA	\$15-\$24,999	1,257	14.5	1.46	(11.7 - 17.4)		51,277	(40,383 - 62,170)
IA	\$25-\$49,999	2,053	12.1	1.02	(10.1 - 14.1)		70,653	(58,211 - 83,096)
IA	\$50-\$74,999	1,212	9.0	1.07	(6.9 - 11.1)		32,426	(24,496 - 40,356)
IA	>=\$75,000	1,940	9.1	0.86	(7.4 - 10.8)		52,227	(42,090 - 62,364)
KS	< \$15,000	1,879	21.3	1.24	(18.9 - 23.8)		38,720	(33,777 - 43,663)
KS	\$15-\$24,999	3,615	15.0	0.79	(13.4 - 16.5)		51,076	(45,410 - 56,742)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
KS	\$25-\$49,999	5,764	11.8	0.56	(10.7 - 12.9)		62,415	(56,220 - 68,610)
KS	\$50-\$74,999	3,342	11.3	0.70	(10.0 - 12.7)		35,395	(30,868 - 39,922)
KS	>=\$75,000	5,511	11.5	0.52	(10.5 - 12.6)		59,679	(54,067 - 65,291)
KY	< \$15,000	1,379	24.8	2.15	(20.6 - 29.1)		94,564	(75,770 - 113,359)
KY	\$15-\$24,999	1,119	15.5	1.70	(12.2 - 18.8)		48,906	(37,574 - 60,239)
KY	\$25-\$49,999	2,037	12.5	1.04	(10.5 - 14.6)		80,954	(67,074 - 94,834)
KY	\$50-\$74,999	1,259	11.0	1.20	(8.7 - 13.4)		46,746	(36,309 - 57,182)
KY	>=\$75,000	1,754	8.4	0.87	(6.7 - 10.1)		47,903	(37,899 - 57,907)
LA	< \$15,000	644	18.0	2.58	(12.9 - 23.0)		87,306	(60,611 - 114,001)
LA	\$15-\$24,999	880	12.4	1.76	(8.9 - 15.8)		79,720	(56,453 - 102,986)
LA	\$25-\$49,999	1,145	12.4	1.52	(9.5 - 15.4)		94,085	(70,493 - 117,677)
LA	\$50-\$74,999	581	11.4	1.98	(7.5 - 15.3)		43,641	(27,879 - 59,403)
LA	>=\$75,000	1,121	8.3	1.21	(6.0 - 10.7)		61,000	(42,953 - 79,048)
ME	< \$15,000	865	25.4	2.22	(21.1 - 29.8)		27,419	(22,009 - 32,828)
ME	\$15-\$24,999	1,342	20.6	1.59	(17.5 - 23.8)		35,182	(29,223 - 41,142)
ME	\$25-\$49,999	2,075	15.5	1.08	(13.4 - 17.6)		42,683	(36,427 - 48,940)
ME	\$50-\$74,999	1,228	14.0	1.27	(11.5 - 16.5)		23,214	(18,826 - 27,602)
ME	>=\$75,000	1,672	11.4	0.98	(9.5 - 13.4)		25,871	(21,278 - 30,464)
MD	< \$15,000	765	20.8	2.57	(15.7 - 25.8)		58,121	(42,115 - 74,127)
MD	\$15-\$24,999	1,524	14.3	1.43	(11.5 - 17.1)		83,502	(66,089 - 100,915)
MD	\$25-\$49,999	2,345	14.7	1.33	(12.1 - 17.3)		125,451	(101,218 - 149,683)
MD	\$50-\$74,999	1,625	14.1	1.44	(11.3 - 16.9)		77,661	(60,604 - 94,719)
MD	>=\$75,000	4,666	12.3	0.70	(10.9 - 13.6)		199,100	(175,614 - 222,586)
MA	< \$15,000	1,415	21.3	1.76	(17.8 - 24.7)		83,962	(69,211 - 98,713)
MA	\$15-\$24,999	2,171	21.4	1.59	(18.3 - 24.5)		147,142	(122,596 - 171,688)
MA	\$25-\$49,999	2,769	16.7	1.26	(14.2 - 19.1)		150,285	(125,819 - 174,750)
MA	\$50-\$74,999	1,830	15.4	1.47	(12.5 - 18.3)		96,271	(76,457 - 116,084)
MA	>=\$75,000	4,491	14.2	0.79	(12.6 - 15.7)		263,131	(232,343 - 293,919)
MI	< \$15,000	1,210	26.2	1.86	(22.5 - 29.8)		205,027	(172,095 - 237,960)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MI	\$15-\$24,999	1,976	18.8	1.27	(16.3 - 21.3)		214,741	(183,499 - 245,984)
MI	\$25-\$49,999	3,101	15.6	0.96	(13.8 - 17.5)		273,553	(237,563 - 309,543)
MI	\$50-\$74,999	1,843	12.6	0.99	(10.6 - 14.5)		139,607	(116,745 - 162,468)
MI	>=\$75,000	2,828	13.8	0.85	(12.1 - 15.5)		241,994	(210,702 - 273,285)
MN	< \$15,000	960	20.4	2.29	(15.9 - 24.9)		52,996	(40,018 - 65,974)
MN	\$15-\$24,999	1,814	11.6	1.32	(9.0 - 14.2)		59,444	(45,471 - 73,417)
MN	\$25-\$49,999	3,287	11.5	1.01	(9.5 - 13.4)		105,227	(86,186 - 124,268)
MN	\$50-\$74,999	2,253	11.0	1.16	(8.8 - 13.3)		69,278	(54,306 - 84,250)
MN	>=\$75,000	4,219	10.6	0.90	(8.8 - 12.4)		128,385	(105,842 - 150,928)
MS	< \$15,000	1,364	19.9	1.73	(16.5 - 23.3)		79,010	(64,078 - 93,942)
MS	\$15-\$24,999	1,407	13.4	1.30	(10.8 - 15.9)		55,635	(44,385 - 66,885)
MS	\$25-\$49,999	1,574	11.1	1.13	(8.9 - 13.4)		58,005	(45,914 - 70,096)
MS	\$50-\$74,999	773	6.8	1.16	(4.6 - 9.1)		16,495	(10,883 - 22,108)
MS	>=\$75,000	1,107	8.1	1.24	(5.7 - 10.6)		27,589	(19,001 - 36,178)
MO	< \$15,000	857	25.9	2.58	(20.8 - 31.0)		128,006	(98,948 - 157,064)
MO	\$15-\$24,999	1,247	18.3	1.70	(15.0 - 21.7)		137,056	(109,878 - 164,234)
MO	\$25-\$49,999	1,667	12.6	1.29	(10.1 - 15.1)		131,849	(103,574 - 160,124)
MO	\$50-\$74,999	874	12.7	1.57	(9.6 - 15.8)		80,269	(59,700 - 100,837)
MO	>=\$75,000	1,208	13.2	1.55	(10.1 - 16.2)		130,223	(97,787 - 162,660)
MT	< \$15,000	1,114	19.2	1.67	(15.9 - 22.4)		16,004	(13,055 - 18,953)
MT	\$15-\$24,999	1,793	15.5	1.27	(13.1 - 18.0)		23,093	(19,059 - 27,127)
MT	\$25-\$49,999	2,583	12.4	0.89	(10.6 - 14.1)		25,721	(21,896 - 29,546)
MT	\$50-\$74,999	1,411	11.1	1.12	(8.9 - 13.3)		12,596	(9,986 - 15,206)
MT	>=\$75,000	1,753	9.9	0.96	(8.1 - 11.8)		15,504	(12,431 - 18,576)
NE	< \$15,000	1,508	18.2	1.61	(15.0 - 21.3)		21,569	(17,551 - 25,588)
NE	\$15-\$24,999	2,807	15.6	1.25	(13.1 - 18.0)		32,892	(27,248 - 38,536)
NE	\$25-\$49,999	4,641	10.0	0.69	(8.6 - 11.3)		35,759	(30,702 - 40,815)
NE	\$50-\$74,999	2,500	9.8	0.95	(8.0 - 11.7)		20,159	(16,163 - 24,154)
NE	>=\$75,000	3,651	8.3	0.65	(7.0 - 9.6)		29,097	(24,522 - 33,672)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	< \$15,000	458	13.5	2.80	(8.0 - 19.0)		28,747	(16,776 - 40,718)
NV	\$15-\$24,999	812	14.4	2.55	(9.4 - 19.4)		50,381	(31,254 - 69,508)
NV	\$25-\$49,999	1,095	12.0	1.62	(8.8 - 15.2)		53,733	(38,807 - 68,659)
NV	\$50-\$74,999	753	9.0	1.56	(5.9 - 12.0)		27,056	(17,663 - 36,448)
NV	>=\$75,000	1,238	8.4	1.14	(6.1 - 10.6)		37,818	(27,573 - 48,063)
NH	< \$15,000	481	30.7	3.65	(23.5 - 37.8)		18,868	(13,263 - 24,473)
NH	\$15-\$24,999	876	20.2	1.99	(16.3 - 24.1)		26,086	(20,457 - 31,714)
NH	\$25-\$49,999	1,409	15.3	1.33	(12.7 - 17.9)		34,028	(27,747 - 40,308)
NH	\$50-\$74,999	916	15.7	1.51	(12.8 - 18.7)		23,955	(19,090 - 28,820)
NH	>=\$75,000	1,844	13.2	1.16	(10.9 - 15.5)		45,123	(36,687 - 53,559)
NJ	< \$15,000	989	19.1	2.41	(14.4 - 23.9)		96,584	(69,150 - 124,018)
NJ	\$15-\$24,999	1,793	15.8	1.23	(13.3 - 18.2)		143,811	(120,140 - 167,482)
NJ	\$25-\$49,999	2,263	13.5	1.01	(11.5 - 15.5)		152,981	(129,352 - 176,611)
NJ	\$50-\$74,999	1,706	12.2	1.17	(9.9 - 14.5)		104,920	(83,995 - 125,845)
NJ	>=\$75,000	4,421	12.4	0.72	(11.0 - 13.8)		291,998	(256,963 - 327,033)
NM	< \$15,000	1,307	17.2	1.60	(14.0 - 20.3)		37,331	(29,893 - 44,769)
NM	\$15-\$24,999	1,853	15.2	1.17	(12.9 - 17.5)		50,560	(42,370 - 58,750)
NM	\$25-\$49,999	2,205	14.1	1.04	(12.1 - 16.2)		51,883	(43,870 - 59,897)
NM	\$50-\$74,999	1,177	13.2	1.46	(10.3 - 16.1)		24,917	(19,171 - 30,663)
NM	>=\$75,000	1,689	13.2	1.28	(10.7 - 15.7)		37,590	(29,902 - 45,277)
NY	< \$15,000	1,017	20.4	1.90	(16.7 - 24.2)		375,389	(296,722 - 454,055)
NY	\$15-\$24,999	1,339	17.1	1.40	(14.3 - 19.8)		400,126	(330,516 - 469,735)
NY	\$25-\$49,999	1,796	11.4	0.89	(9.7 - 13.2)		360,619	(304,052 - 417,185)
NY	\$50-\$74,999	1,014	14.7	1.47	(11.8 - 17.6)		242,529	(191,274 - 293,784)
NY	>=\$75,000	2,492	13.4	0.90	(11.7 - 15.2)		546,490	(470,060 - 622,919)
NC	< \$15,000	1,087	20.2	1.72	(16.8 - 23.5)		160,291	(130,505 - 190,077)
NC	\$15-\$24,999	1,569	14.3	1.22	(11.9 - 16.7)		185,741	(152,531 - 218,951)
NC	\$25-\$49,999	1,895	14.5	1.12	(12.3 - 16.7)		235,768	(197,216 - 274,320)
NC	\$50-\$74,999	927	11.7	1.58	(8.6 - 14.8)		100,035	(71,414 - 128,656)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
NC	>=\$75,000	1,628	9.0	1.08	(6.9 - 11.1)		139,204	(104,477 - 173,931)
ND	< \$15,000	503	15.9	2.42	(11.1 - 20.6)		7,293	(4,940 - 9,647)
ND	\$15-\$24,999	922	15.7	1.92	(12.0 - 19.5)		11,007	(8,109 - 13,905)
ND	\$25-\$49,999	1,751	13.3	1.21	(10.9 - 15.6)		16,132	(13,039 - 19,226)
ND	\$50-\$74,999	1,256	12.3	1.51	(9.4 - 15.3)		11,604	(8,592 - 14,617)
ND	>=\$75,000	2,326	9.5	0.82	(7.9 - 11.1)		14,727	(12,142 - 17,313)
OH	< \$15,000	1,227	23.4	1.94	(19.6 - 27.2)		209,125	(170,388 - 247,862)
OH	\$15-\$24,999	2,128	18.2	1.33	(15.6 - 20.8)		273,294	(229,803 - 316,785)
OH	\$25-\$49,999	2,844	11.7	0.90	(9.9 - 13.4)		248,399	(209,086 - 287,712)
OH	\$50-\$74,999	1,602	11.4	1.06	(9.3 - 13.5)		140,996	(114,095 - 167,896)
OH	>=\$75,000	2,462	11.1	0.93	(9.3 - 12.9)		220,030	(182,052 - 258,008)
OK	< \$15,000	1,094	20.1	1.63	(16.9 - 23.3)		74,196	(61,328 - 87,063)
OK	\$15-\$24,999	1,482	17.9	1.31	(15.3 - 20.5)		92,663	(78,249 - 107,077)
OK	\$25-\$49,999	2,012	12.7	1.03	(10.7 - 14.8)		90,056	(74,758 - 105,355)
OK	\$50-\$74,999	1,068	12.3	1.28	(9.8 - 14.8)		46,650	(36,480 - 56,819)
OK	>=\$75,000	1,547	12.7	1.16	(10.5 - 15.0)		72,183	(58,251 - 86,115)
OR	< \$15,000	562	29.1	2.99	(23.2 - 35.0)		88,697	(67,304 - 110,091)
OR	\$15-\$24,999	866	21.1	1.98	(17.3 - 25.0)		108,005	(86,010 - 130,000)
OR	\$25-\$49,999	1,426	15.6	1.20	(13.2 - 17.9)		110,709	(92,991 - 128,426)
OR	\$50-\$74,999	881	15.5	1.45	(12.7 - 18.4)		67,210	(54,107 - 80,312)
OR	>=\$75,000	1,430	14.8	1.19	(12.5 - 17.1)		104,698	(86,847 - 122,548)
PA	< \$15,000	1,190	23.2	1.73	(19.8 - 26.6)		209,464	(175,158 - 243,771)
PA	\$15-\$24,999	1,982	16.7	1.13	(14.4 - 18.9)		262,464	(224,641 - 300,286)
PA	\$25-\$49,999	2,590	11.5	0.84	(9.8 - 13.1)		252,089	(214,151 - 290,028)
PA	\$50-\$74,999	1,475	11.6	1.11	(9.5 - 13.8)		163,231	(130,889 - 195,573)
PA	>=\$75,000	2,504	12.2	0.84	(10.6 - 13.9)		299,774	(257,106 - 342,442)
RI	< \$15,000	638	26.5	2.67	(21.2 - 31.7)		21,570	(16,511 - 26,628)
RI	\$15-\$24,999	891	21.5	1.97	(17.6 - 25.3)		25,099	(20,030 - 30,168)
RI	\$25-\$49,999	1,386	17.5	1.47	(14.6 - 20.4)		29,074	(23,783 - 34,365)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
RI	\$50-\$74,999	880	15.2	1.73	(11.8 - 18.6)		16,186	(12,224 - 20,147)
RI	>=\$75,000	1,711	13.9	1.21	(11.5 - 16.3)		32,089	(26,169 - 38,009)
SC	< \$15,000	1,329	20.3	1.56	(17.3 - 23.4)		94,013	(78,436 - 109,590)
SC	\$15-\$24,999	1,872	17.1	1.30	(14.5 - 19.6)		115,622	(96,664 - 134,579)
SC	\$25-\$49,999	2,451	10.8	0.94	(9.0 - 12.7)		91,351	(74,930 - 107,771)
SC	\$50-\$74,999	1,324	12.0	1.32	(9.4 - 14.6)		54,182	(41,735 - 66,629)
SC	>=\$75,000	2,114	10.7	1.00	(8.7 - 12.6)		77,890	(62,844 - 92,936)
SD	< \$15,000	587	17.7	2.53	(12.8 - 22.7)		9,150	(6,388 - 11,911)
SD	\$15-\$24,999	910	15.5	2.09	(11.4 - 19.6)		13,316	(9,483 - 17,150)
SD	\$25-\$49,999	1,733	12.3	1.55	(9.3 - 15.4)		19,156	(14,070 - 24,242)
SD	\$50-\$74,999	1,037	10.5	1.74	(7.1 - 13.9)		10,555	(6,923 - 14,187)
SD	>=\$75,000	1,486	7.8	1.12	(5.6 - 10.0)		10,753	(7,617 - 13,889)
TN	< \$15,000	729	17.9	2.09	(13.8 - 22.0)		97,483	(73,373 - 121,592)
TN	\$15-\$24,999	956	13.1	1.45	(10.3 - 16.0)		108,309	(84,034 - 132,584)
TN	\$25-\$49,999	1,130	9.0	1.10	(6.8 - 11.1)		92,498	(69,682 - 115,315)
TN	\$50-\$74,999	546	8.1	1.40	(5.4 - 10.9)		41,012	(26,802 - 55,222)
TN	>=\$75,000	729	8.1	1.26	(5.6 - 10.5)		56,746	(38,729 - 74,763)
TX	< \$15,000	1,355	14.1	1.36	(11.5 - 16.8)		328,377	(264,150 - 392,604)
TX	\$15-\$24,999	1,764	11.7	1.13	(9.5 - 13.9)		393,163	(315,325 - 471,002)
TX	\$25-\$49,999	2,177	13.8	1.13	(11.6 - 16.0)		561,509	(466,571 - 656,447)
TX	\$50-\$74,999	1,202	10.5	1.26	(8.0 - 13.0)		217,157	(163,598 - 270,716)
TX	>=\$75,000	2,551	10.4	0.90	(8.6 - 12.1)		472,968	(389,084 - 556,851)
UT	< \$15,000	852	20.3	1.80	(16.8 - 23.8)		28,232	(22,836 - 33,628)
UT	\$15-\$24,999	1,586	16.6	1.25	(14.2 - 19.1)		42,728	(35,921 - 49,535)
UT	\$25-\$49,999	2,891	13.5	0.80	(11.9 - 15.0)		62,932	(55,212 - 70,653)
UT	\$50-\$74,999	2,201	13.7	0.93	(11.9 - 15.5)		47,407	(40,684 - 54,130)
UT	>=\$75,000	3,623	12.2	0.71	(10.8 - 13.6)		66,882	(58,824 - 74,941)
VT	< \$15,000	532	30.8	3.07	(24.7 - 36.8)		12,182	(9,251 - 15,113)
VT	\$15-\$24,999	922	22.1	1.95	(18.2 - 25.9)		14,530	(11,656 - 17,404)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
VT	\$25-\$49,999	1,575	15.7	1.20	(13.3 - 18.0)		18,632	(15,620 - 21,643)
VT	\$50-\$74,999	1,043	12.0	1.27	(9.6 - 14.5)		10,266	(8,029 - 12,503)
VT	>=\$75,000	1,492	11.8	1.07	(9.7 - 13.9)		14,763	(11,997 - 17,530)
VA	< \$15,000	751	20.2	1.89	(16.5 - 24.0)		107,625	(85,812 - 129,437)
VA	\$15-\$24,999	1,217	17.5	1.53	(14.5 - 20.5)		165,694	(134,729 - 196,660)
VA	\$25-\$49,999	1,823	12.1	1.03	(10.0 - 14.1)		160,823	(132,308 - 189,339)
VA	\$50-\$74,999	1,101	12.6	1.46	(9.7 - 15.4)		107,184	(81,003 - 133,365)
VA	>=\$75,000	2,446	11.1	0.92	(9.3 - 12.9)		212,882	(176,614 - 249,150)
WA	< \$15,000	924	22.7	2.03	(18.8 - 26.7)		109,302	(87,676 - 130,928)
WA	\$15-\$24,999	1,477	19.2	1.42	(16.4 - 22.0)		137,116	(115,491 - 158,741)
WA	\$25-\$49,999	2,529	16.6	1.04	(14.6 - 18.7)		194,657	(169,022 - 220,291)
WA	\$50-\$74,999	1,595	12.8	1.20	(10.4 - 15.1)		93,764	(75,111 - 112,418)
WA	>=\$75,000	3,186	12.2	0.71	(10.8 - 13.6)		192,997	(169,831 - 216,164)
WV	< \$15,000	791	23.6	1.83	(20.0 - 27.2)		44,311	(36,741 - 51,881)
WV	\$15-\$24,999	1,051	16.1	1.38	(13.4 - 18.8)		43,059	(35,242 - 50,876)
WV	\$25-\$49,999	1,339	9.6	0.96	(7.7 - 11.5)		32,187	(25,610 - 38,763)
WV	\$50-\$74,999	736	10.5	1.24	(8.1 - 13.0)		19,416	(14,754 - 24,078)
WV	>=\$75,000	1,024	9.7	1.40	(6.9 - 12.4)		24,707	(17,200 - 32,213)
WI	< \$15,000	604	29.4	3.15	(23.2 - 35.6)		111,931	(83,302 - 140,560)
WI	\$15-\$24,999	1,158	15.0	1.67	(11.7 - 18.2)		105,638	(81,454 - 129,821)
WI	\$25-\$49,999	1,748	11.7	1.31	(9.2 - 14.3)		119,563	(91,654 - 147,471)
WI	\$50-\$74,999	985	11.4	1.66	(8.2 - 14.7)		80,277	(56,028 - 104,526)
WI	>=\$75,000	1,328	12.3	1.42	(9.5 - 15.1)		133,170	(100,874 - 165,466)
WY	< \$15,000	507	18.8	2.44	(14.0 - 23.6)		7,209	(5,221 - 9,197)
WY	\$15-\$24,999	960	15.1	1.77	(11.6 - 18.6)		10,302	(7,781 - 12,823)
WY	\$25-\$49,999	1,425	13.4	1.24	(10.9 - 15.8)		12,799	(10,352 - 15,246)
WY	\$50-\$74,999	984	12.7	1.53	(9.7 - 15.8)		8,950	(6,687 - 11,214)
WY	>=\$75,000	1,595	13.4	1.21	(11.0 - 15.7)		15,719	(12,733 - 18,706)
Territories								

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L7**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Income and State or Territory: BRFSS 2013**

State	Income	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	    	Prevalence (number)	95% CI* (number)
GU	< \$15,000	276	15.0	2.94	(9.2 - 20.8)		2,886	(1,681 - 4,091)
GU	\$15-\$24,999	358	10.2	2.16	(6.0 - 14.5)		2,409	(1,350 - 3,469)
GU	\$25-\$49,999	529	9.2	1.54	(6.2 - 12.3)		2,584	(1,709 - 3,459)
GU	\$50-\$74,999	206	6.5	1.86	(2.8 - 10.2)		700	(298 - 1,102)
GU	>=\$75,000	251	9.3	2.35	(4.6 - 13.9)		1,042	(501 - 1,584)
PR	< \$15,000	2,408	17.9	1.03	(15.9 - 19.9)		216,295	(190,025 - 242,565)
PR	\$15-\$24,999	1,361	17.6	1.37	(15.0 - 20.3)		114,128	(95,222 - 133,034)
PR	\$25-\$49,999	868	15.5	1.56	(12.4 - 18.6)		53,692	(42,184 - 65,199)
PR	\$50-\$74,999	198	12.2	2.66	(7.0 - 17.4)		9,857	(5,431 - 14,284)
PR	>=\$75,000	199	14.8	2.91	(9.0 - 20.5)		9,087	(5,315 - 12,859)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size. When the sample size is less than 50, estimates are not precise and should be interpreted with caution.