

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2013

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
Total **	White NH ***	42,876	11.9	0.29	(11.3 - 12.5)		2,906,887	(2,763,686 - 3,050,088)
Total **	Black NH	6,178	21.3	0.98	(19.4 - 23.2)		1,512,241	(1,357,963 - 1,666,519)
Total **	Other NH	4,662	12.4	0.94	(10.6 - 14.3)		541,011	(455,691 - 626,332)
Total **	Hispanic	9,969	14.5	0.64	(13.3 - 15.8)		1,885,837	(1,712,505 - 2,059,169)
AZ	White NH	412	14.7	2.67	(10.2 - 20.8)		93,886	(58,864 - 128,907)
AZ	Black NH	30	3.6				2,523	
AZ	Other NH	71	17.4	7.25	(7.3 - 36.2)		26,813	(2,541 - 51,086)
AZ	Hispanic	210	22.9	4.76	(15.0 - 33.5)		166,690	(89,023 - 244,357)
CA	White NH	927	13.0	1.32	(10.7 - 15.8)		299,979	(237,080 - 362,877)
CA	Black NH	125	26.7	4.68	(18.5 - 36.8)		231,650	(139,186 - 324,114)
CA	Other NH	205	7.4	2.08	(4.3 - 12.7)		76,217	(33,259 - 119,176)
CA	Hispanic	1,306	14.8	1.21	(12.5 - 17.3)		555,164	(460,295 - 650,032)
CT	White NH	1,168	13.1	1.20	(11.0 - 15.7)		56,308	(46,025 - 66,592)
CT	Black NH	195	21.2	3.90	(14.6 - 29.9)		17,533	(10,636 - 24,430)
CT	Other NH	83	16.1	4.89	(8.6 - 28.1)		10,041	(3,643 - 16,439)
CT	Hispanic	255	18.1	3.12	(12.7 - 25.0)		30,304	(19,118 - 41,490)
DC	White NH	314	11.8	2.09	(8.2 - 16.5)		3,572	(2,283 - 4,860)
DC	Black NH	334	25.2	3.39	(19.2 - 32.4)		16,375	(11,656 - 21,094)
DC	Other NH	35	10.9				538	
DC	Hispanic	54	4.5				418	
GA	White NH	1,031	13.4	1.23	(11.1 - 16.0)		138,310	(112,346 - 164,274)
GA	Black NH	544	21.5	2.19	(17.6 - 26.1)		178,448	(138,831 - 218,066)
GA	Other NH	83	14.3	5.47	(6.5 - 28.5)		23,713	(3,968 - 43,457)
GA	Hispanic	176	10.9	2.49	(6.9 - 16.8)		37,440	(19,874 - 55,005)
HI	White NH	463	13.0	1.99	(9.6 - 17.4)		4,818	(3,318 - 6,319)
HI	Black NH	23	25.6	10.26	(10.7 - 49.7)		851	(141 - 1,562)
HI	Other NH	1,081	22.3	1.98	(18.7 - 26.5)		44,837	(36,159 - 53,515)
HI	Hispanic	299	21.1	3.14	(15.6 - 27.9)		9,025	(6,133 - 11,916)
IN	White NH	1,708	11.5	0.85	(9.9 - 13.3)		122,960	(104,897 - 141,023)
IN	Black NH	182	20.9	3.61	(14.7 - 28.9)		41,770	(25,932 - 57,609)
IN	Other NH	40	10.2				5,741	

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2013

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
IN	Hispanic	187	8.7	2.32	(5.1 - 14.4)		15,037	(6,868 - 23,207)
KS	White NH	3,826	12.8	0.62	(11.6 - 14.0)		58,977	(53,152 - 64,801)
KS	Black NH	262	14.6	2.49	(10.3 - 20.2)		6,646	(4,246 - 9,045)
KS	Other NH	161	15.0	3.10	(9.9 - 22.1)		8,259	(4,690 - 11,828)
KS	Hispanic	1,046	13.3	1.16	(11.1 - 15.7)		16,898	(13,831 - 19,966)
LA	White NH	651	10.1	1.46	(7.6 - 13.3)		54,265	(38,442 - 70,088)
LA	Black NH	360	15.6	2.32	(11.6 - 20.7)		63,531	(44,026 - 83,036)
LA	Other NH	44	12.9	5.47	(5.4 - 27.8)		7,553	(1,186 - 13,920)
LA	Hispanic	30	8.7				5,476	
ME	White NH	923	12.8	1.27	(10.5 - 15.5)		28,998	(23,234 - 34,762)
ME	Black NH	23	14.1				1,580	
ME	Other NH	28	33.5	13.10	(13.7 - 61.5)		3,327	(0 - 6,837)
ME	Hispanic	25	8.6				651	
MD	White NH	1,753	12.9	1.02	(11.0 - 15.0)		70,796	(59,419 - 82,172)
MD	Black NH	709	18.4	1.77	(15.2 - 22.1)		78,490	(62,496 - 94,484)
MD	Other NH	174	16.8	3.35	(11.2 - 24.4)		23,814	(13,826 - 33,801)
MD	Hispanic	247	17.4	2.87	(12.4 - 23.7)		28,383	(18,378 - 38,388)
MI	White NH	2,077	12.7	0.84	(11.1 - 14.4)		177,274	(153,768 - 200,781)
MI	Black NH	305	18.2	2.53	(13.7 - 23.7)		64,613	(45,532 - 83,693)
MI	Other NH	110	18.5	4.38	(11.4 - 28.7)		31,946	(15,522 - 48,371)
MI	Hispanic	142	23.2	4.13	(16.1 - 32.3)		41,087	(24,906 - 57,269)
MS	White NH	840	11.6	1.28	(9.3 - 14.4)		41,017	(31,871 - 50,162)
MS	Black NH	684	21.4	1.97	(17.8 - 25.5)		66,494	(53,378 - 79,609)
MS	Other NH	31	17.8	7.93	(7.0 - 38.5)		3,580	(152 - 7,007)
MS	Hispanic	40	17.4	7.16	(7.4 - 35.9)		6,076	(686 - 11,465)
MO	White NH	1,067	10.1	1.17	(8.0 - 12.6)		100,538	(77,532 - 123,544)
MO	Black NH	188	17.6	4.13	(10.8 - 27.2)		34,614	(17,287 - 51,941)
MO	Other NH	43	12.3	5.83	(4.7 - 28.8)		7,004	(324 - 13,685)
MO	Hispanic	57	13.6	6.36	(5.2 - 31.3)		13,264	(253 - 26,275)
MT	White NH	1,652	10.9	1.00	(9.1 - 13.1)		18,210	(14,915 - 21,506)
MT	Black NH	9	16.1				251	

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2013

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
MT	Other NH	376	8.5	1.66	(5.8 - 12.4)		2,053	(1,278 - 2,828)
MT	Hispanic	111	12.1	3.54	(6.7 - 20.9)		2,763	(1,137 - 4,390)
NE	White NH	3,213	9.0	0.69	(7.8 - 10.5)		28,876	(24,534 - 33,218)
NE	Black NH	116	20.1	4.54	(12.6 - 30.4)		5,241	(2,714 - 7,768)
NE	Other NH	140	20.6	4.91	(12.6 - 31.8)		6,368	(3,136 - 9,601)
NE	Hispanic	382	7.3	1.87	(4.4 - 11.9)		5,553	(2,669 - 8,437)
NV	White NH	659	9.4	1.44	(6.9 - 12.6)		20,615	(14,317 - 26,912)
NV	Black NH	52	30.0	8.68	(16.0 - 49.1)		15,620	(4,409 - 26,832)
NV	Other NH	70	6.8				5,527	
NV	Hispanic	275	10.5	2.54	(6.4 - 16.6)		27,978	(14,108 - 41,848)
NH	White NH	388	11.1	2.00	(7.7 - 15.7)		7,605	(4,777 - 10,434)
NH	Black NH	4	29.9				1,235	
NH	Other NH	14	7.1				969	
NH	Hispanic	19	39.6	13.72	(17.6 - 66.9)		7,957	(581 - 15,333)
NJ	White NH	1,875	11.3	0.95	(9.6 - 13.3)		102,622	(85,405 - 119,839)
NJ	Black NH	464	19.1	2.32	(14.9 - 24.1)		52,747	(39,023 - 66,472)
NJ	Other NH	301	8.2	1.98	(5.0 - 13.0)		19,107	(9,666 - 28,548)
NJ	Hispanic	683	18.3	1.90	(14.8 - 22.3)		88,082	(68,715 - 107,448)
NM	White NH	728	11.3	1.66	(8.5 - 15.0)		14,325	(10,051 - 18,599)
NM	Black NH	36	11.4				1,418	
NM	Other NH	332	11.3	2.25	(7.6 - 16.5)		6,915	(4,156 - 9,674)
NM	Hispanic	1,149	12.8	1.21	(10.7 - 15.4)		38,016	(30,889 - 45,143)
NY	White NH	521	12.9	1.66	(9.9 - 16.5)		249,848	(185,268 - 314,428)
NY	Black NH	143	18.6	4.07	(11.9 - 27.9)		120,647	(64,651 - 176,644)
NY	Other NH	72	22.0	6.19	(12.2 - 36.4)		76,927	(28,756 - 125,098)
NY	Hispanic	224	13.5	2.48	(9.4 - 19.2)		133,010	(83,820 - 182,200)
OH	White NH	1,435	12.6	1.13	(10.5 - 15.0)		229,936	(188,305 - 271,567)
OH	Black NH	171	21.4	3.73	(15.0 - 29.6)		79,180	(49,609 - 108,752)
OH	Other NH	73	10.6	3.39	(5.5 - 19.3)		18,654	(7,049 - 30,260)
OH	Hispanic	76	18.6	6.78	(8.6 - 35.5)		28,271	(5,068 - 51,475)
OK	White NH	1,210	13.3	1.06	(11.3 - 15.5)		65,154	(54,662 - 75,646)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2013

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
OK	Black NH	166	25.9	4.00	(18.9 - 34.5)		37,789	(24,832 - 50,746)
OK	Other NH	253	18.2	2.59	(13.7 - 23.9)		24,787	(17,451 - 32,122)
OK	Hispanic	277	11.3	2.23	(7.6 - 16.5)		16,934	(10,011 - 23,856)
OR	White NH	821	10.9	1.29	(8.6 - 13.7)		55,638	(42,316 - 68,960)
OR	Black NH	14	26.6				6,905	
OR	Other NH	50	9.4				7,575	
OR	Hispanic	97	19.5	4.50	(12.1 - 29.8)		34,401	(17,245 - 51,558)
PA	White NH	1,789	11.2	0.88	(9.6 - 13.0)		199,758	(168,660 - 230,856)
PA	Black NH	266	29.2	3.31	(23.1 - 36.0)		98,710	(72,951 - 124,469)
PA	Other NH	78	11.6	3.34	(6.5 - 19.9)		21,542	(9,334 - 33,750)
PA	Hispanic	163	19.5	4.00	(12.8 - 28.5)		55,271	(30,324 - 80,219)
RI	White NH	917	15.3	1.41	(12.8 - 18.3)		19,199	(15,638 - 22,759)
RI	Black NH	84	27.2	5.56	(17.8 - 39.4)		3,525	(1,896 - 5,154)
RI	Other NH	71	20.7	5.48	(11.9 - 33.4)		3,960	(1,671 - 6,248)
RI	Hispanic	217	21.1	3.69	(14.7 - 29.2)		9,946	(6,015 - 13,877)
TN	White NH	720	10.6	1.44	(8.1 - 13.8)		86,767	(63,400 - 110,134)
TN	Black NH	170	18.6	3.84	(12.2 - 27.3)		55,156	(31,517 - 78,795)
TN	Other NH	25	6.7				6,846	
TN	Hispanic	22	11.3				10,179	
TX	White NH	1,036	11.8	1.37	(9.4 - 14.8)		261,070	(200,006 - 322,134)
TX	Black NH	227	24.7	4.27	(17.3 - 34.0)		193,529	(117,004 - 270,054)
TX	Other NH	95	8.4	4.16	(3.1 - 20.9)		25,322	(0 - 50,983)
TX	Hispanic	1,263	12.5	1.31	(10.2 - 15.3)		425,971	(333,757 - 518,185)
UT	White NH	3,611	9.9	0.56	(8.9 - 11.1)		62,475	(55,453 - 69,498)
UT	Black NH	56	14.5	5.26	(6.8 - 28.0)		3,130	(762 - 5,498)
UT	Other NH	126	11.0	2.98	(6.4 - 18.3)		5,333	(2,364 - 8,302)
UT	Hispanic	501	9.3	1.44	(6.8 - 12.5)		14,403	(9,839 - 18,967)
VT	White NH	1,159	14.6	1.26	(12.3 - 17.2)		15,316	(12,657 - 17,975)
VT	Black NH	13	27.0				656	
VT	Other NH	35	22.4	7.55	(11.0 - 40.3)		1,433	(402 - 2,465)
VT	Hispanic	30	21.6	8.21	(9.6 - 41.6)		655	(110 - 1,200)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race/Ethnicity and State or Territory: BRFSS 2013

State	Race/Ethnicity	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
WA	White NH	1,720	11.2	0.88	(9.6 - 13.0)		99,496	(83,896 - 115,095)
WA	Black NH	75	11.4	4.64	(5.0 - 24.1)		7,309	(1,088 - 13,530)
WA	Other NH	237	9.9	2.41	(6.1 - 15.7)		25,768	(12,811 - 38,726)
WA	Hispanic	302	9.9	1.95	(6.7 - 14.5)		31,516	(18,888 - 44,145)
WV	White NH	1,287	12.4	1.05	(10.5 - 14.6)		40,247	(33,457 - 47,037)
WV	Black NH	43	14.6	6.67	(5.7 - 32.8)		2,187	(52 - 4,323)
WV	Other NH	18	14.2				1,452	
WV	Hispanic	30	21.3	10.22	(7.5 - 47.2)		3,473	(0 - 7,372)
WI	White NH	975	8.7	1.16	(6.7 - 11.3)		78,032	(57,597 - 98,468)
WI	Black NH	105	15.1	4.49	(8.2 - 26.1)		21,886	(8,568 - 35,204)
WI	Other NH	107	9.6	3.75	(4.4 - 19.9)		7,089	(1,828 - 12,350)
WI	Hispanic	74	16.7	5.77	(8.1 - 31.1)		25,545	(6,493 - 44,597)
Territory								
PR	White NH	9	10.0				497	
PR	Black NH	1	100.0				2,477	
PR	Other NH	5	70.6				3,515	
PR	Hispanic	1,491	23.2	1.26	(20.9 - 25.8)		200,220	(178,396 - 222,043)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.