

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
U.S. Total**	White NH	366,698	13.7	0.11	(13.5–13.9)	21,525,423	(21,157,737–21,893,110)
U.S. Total**	Black NH	38,610	16.2	0.37	(15.5–17.0)	4,764,952	(4,535,240–4,994,663)
U.S. Total**	Other NH	20,162	10.6	0.44	(9.8–11.5)	1,774,059	(1,623,373–1,924,744)
U.S. Total**	Multirace NH	9,178	22.8	1.00	(20.8–24.8)	819,119	(738,523–899,715)
U.S. Total**	Hispanic	33,111	11.5	0.30	(10.9–12.1)	4,504,401	(4,264,331–4,744,470)
AL	White NH	4,700	14.3	0.71	(12.9–15.7)	362,585	(325,231–399,940)
AL	Black NH	1,885	16.6	1.25	(14.1–19.0)	157,220	(131,690–182,750)
AL	Other NH	164	16.2	3.76	(8.8–23.6)	14,404	(7,424–21,383)
AL	Multirace NH	97	26.5	6.01	(14.6–38.5)	9,248	(4,526–13,969)
AL	Hispanic	89	11.4	3.36	(4.7–18.1)	14,874	(6,092–23,657)
AK	White NH	2,049	13.3	1.15	(11.1–15.6)	46,699	(38,578–54,821)
AK	Black NH	38	9.8		(–)	2,681	(–)
AK	Other NH	531	16.7	2.99	(10.8–22.5)	17,059	(10,417–23,701)
AK	Multirace NH	120	21.6	6.24	(9.2–33.9)	6,013	(2,063–9,963)
AK	Hispanic	88	12.4	3.74	(4.9–19.8)	4,345	(1,764–6,927)
AZ	White NH	8,222	15.7	0.66	(14.4–17.0)	488,828	(446,293–531,363)
AZ	Black NH	249	14.7	2.85	(9.1–20.3)	33,016	(19,788–46,244)
AZ	Other NH	752	15.3	2.02	(11.4–19.3)	62,418	(45,357–79,478)
AZ	Multirace NH	140	20.4	6.43	(7.7–33.2)	9,038	(2,559–15,517)
AZ	Hispanic	1,306	11.7	1.36	(9.0–14.3)	163,920	(124,048–203,793)
AR	White NH	4,070	14.3	1.01	(12.3–16.3)	243,743	(208,251–279,236)
AR	Black NH	785	13.7	2.45	(8.9–18.5)	44,603	(28,160–61,047)
AR	Other NH	133	22.4	8.86	(4.8–39.9)	13,258	(536–25,981)
AR	Multirace NH	101	23.5	8.59	(6.4–40.5)	6,962	(1,360–12,564)
AR	Hispanic	117	10.9	4.24	(2.5–19.3)	14,987	(2,762–27,212)
CA	White NH	5,578	15.2	0.61	(14.0–16.4)	1,833,155	(1,680,978–1,985,333)
CA	Black NH	599	18.0	2.08	(13.9–22.1)	305,762	(229,018–382,507)
CA	Other NH	1,200	9.3	1.01	(7.3–11.3)	454,822	(354,417–555,227)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
CA	Multirace NH	271	22.6	3.36	(16.0–29.2)	117,239	(77,833–156,645)
CA	Hispanic	3,455	10.3	0.62	(9.1–11.5)	1,080,893	(947,883–1,213,904)
CO	White NH	11,601	14.2	0.46	(13.3–15.1)	424,591	(396,243–452,940)
CO	Black NH	335	14.6	2.34	(10.0–19.2)	23,569	(15,627–31,511)
CO	Other NH	436	14.6	2.20	(10.3–18.9)	26,097	(17,741–34,454)
CO	Multirace NH	230	27.6	4.38	(19.0–36.3)	15,315	(9,567–21,064)
CO	Hispanic	1,876	10.8	0.88	(9.1–12.5)	84,874	(70,587–99,161)
CT	White NH	8,574	14.7	0.57	(13.6–15.8)	285,324	(262,319–308,329)
CT	Black NH	672	18.0	2.10	(13.9–22.1)	47,832	(35,609–60,055)
CT	Other NH	389	10.9	2.16	(6.6–15.1)	16,102	(9,467–22,736)
CT	Multirace NH	129	21.2	5.70	(9.9–32.5)	5,588	(2,135–9,041)
CT	Hispanic	1,027	19.5	1.63	(16.3–22.7)	77,007	(63,159–90,854)
DE	White NH	2,817	11.4	0.81	(9.8–13.0)	55,203	(47,266–63,140)
DE	Black NH	574	16.7	2.11	(12.6–20.9)	25,222	(18,426–32,018)
DE	Other NH	131	13.5	4.01	(5.6–21.5)	3,978	(1,455–6,501)
DE	Multirace NH	67	19.3	6.20	(7.0–31.7)	2,660	(791–4,529)
DE	Hispanic	355	10.9	2.03	(6.9–14.9)	6,246	(3,862–8,630)
DC	White NH	1,264	11.1	1.15	(8.8–13.4)	24,720	(19,437–30,002)
DC	Black NH	2,113	17.1	1.00	(15.1–19.1)	39,334	(34,561–44,108)
DC	Other NH	162	16.9	3.69	(9.6–24.2)	5,407	(2,834–7,979)
DC	Multirace NH	38	18.3	6.55	(5.0–31.5)	1,351	(316–2,385)
DC	Hispanic	155	21.4	4.33	(12.9–30.0)	12,281	(6,613–17,950)
FL	White NH	26,509	10.7	0.37	(10.0–11.4)	989,982	(921,825–1,058,139)
FL	Black NH	3,747	11.8	1.09	(9.7–13.9)	273,146	(221,285–325,006)
FL	Other NH	1,045	8.0	2.17	(3.8–12.3)	47,911	(21,107–74,716)
FL	Multirace NH	456	18.2	4.15	(10.1–26.4)	27,766	(13,800–41,732)
FL	Hispanic	4,414	11.9	0.89	(10.1–13.6)	454,667	(384,350–524,984)
GA	White NH	3,302	14.0	0.85	(12.3–15.7)	605,386	(528,809–681,962)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
GA	Black NH	1,388	14.2	1.28	(11.7–16.8)	325,641	(263,967–387,316)
GA	Other NH	174	5.8	2.31	(1.3–10.4)	20,005	(3,828–36,183)
GA	Multirace NH	98	21.9	5.24	(11.5–32.3)	21,088	(10,143–32,034)
GA	Hispanic	293	8.0	2.06	(4.0–12.1)	51,276	(24,281–78,271)
HI	White NH	2,577	12.6	0.97	(10.7–14.5)	35,954	(30,258–41,651)
HI	Black NH	64	18.6	6.55	(5.5–31.7)	4,699	(1,028–8,370)
HI	Other NH	2,867	14.2	0.87	(12.5–16.0)	67,395	(58,815–75,976)
HI	Multirace NH	1,879	25.0	1.39	(22.3–27.7)	57,107	(50,033–64,181)
HI	Hispanic	571	25.8	2.57	(20.8–30.8)	26,429	(20,432–32,426)
ID	White NH	4,677	12.9	0.73	(11.5–14.4)	134,561	(119,303–149,818)
ID	Black NH	17	32.7	16.43	(0.0–67.5)	3,628	(0–8,536)
ID	Other NH	120	7.8	2.21	(3.5–12.2)	2,495	(1,182–3,808)
ID	Multirace NH	66	11.1	3.83	(3.4–18.8)	2,173	(697–3,648)
ID	Hispanic	295	10.6	2.41	(5.9–15.4)	13,504	(7,177–19,830)
IL	White NH	3,351	14.0	0.81	(12.4–15.6)	895,117	(787,380–1,002,855)
IL	Black NH	615	17.8	1.91	(14.0–21.5)	235,747	(181,630–289,864)
IL	Other NH	214	10.7	2.49	(5.8–15.6)	59,565	(30,879–88,252)
IL	Multirace NH	67	35.0	8.39	(18.2–51.7)	47,492	(17,674–77,311)
IL	Hispanic	484	11.1	1.63	(7.9–14.3)	162,818	(113,470–212,165)
IN	White NH	9,412	13.9	0.54	(12.8–14.9)	569,550	(524,751–614,349)
IN	Black NH	732	20.4	2.27	(15.9–24.9)	88,505	(66,580–110,430)
IN	Other NH	224	12.7	3.38	(6.0–19.4)	15,611	(6,899–24,322)
IN	Multirace NH	159	27.8	5.75	(16.4–39.1)	15,434	(7,757–23,111)
IN	Hispanic	362	11.1	2.12	(7.0–15.3)	31,828	(19,253–44,403)
IA	White NH	6,678	11.8	0.54	(10.7–12.8)	249,407	(226,179–272,635)
IA	Black NH	124	10.7	3.06	(4.7–16.8)	6,948	(2,898–10,999)
IA	Other NH	97	16.3	4.63	(7.1–25.4)	9,912	(3,831–15,992)
IA	Multirace NH	46	28.8	7.74	(13.2–44.4)	9,583	(3,581–15,586)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
IA	Hispanic	217	11.4	2.83	(5.8–17.0)	12,916	(6,197–19,635)
KS	White NH	10,479	13.1	0.43	(12.3–14.0)	225,370	(210,503–240,237)
KS	Black NH	469	17.9	2.39	(13.2–22.6)	22,238	(15,831–28,645)
KS	Other NH	264	11.0	2.12	(6.8–15.2)	8,760	(5,299–12,221)
KS	Multirace NH	181	19.4	3.48	(12.6–26.3)	7,870	(4,843–10,896)
KS	Hispanic	605	9.8	1.44	(7.0–12.6)	20,524	(14,286–26,762)
KY	White NH	8,743	15.0	0.56	(13.9–16.1)	441,276	(407,820–474,732)
KY	Black NH	893	16.6	1.90	(12.9–20.4)	43,528	(33,352–53,704)
KY	Other NH	167	11.2	2.74	(5.8–16.6)	7,037	(3,637–10,438)
KY	Multirace NH	220	30.0	4.96	(20.2–39.7)	9,469	(5,833–13,104)
KY	Hispanic	105	14.7	4.38	(6.0–23.4)	14,818	(5,432–24,204)
LA	White NH	3,566	12.3	0.88	(10.6–14.0)	263,497	(224,940–302,055)
LA	Black NH	1,232	19.0	1.97	(15.1–22.9)	203,981	(157,838–250,124)
LA	Other NH	129	11.4	3.42	(4.7–18.2)	9,036	(3,674–14,398)
LA	Multirace NH	82	14.6	4.89	(4.8–24.3)	6,827	(2,146–11,509)
LA	Hispanic	143	11.8	4.38	(3.2–20.5)	20,606	(4,687–36,526)
ME	White NH	9,462	16.4	0.62	(15.2–17.6)	164,293	(151,623–176,964)
ME	Black NH	36	8.2		(–)	673	(–)
ME	Other NH	144	22.0	5.00	(12.1–31.9)	4,051	(2,046–6,057)
ME	Multirace NH	136	32.9	6.73	(19.6–46.2)	6,017	(2,825–9,209)
ME	Hispanic	82	8.1	3.53	(1.0–15.1)	1,140	(148–2,131)
MD	White NH	12,459	14.1	0.51	(13.1–15.1)	347,258	(321,005–373,511)
MD	Black NH	3,912	16.7	0.87	(15.0–18.4)	221,132	(196,586–245,678)
MD	Other NH	713	9.7	1.38	(7.0–12.4)	34,832	(24,830–44,833)
MD	Multirace NH	281	18.2	2.74	(12.8–23.6)	8,659	(5,965–11,352)
MD	Hispanic	680	8.1	1.17	(5.8–10.4)	34,006	(24,253–43,758)
MA	White NH	6,572	14.8	0.60	(13.6–16.0)	584,338	(536,011–632,666)
MA	Black NH	431	20.2	3.10	(14.1–26.3)	67,366	(44,250–90,482)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
MA	Other NH	368	13.6	2.68	(8.4–18.9)	58,035	(33,633–82,437)
MA	Multirace NH	124	19.5	4.29	(11.0–28.0)	13,885	(7,371–20,399)
MA	Hispanic	678	16.4	1.69	(13.1–19.7)	89,122	(69,862–108,382)
MI	White NH	9,594	15.9	0.50	(14.9–16.9)	933,086	(872,640–993,531)
MI	Black NH	1,220	21.0	1.49	(18.0–23.9)	209,703	(177,111–242,296)
MI	Other NH	366	10.1	1.70	(6.8–13.5)	29,020	(19,202–38,838)
MI	Multirace NH	268	25.1	3.23	(18.8–31.5)	25,190	(17,795–32,585)
MI	Hispanic	306	12.2	2.25	(7.8–16.7)	38,862	(23,902–53,822)
MN	White NH	14,679	10.9	0.32	(10.3–11.6)	383,457	(360,795–406,119)
MN	Black NH	470	14.9	1.85	(11.3–18.6)	31,871	(23,511–40,231)
MN	Other NH	588	10.6	1.51	(7.7–13.6)	26,371	(18,642–34,099)
MN	Multirace NH	154	23.7	3.90	(16.0–31.4)	9,636	(6,115–13,158)
MN	Hispanic	658	8.0	1.07	(5.9–10.1)	14,331	(10,509–18,152)
MS	White NH	3,006	12.3	0.83	(10.7–13.9)	163,342	(140,737–185,947)
MS	Black NH	1,890	13.2	1.12	(11.0–15.4)	104,972	(86,479–123,464)
MS	Other NH	74	14.5	4.59	(5.3–23.6)	5,303	(1,781–8,826)
MS	Multirace NH	30	20.2	8.41	(3.0–37.4)	4,288	(789–7,786)
MS	Hispanic	58	8.7	4.35	(0.0–17.4)	5,478	(0–11,155)
MO	White NH	5,888	14.1	0.76	(12.7–15.6)	539,441	(479,306–599,575)
MO	Black NH	663	16.6	2.41	(11.8–21.3)	84,408	(58,245–110,572)
MO	Other NH	170	16.4	4.37	(7.8–25.0)	19,415	(8,418–30,413)
MO	Multirace NH	156	18.4	4.65	(9.3–27.6)	10,797	(5,137–16,456)
MO	Hispanic	143	13.2	3.62	(6.1–20.4)	22,836	(9,961–35,711)
MT	White NH	4,934	12.5	0.66	(11.3–13.8)	89,261	(79,860–98,661)
MT	Black NH	13	14.3		(–)	493	(–)
MT	Other NH	693	19.4	2.66	(14.2–24.6)	10,410	(7,386–13,434)
MT	Multirace NH	125	20.5	5.48	(9.6–31.3)	2,078	(826–3,329)
MT	Hispanic	116	8.2	2.92	(2.4–14.0)	2,134	(588–3,680)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
NE	White NH	13,564	12.3	0.50	(11.3–13.3)	145,659	(133,600–157,717)
NE	Black NH	210	21.5	4.00	(13.6–29.4)	12,219	(7,097–17,341)
NE	Other NH	288	8.8	2.03	(4.8–12.8)	3,867	(2,087–5,647)
NE	Multirace NH	126	20.1	4.78	(10.6–29.6)	4,007	(1,959–6,055)
NE	Hispanic	826	8.4	1.44	(5.6–11.2)	10,412	(6,748–14,076)
NV	White NH	2,893	12.3	0.91	(10.5–14.1)	146,205	(124,115–168,296)
NV	Black NH	188	15.1	3.18	(8.8–21.4)	28,405	(15,620–41,189)
NV	Other NH	273	11.5	3.28	(5.0–17.9)	28,920	(11,429–46,411)
NV	Multirace NH	119	25.6	6.59	(12.5–38.6)	8,958	(3,582–14,334)
NV	Hispanic	766	8.2	1.15	(6.0–10.5)	45,933	(33,011–58,854)
NH	White NH	5,912	16.3	0.74	(14.8–17.7)	157,455	(142,490–172,419)
NH	Black NH	33	3.2		(–)	305	(–)
NH	Other NH	171	11.6	2.90	(5.9–17.4)	4,603	(2,284–6,922)
NH	Multirace NH	79	23.0	7.23	(8.6–37.4)	2,915	(890–4,940)
NH	Hispanic	75	29.2	7.04	(15.2–43.2)	7,107	(3,025–11,188)
NJ	White NH	5,065	10.9	0.74	(9.5–12.4)	425,336	(366,881–483,791)
NJ	Black NH	893	14.8	1.89	(11.1–18.5)	126,676	(92,380–160,972)
NJ	Other NH	385	8.9	1.95	(5.1–12.7)	60,478	(33,236–87,720)
NJ	Multirace NH	80	21.0	8.16	(4.8–37.3)	22,687	(2,187–43,186)
NJ	Hispanic	1,019	14.5	1.64	(11.3–17.8)	189,937	(144,505–235,369)
NM	White NH	3,131	15.7	0.96	(13.8–17.6)	99,125	(86,657–111,592)
NM	Black NH	63	8.7	4.43	(0.0–17.5)	2,527	(0–5,178)
NM	Other NH	639	15.2	2.22	(10.9–19.6)	22,590	(15,595–29,585)
NM	Multirace NH	60	17.6	5.59	(6.4–28.8)	3,477	(1,250–5,703)
NM	Hispanic	1,936	16.7	1.29	(14.2–19.2)	117,626	(98,313–136,939)
NY	White NH	27,697	13.7	0.44	(12.8–14.5)	1,176,830	(1,100,138–1,253,522)
NY	Black NH	1,726	15.0	1.17	(12.7–17.3)	324,647	(271,851–377,444)
NY	Other NH	1,043	10.2	1.59	(7.1–13.3)	149,852	(101,408–198,296)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
NY	Multirace NH	448	21.7	3.99	(13.8–29.5)		46,669	(28,205–65,132)
NY	Hispanic	2,399	14.9	0.93	(13.0–16.7)		400,172	(349,201–451,143)
NC	White NH	4,361	12.1	0.63	(10.8–13.3)		622,901	(556,601–689,202)
NC	Black NH	1,270	14.4	1.21	(12.0–16.8)		232,126	(191,228–273,024)
NC	Other NH	256	12.5	2.27	(8.0–17.0)		41,733	(26,385–57,080)
NC	Multirace NH	95	26.3	6.45	(13.4–39.1)		19,686	(7,977–31,396)
NC	Hispanic	466	7.9	1.52	(5.0–10.9)		47,591	(28,940–66,242)
ND	White NH	5,253	12.3	0.64	(11.0–13.5)		62,600	(55,958–69,242)
ND	Black NH	55	11.5	5.21	(1.0–21.9)		1,492	(42–2,943)
ND	Other NH	217	14.7	2.80	(9.2–20.2)		5,025	(3,024–7,025)
ND	Multirace NH	56	32.1	7.82	(16.4–47.8)		3,498	(1,429–5,567)
ND	Hispanic	73	17.7	5.46	(6.8–28.6)		2,368	(789–3,948)
OH	White NH	10,743	13.2	0.54	(12.1–14.3)		955,708	(874,998–1,036,419)
OH	Black NH	841	16.1	1.72	(12.7–19.5)		168,025	(129,908–206,141)
OH	Other NH	264	9.8	2.69	(4.5–15.1)		21,943	(9,571–34,314)
OH	Multirace NH	160	26.1	5.20	(15.8–36.3)		33,909	(18,212–49,606)
OH	Hispanic	173	26.3	5.02	(16.4–36.2)		66,606	(36,090–97,121)
OK	White NH	5,284	13.6	0.66	(12.3–14.9)		278,998	(250,955–307,041)
OK	Black NH	371	20.2	3.08	(14.1–26.2)		42,521	(27,878–57,164)
OK	Other NH	515	15.0	1.87	(11.3–18.7)		43,569	(32,393–54,746)
OK	Multirace NH	331	18.6	3.40	(11.9–25.3)		23,543	(13,896–33,191)
OK	Hispanic	297	9.2	2.17	(5.0–13.5)		22,697	(11,631–33,763)
OR	White NH	4,446	16.8	0.65	(15.5–18.1)		417,862	(384,895–450,829)
OR	Black NH	38	22.7	9.58	(3.3–42.1)		12,669	(0–25,771)
OR	Other NH	194	15.9	3.40	(9.2–22.6)		29,652	(15,832–43,471)
OR	Multirace NH	281	22.0	2.78	(16.6–27.5)		17,007	(12,312–21,703)
OR	Hispanic	325	18.2	2.49	(13.3–23.1)		59,358	(41,604–77,111)
PA	White NH	5,580	13.3	0.58	(12.2–14.5)		1,052,047	(958,958–1,145,136)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
PA	Black NH	572	21.0	2.30	(16.5–25.5)	209,706	(158,990–260,422)
PA	Other NH	239	14.3	3.31	(7.8–20.8)	52,994	(26,614–79,374)
PA	Multirace NH	90	20.8	5.18	(10.5–31.1)	19,283	(8,875–29,691)
PA	Hispanic	215	24.4	3.53	(17.4–31.3)	147,887	(99,550–196,224)
RI	White NH	4,487	15.7	0.80	(14.1–17.3)	99,427	(89,084–109,770)
RI	Black NH	185	14.8	3.41	(8.1–21.5)	6,074	(3,081–9,067)
RI	Other NH	182	10.4	4.03	(2.4–18.3)	4,032	(711–7,354)
RI	Multirace NH	70	24.4	6.82	(10.8–38.0)	3,197	(1,211–5,182)
RI	Hispanic	420	17.9	2.23	(13.5–22.2)	18,988	(14,049–23,926)
SC	White NH	7,238	12.9	0.56	(11.8–14.0)	322,448	(293,971–350,924)
SC	Black NH	2,953	15.1	1.00	(13.1–17.0)	143,825	(123,874–163,776)
SC	Other NH	224	6.2	1.52	(3.2–9.2)	4,847	(2,562–7,132)
SC	Multirace NH	227	25.9	4.15	(17.8–34.1)	9,436	(5,945–12,926)
SC	Hispanic	218	12.6	2.95	(6.8–18.4)	23,579	(11,959–35,200)
SD	White NH	4,968	8.8	0.63	(7.5–10.0)	48,729	(41,787–55,670)
SD	Black NH	32	2.1		(–)	280	(–)
SD	Other NH	547	11.8	2.33	(7.2–16.4)	6,249	(3,818–8,680)
SD	Multirace NH	103	15.8	6.19	(3.6–28.1)	1,737	(307–3,167)
SD	Hispanic	66	18.8	8.41	(2.0–35.6)	3,244	(0–6,539)
TN	White NH	4,960	15.5	0.75	(14.0–16.9)	598,841	(539,427–658,255)
TN	Black NH	754	17.6	2.23	(13.2–21.9)	143,009	(103,502–182,515)
TN	Other NH	122	12.9	4.10	(4.8–21.0)	15,318	(5,212–25,424)
TN	Multirace NH	101	33.4	7.42	(18.6–48.1)	17,763	(7,846–27,680)
TN	Hispanic	118	16.0	4.36	(7.3–24.6)	35,162	(14,571–55,754)
TX	White NH	7,386	14.6	0.81	(13.0–16.2)	1,345,128	(1,191,223–1,499,032)
TX	Black NH	932	17.4	2.43	(12.6–22.1)	420,399	(292,362–548,435)
TX	Other NH	369	8.5	2.66	(3.3–13.8)	87,391	(30,988–143,794)
TX	Multirace NH	142	20.0	6.73	(6.7–33.3)	54,430	(14,080–94,781)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)	Weighted Number	95% CI¶ (Weighted Number)
TX	Hispanic	2,549	8.7	0.89	(7.0–10.5)	638,093	(506,426–769,760)
UT	White NH	9,604	14.4	0.50	(13.4–15.4)	244,013	(226,732–261,294)
UT	Black NH	66	27.3	7.39	(12.6–42.1)	5,205	(1,787–8,622)
UT	Other NH	327	9.3	1.95	(5.5–13.2)	8,992	(5,185–12,800)
UT	Multirace NH	99	24.8	5.39	(14.1–35.5)	7,133	(3,631–10,636)
UT	Hispanic	696	9.9	1.38	(7.2–12.6)	25,904	(18,446–33,361)
VT	White NH	6,018	15.5	0.65	(14.3–16.8)	72,812	(66,579–79,045)
VT	Black NH	43	14.1	6.86	(0.3–28.0)	609	(0–1,235)
VT	Other NH	168	12.1	2.91	(6.3–17.8)	1,537	(813–2,260)
VT	Multirace NH	104	17.4	4.70	(8.1–26.7)	908	(421–1,395)
VT	Hispanic	80	18.9	4.94	(9.1–28.7)	1,643	(761–2,526)
VA	White NH	6,456	13.2	0.57	(12.0–14.3)	544,537	(496,155–592,919)
VA	Black NH	1,425	16.0	1.28	(13.5–18.6)	192,621	(159,828–225,415)
VA	Other NH	312	10.2	2.28	(5.7–14.7)	47,552	(25,508–69,596)
VA	Multirace NH	129	15.9	3.58	(8.8–22.9)	15,876	(8,507–23,246)
VA	Hispanic	467	11.2	1.72	(7.8–14.6)	60,293	(41,155–79,430)
WA	White NH	11,657	15.4	0.45	(14.5–16.2)	619,276	(582,398–656,154)
WA	Black NH	288	19.1	2.80	(13.6–24.6)	34,944	(23,616–46,273)
WA	Other NH	787	10.3	1.28	(7.8–12.8)	64,302	(47,932–80,672)
WA	Multirace NH	355	22.6	2.66	(17.4–27.9)	29,657	(21,876–37,439)
WA	Hispanic	852	12.9	1.41	(10.1–15.6)	73,879	(56,904–90,855)
WV	White NH	6,652	16.1	0.56	(15.0–17.2)	216,935	(201,308–232,561)
WV	Black NH	187	18.9	3.88	(11.3–26.6)	9,641	(5,181–14,101)
WV	Other NH	88	14.2	4.05	(6.2–22.3)	3,050	(1,211–4,888)
WV	Multirace NH	95	24.8	6.15	(12.6–37.0)	3,252	(1,312–5,193)
WV	Hispanic	46	4.7		(–)	799	(–)
WI	White NH	4,539	11.8	0.66	(10.5–13.1)	442,285	(392,311–492,259)
WI	Black NH	297	15.6	3.21	(9.3–21.9)	38,899	(22,473–55,324)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Adult* Self-Reported Lifetime Asthma Prevalence
and Number by Race/Ethnicity and State or Territory: BRFSS 2016

State	Race/Ethnicity	Sample Size§	Prevalence (percent)	Standard Error	95% CI¶ (percent)		Weighted Number	95% CI¶ (Weighted Number)
WI	Other NH	175	8.4	2.61	(3.3–13.5)		13,742	(5,109–22,375)
WI	Multirace NH	54	30.1	8.73	(12.6–47.6)		8,757	(2,577–14,938)
WI	Hispanic	132	9.6	2.94	(3.8–15.4)		23,245	(8,588–37,901)
WY	White NH	4,041	13.5	0.88	(11.8–15.2)		50,841	(44,041–57,641)
WY	Black NH	22	6.2		(–.)		209	(–.)
WY	Other NH	62	23.8	7.69	(8.4–39.2)		3,112	(802–5,422)
WY	Multirace NH	53	25.2	9.38	(6.4–44.0)		2,561	(284–4,837)
WY	Hispanic	219	13.1	3.36	(6.5–19.7)		5,159	(2,351–7,967)
Territories								
GU	White NH	148	4.7	1.99	(0.8–8.7)		355	(57–653)
GU	Black NH	14	0.0		(–.)		0	(–.)
GU	Other NH	1,046	9.9	1.38	(7.2–12.6)		7,498	(5,377–9,619)
GU	Multirace NH	203	11.1	2.83	(5.5–16.6)		1,484	(701–2,268)
GU	Hispanic	126	15.6	5.02	(5.6–25.5)		1,078	(307–1,848)
PR	White NH	45	23.1	10.58	(1.8–44.4)		2,751	(0–5,797)
PR	Black NH	9	52.2		(–.)		2,648	(–.)
PR	Other NH	14	14.8		(–.)		901	(–.)
PR	Multirace NH	1	0.0		(–.)		0	(–.)
PR	Hispanic	5,716	17.5	0.73	(16.0–18.9)		483,921	(441,887–525,955)
VI	White NH	154	7.8	2.45	(3.0–12.7)		567	(219–915)
VI	Black NH	818	8.5	1.64	(5.3–11.7)		4,422	(2,692–6,152)
VI	Other NH	47	11.2	6.09	(0.0–23.5)		327	(0–705)
VI	Multirace NH	18	11.5		(–.)		154	(–.)
VI	Hispanic	177	18.0	5.40	(7.4–28.7)		2,394	(781–4,008)

Notes:

*Aged 18+ years

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

¶CI denotes confidence interval.

§Sample size is the number of respondents reported lifetime asthma

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.