Table C4 Child Current Asthma Prevalence and Weighted Number by Race and State or Territory: BRFSS 2017

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	Weighted Number	95% CI* Weighted Number
Total **	White	38,589	6.7	0.26	(6.2–7.2)	1,879,025	(1,732,904–2,025,147)
Total **	Black	4,708	12.8	0.79	(11.4–14.5)	806,102	(704,436–907,769)
Total **	Other	7,526	8.0	0.66	(6.8–9.4)	601,705	(501,411–701,999)
CA	White	1,161	5.3	0.76	(4.0–7.0)	277,215	(198,334–356,096)
CA	Black	83	7.2	2.94	(3.2–15.5)	35,290	(6,902–63,678)
CA	Other	444	7.7	1.53	(5.2–11.3)	190,918	(115,101–266,736)
CT	White	1,436	11.7	1.17	(9.6–14.2)	53,773	(42,842–64,704)
CT	Black	182	15.9	3.89	(9.7–25.1)	16,165	(7,609–24,721)
CT	Other	254	14.5	3.96	(8.3–24.1)	17,033	(6,926–27,140)
DC	White	185	6.2	1.91	(3.3–11.2)	1,838	(705–2,971)
DC	Black	504	15.1	1.87	(11.7–19.1)	9,995	(7,447–12,544)
DC	Other	73	8.1	3.63	(3.3–18.7)	1,675	(152–3,198)
FL	White	2,973	6.9	0.92	(5.3–8.9)	159,367	(116,985–201,749)
FL	Black	588	11.3	2.24	(7.6–16.5)	104,801	(62,235–147,367)
FL	Other	474	3.6	1.00	(2.1–6.2)	17,692	(8,246–27,138)
GA	White	605	5.4	1.00	(3.7–7.7)	61,820	(38,843–84,797)
GA	Black	303	14.5	2.50	(10.3–20.1)	117,597	(75,066–160,127)
GA	Other	124	7.5	2.60	(3.8–14.5)	16,813	(5,087–28,539)
HI	White	286	6.2	1.55	(3.8–10.1)	3,422	(1,749–5,096)
HI	Black	15	3.0			101	
HI	Other	1,529	10.9	1.18	(8.8–13.4)	25,849	(20,100–31,598)
IL	White	797	5.3	0.90	(3.8–7.4)	102,001	(67,840–136,162)
IL	Black	161	8.1	2.27	(4.6–13.8)	37,678	(16,622–58,735)
IL	Other	133	5.4	2.09	(2.5–11.2)	19,518	(4,345–34,691)
IN	White	2,240	6.3	0.56	(5.3–7.5)	72,760	(59,978–85,542)
IN	Black	250	9.1	1.95	(5.9–13.7)	16,627	(9,409–23,845)
IN	Other	182	6.5	1.88	(3.6–11.3)	7,650	(3,193–12,107)
KS	White	3,995	8.7	0.68	(7.5–10.2)	46,101	(38,768–53,434)
KS	Black	255	17.0	3.43	(11.3–24.8)	9,188	(5,130–13,245)
KS	Other	409	8.9	1.49	(6.4–12.3)	7,085	(4,710–9,461)
ME	White	1,588	7.2	0.87	(5.7–9.1)	15,654	(11,970–19,338)

Notes:

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

^{*} CI denotes confidence interval.

^{**} Total includes data from 27 states and DC, but excludes Puerto Rico.

Table C4 Child Current Asthma Prevalence and Weighted Number by Race and State or Territory: BRFSS 2017

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
ME	Black	34	7.3				624	
ME	Other	114	17.8	5.58	(9.3–31.4)		3,279	(1,031–5,527)
MA	White	376	16.1	3.86	(9.8–25.1)		129,127	(61,062–197,191)
MA	Black	42	10.8				12,245	
MA	Other	80	15.6	7.25	(5.9–35.2)		34,690	(0-70,107)
MI	White	1,746	6.8	0.72	(5.5–8.4)		98,735	(78,042–119,428)
MI	Black	295	17.1	2.50	(12.7–22.5)		61,069	(42,217–79,922)
MI	Other	251	7.6	1.82	(4.7–12.0)		19,510	(10,063–28,956)
MN	White	2,727	4.4	0.46	(3.6–5.4)		38,975	(30,935–47,016)
MN	Black	179	4.5	1.42	(2.4–8.2)		5,234	(1,970–8,498)
MN	Other	431	5.4	1.45	(3.2–9.1)		11,083	(5,136–17,031)
MS	White	553	6.3	1.19	(4.4–9.1)		21,499	(13,480–29,517)
MS	Black	334	17.2	2.98	(12.1–23.8)		50,960	(32,260–69,659)
MS	Other	48	11.3	5.56	(4.1–27.4)		4,750	(0-9,614)
МО	White	1,099	7.5	1.01	(5.8–9.8)		71,949	(52,697–91,201)
МО	Black	170	13.3	2.99	(8.4–20.3)		26,415	(14,367–38,464)
МО	Other	114	19.0	5.34	(10.6–31.7)		27,848	(10,295–45,402)
MT	White	869	7.6	1.28	(5.4–10.5)		12,954	(8,616–17,292)
MT	Black	9	0.0			=	0	
MT	Other	382	13.6	3.41	(8.2–21.8)		5,872	(2,696–9,047)
NE	White	3,018	5.5	0.67	(4.3–6.9)		20,006	(15,119–24,893)
NE	Black	96	15.2	4.82	(8.0–27.2)		4,987	(1,639–8,334)
NE	Other	323	6.0	1.63	(3.5–10.1)		3,242	(1,483–5,001)
NV	White	469	5.6	1.55	(3.3–9.6)		16,426	(7,446–25,406)
NV	Black	38	19.6	8.41	(7.9–41.0)		13,678	(765–26,591)
NV	Other	205	7.1	2.26	(3.8–13.0)		17,501	(6,486–28,515)
NJ	White	1,450	7.0	1.00	(5.2–9.2)		71,564	(50,982–92,146)
NJ	Black	373	14.7	2.53	(10.3–20.3)		45,438	(29,266–61,610)
NJ	Other	341	6.4	1.60	(3.9–10.4)		24,648	(12,457–36,838)
NM	White	932	9.9	1.65	(7.1–13.6)		32,840	(21,538–44,142)
NM	Black	32	16.3	7.13	(6.5–35.2)		2,280	(393–4,168)

Notes:

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

^{*} CI denotes confidence interval.

^{**} Total includes data from 27 states and DC, but excludes Puerto Rico.

Table C4 Child Current Asthma Prevalence and Weighted Number by Race and State or Territory: BRFSS 2017

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	===	Weighted Number	95% CI* Weighted Number
NM	Other	341	6.6	1.75	(3.9–10.9)	=	5,987	(2,846–9,128)
NY	White	817	6.2	1.00	(4.5–8.4)		144,523	(97,940–191,107)
NY	Black	209	13.4	3.08	(8.4–20.6)		102,730	(53,342–152,118)
NY	Other	151	9.9	2.68	(5.7–16.5)		55,882	(25,255–86,509)
ОН	White	1,774	6.3	0.75	(5.0–7.9)		109,463	(83,560–135,366)
ОН	Black	221	16.7	3.06	(11.5–23.5)		67,137	(40,945–93,329)
ОН	Other	178	12.1	3.53	(6.7–20.9)		29,065	(11,067–47,064)
OR	White	838	6.0	0.89	(4.5–8.0)		37,202	(26,387–48,016)
OR	Black	20	12.2				1,621	
OR	Other	139	4.9	2.01	(2.2–10.7)		7,856	(1,492–14,221)
PA	White	1,029	8.5	1.12	(6.5–11.0)		153,669	(113,281–194,057)
PA	Black	134	8.5	2.35	(4.9–14.4)		30,217	(13,799–46,635)
PA	Other	143	10.3	2.95	(5.8–17.7)		32,296	(13,774–50,818)
RI	White	724	10.5	1.67	(7.6–14.3)		14,299	(9,758–18,839)
RI	Black	64	9.0	4.00	(3.6–20.5)		1,389	(137–2,642)
RI	Other	157	11.7	2.98	(7.0–18.9)		4,773	(2,321–7,226)
UT	White	2,990	6.2	0.54	(5.2–7.3)		45,884	(37,895–53,872)
UT	Black	39	28.1	10.93	(11.9–53.0)		4,977	(103-9,852)
UT	Other	288	3.5	1.07	(1.9-6.3)		3,714	(1,487–5,940)
VT	White	1,054	7.1	0.88	(5.6–9.1)		7,013	(5,335–8,690)
VT	Black	21	10.6				253	
VT	Other	73	5.5				488	
WI	White	858	6.6	1.09	(4.7–9.0)		58,947	(39,659–78,235)
WI	Black	57	30.2	9.30	(15.4–50.7)		27,406	(6,644–48,168)
WI	Other	145	2.2				4,987	
Territory								

Notes:

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

^{*} CI denotes confidence interval.

^{**} Total includes data from 27 states and DC, but excludes Puerto Rico.