

**Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	33,774	10.0	0.33	(9.4–10.7)		2,106,251	(1,964,059–2,248,442)
Total **	Black NH	4,345	17.5	0.93	(15.7–19.4)		988,148	(877,049–1,099,246)
Total **	Other NH	5,617	12.3	1.02	(10.4–14.4)		638,778	(528,780–748,776)
Total **	Hispanic	7,978	13.0	0.67	(11.7–14.3)		1,434,523	(1,283,731–1,585,314)
CA	White NH	527	9.9	1.54	(7.2–13.3)		201,954	(137,257–266,651)
CA	Black NH	62	11.9	4.42	(5.6–23.6)		44,606	(10,888–78,323)
CA	Other NH	254	11.4	2.47	(7.4–17.2)		188,959	(104,678–273,239)
CA	Hispanic	891	11.2	1.24	(8.9–13.8)		479,615	(372,619–586,611)
CT	White NH	1,253	14.2	1.24	(12.0–16.8)		51,402	(42,399–60,405)
CT	Black NH	146	13.6	3.84	(7.7–23.0)		10,984	(4,394–17,575)
CT	Other NH	171	15.1	5.14	(7.5–28.1)		11,141	(2,770–19,511)
CT	Hispanic	338	32.2	3.67	(25.4–39.7)		57,187	(41,122–73,251)
DC	White NH	174	7.7	1.91	(4.7–12.4)		2,010	(1,032–2,988)
DC	Black NH	500	21.5	2.25	(17.4–26.2)		13,965	(10,828–17,101)
DC	Other NH	42	4.0				446	
DC	Hispanic	59	22.0	5.85	(12.7–35.5)		3,890	(1,663–6,116)
FL	White NH	2,385	10.9	1.32	(8.6–13.8)		161,376	(121,597–201,154)
FL	Black NH	540	14.4	2.62	(10.0–20.3)		121,971	(75,290–168,651)
FL	Other NH	278	11.5	4.08	(5.6–22.2)		32,743	(8,095–57,390)
FL	Hispanic	957	11.4	1.78	(8.4–15.4)		142,093	(97,051–187,135)
GA	White NH	504	9.5	1.42	(7.0–12.6)		90,043	(62,968–117,118)
GA	Black NH	290	19.8	2.77	(14.9–25.8)		156,366	(109,375–203,357)
GA	Other NH	77	15.8	4.58	(8.7–26.9)		20,260	(7,936–32,584)
GA	Hispanic	213	8.0	2.04	(4.8–13.0)		34,133	(16,521–51,746)
HI	White NH	217	7.7	1.95	(4.6–12.5)		3,469	(1,736–5,201)
HI	Black NH	13	16.1				504	
HI	Other NH	1,306	16.7	1.40	(14.2–19.7)		31,935	(26,345–37,525)
HI	Hispanic	301	21.6	3.18	(16.0–28.5)		12,515	(8,465–16,565)
IL	White NH	597	8.1	1.30	(5.9–11.1)		112,315	(76,649–147,982)
IL	Black NH	145	15.1	3.41	(9.6–23.1)		64,911	(34,653–95,168)
IL	Other NH	86	13.5	4.23	(7.2–24.1)		34,919	(12,198–57,639)

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
IL	Hispanic	279	13.2	2.53	(9.0–19.0)		93,647	(56,329–130,965)
IN	White NH	1,994	10.0	0.73	(8.6–11.5)		102,934	(87,987–117,881)
IN	Black NH	236	12.6	2.31	(8.8–17.9)		22,133	(13,938–30,328)
IN	Other NH	158	9.6	2.32	(5.9–15.2)		10,374	(5,304–15,443)
IN	Hispanic	327	12.1	1.94	(8.8–16.5)		21,086	(14,203–27,969)
KS	White NH	3,590	11.9	0.66	(10.7–13.3)		50,870	(45,215–56,524)
KS	Black NH	236	17.3	2.92	(12.3–23.8)		7,781	(5,017–10,545)
KS	Other NH	352	14.3	2.12	(10.6–19.0)		9,308	(6,464–12,153)
KS	Hispanic	532	15.8	2.35	(11.7–21.0)		21,200	(14,280–28,120)
ME	White NH	1,556	10.3	1.01	(8.5–12.5)		21,823	(17,603–26,042)
ME	Black NH	32	10.2				856	
ME	Other NH	106	23.3	6.23	(13.3–37.5)		4,009	(1,600–6,417)
ME	Hispanic	46	10.3				719	
MA	White NH	334	20.8	4.32	(13.6–30.5)		142,928	(75,718–210,138)
MA	Black NH	35	19.6	8.78	(7.6–42.1)		18,295	(1,099–35,492)
MA	Other NH	62	19.0	8.81	(7.1–41.9)		32,604	(0–66,915)
MA	Hispanic	80	20.1	6.86	(9.8–36.7)		45,681	(11,377–79,984)
MI	White NH	1,660	9.3	0.81	(7.8–11.0)		124,350	(102,863–145,838)
MI	Black NH	284	20.9	2.74	(16.0–26.8)		71,958	(51,711–92,205)
MI	Other NH	212	11.0	2.38	(7.1–16.6)		22,671	(12,666–32,676)
MI	Hispanic	149	14.7	3.30	(9.3–22.4)		27,237	(14,400–40,074)
MN	White NH	2,553	6.2	0.54	(5.2–7.3)		50,723	(41,993–59,452)
MN	Black NH	169	6.5	1.83	(3.7–11.1)		7,436	(3,294–11,577)
MN	Other NH	338	8.0	1.88	(5.1–12.6)		13,831	(7,325–20,336)
MN	Hispanic	324	7.1	1.80	(4.3–11.6)		8,601	(4,239–12,963)
MS	White NH	534	10.2	1.47	(7.6–13.4)		32,503	(23,242–41,765)
MS	Black NH	334	21.2	3.12	(15.7–28.0)		62,379	(42,732–82,026)
MS	Other NH	45	14.2	6.22	(5.7–31.1)		5,474	(409–10,540)
MS	Hispanic	29	12.5				3,840	
MO	White NH	1,064	11.0	1.20	(8.8–13.5)		99,346	(77,648–121,044)
MO	Black NH	167	19.7	3.70	(13.5–28.0)		38,361	(23,651–53,071)

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
MO	Other NH	94	19.1	5.99	(9.9–33.5)		22,413	(6,559–38,267)
MO	Hispanic	66	20.2	6.20	(10.7–35.0)		17,689	(5,826–29,553)
MT	White NH	849	11.4	1.79	(8.3–15.4)		18,779	(12,764–24,794)
MT	Black NH	8	1.1				41	
MT	Other NH	342	14.5	3.22	(9.3–22.0)		5,079	(2,681–7,477)
MT	Hispanic	65	18.1	7.52	(7.5–37.4)		2,516	(157–4,875)
NE	White NH	2,680	8.0	0.75	(6.6–9.6)		25,039	(20,375–29,704)
NE	Black NH	90	15.5	4.90	(8.1–27.7)		4,763	(1,600–7,927)
NE	Other NH	185	15.7	3.71	(9.7–24.4)		4,949	(2,473–7,426)
NE	Hispanic	532	10.4	2.30	(6.7–15.8)		8,631	(4,643–12,619)
NV	White NH	362	8.4	1.97	(5.3–13.1)		17,161	(9,118–25,204)
NV	Black NH	33	22.3	9.63	(8.8–46.0)		13,273	(343–26,204)
NV	Other NH	95	9.1	4.39	(3.4–22.1)		8,846	(99–17,593)
NV	Hispanic	242	10.2	2.43	(6.3–16.0)		27,405	(14,320–40,489)
NJ	White NH	1,208	11.1	1.38	(8.7–14.1)		89,168	(66,623–111,713)
NJ	Black NH	326	21.1	3.20	(15.5–28.1)		54,774	(37,138–72,410)
NJ	Other NH	196	8.3	2.20	(4.8–13.7)		20,631	(9,777–31,486)
NJ	Hispanic	529	13.4	1.96	(10.0–17.7)		65,356	(45,629–85,082)
NM	White NH	391	9.5	1.91	(6.3–13.9)		9,903	(5,884–13,922)
NM	Black NH	21	18.6				1,725	
NM	Other NH	266	10.6	2.49	(6.6–16.5)		6,414	(3,380–9,448)
NM	Hispanic	675	16.8	2.29	(12.8–21.8)		47,878	(33,985–61,771)
NY	White NH	662	9.0	1.35	(6.7–12.0)		165,752	(116,045–215,459)
NY	Black NH	171	17.8	3.74	(11.6–26.3)		105,818	(58,189–153,448)
NY	Other NH	117	11.8	3.30	(6.7–19.9)		53,545	(23,046–84,044)
NY	Hispanic	285	18.4	2.94	(13.3–24.9)		182,519	(120,225–244,814)
OH	White NH	1,729	8.7	0.86	(7.2–10.6)		147,117	(118,257–175,978)
OH	Black NH	207	22.2	3.56	(16.0–30.0)		84,058	(54,406–113,711)
OH	Other NH	142	13.9	3.85	(7.9–23.2)		26,856	(11,024–42,688)
OH	Hispanic	111	15.9	4.82	(8.6–27.7)		26,046	(9,033–43,059)
OR	White NH	739	9.0	1.17	(6.9–11.5)		44,646	(33,121–56,170)

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2017**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
OR	Black NH	18	22.1				2,722	
OR	Other NH	102	12.4	3.44	(7.1–20.9)		13,468	(5,987–20,948)
OR	Hispanic	167	8.0	2.00	(4.8–12.9)		15,596	(7,940–23,252)
PA	White NH	971	11.6	1.34	(9.2–14.5)		189,508	(145,596–233,421)
PA	Black NH	124	13.0	2.88	(8.3–19.8)		43,183	(24,532–61,834)
PA	Other NH	114	17.9	4.48	(10.7–28.4)		39,037	(18,276–59,797)
PA	Hispanic	108	15.8	3.59	(9.9–24.2)		50,541	(27,978–73,104)
RI	White NH	641	14.9	1.89	(11.6–19.0)		16,269	(12,086–20,453)
RI	Black NH	53	12.8	5.38	(5.4–27.4)		1,545	(216–2,874)
RI	Other NH	98	14.1	4.20	(7.6–24.4)		3,230	(1,280–5,180)
RI	Hispanic	165	18.6	3.57	(12.6–26.6)		9,695	(5,819–13,572)
UT	White NH	2,745	8.1	0.62	(6.9–9.3)		51,939	(44,044–59,833)
UT	Black NH	30	30.1	12.64	(11.7–58.3)		4,383	(0–9,115)
UT	Other NH	194	8.2	2.27	(4.7–13.9)		5,321	(2,341–8,301)
UT	Hispanic	409	10.3	1.67	(7.5–14.1)		16,940	(11,377–22,503)
VT	White NH	1,038	11.1	1.16	(9.1–13.6)		10,727	(8,572–12,882)
VT	Black NH	21	22.6				541	
VT	Other NH	67	10.7	4.05	(5.0–21.6)		880	(223–1,536)
VT	Hispanic	25	12.5				384	
WI	White NH	817	8.7	1.18	(6.6–11.3)		72,198	(52,734–91,661)
WI	Black NH	54	34.3	9.70	(18.3–54.8)		28,816	(8,181–49,451)
WI	Other NH	118	5.9	2.90	(2.2–14.9)		9,437	(128–18,746)
WI	Hispanic	74	8.4	3.65	(3.5–18.8)		11,883	(1,463–22,303)
Territory								

Notes:

* CI denotes confidence interval.

** Total includes data from 27 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.