Table C4
Child Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2018

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White	39,996	6.1	0.23	(5.7–6.6)	‖	1,779,849	(1,648,088–1,911,610)
Total **	Black	5,066	11.7	0.77	(10.3–13.3)	‖	831,682	(719,800–943,564)
Total **	Other	8,807	6.9	0.50	(6.0–7.9)	‖	631,689	(539,816–723,562)
CA	White	1,893	5.2	0.63	(4.1–6.5)	‖	280,431	(212,660–348,202)
CA	Black	172	12.5	3.40	(7.2–20.8)	‖	77,846	(33,262–122,429)
CA	Other	794	6.7	1.13	(4.8–9.3)	‖	184,420	(121,899–246,941)
CT	White	1,457	8.6	0.93	(6.9–10.6)	‖	34,892	(27,357–42,426)
CT	Black	212	10.8	2.27	(7.1–16.1)	‖	11,215	(6,503–15,928)
CT	Other	307	12.4	2.42	(8.3–17.9)	‖	16,276	(9,619–22,933)
DC	White	286	4.3	1.19	(2.5–7.4)	‖	1,657	(764–2,550)
DC	Black	348	16.7	2.41	(12.5–22.0)	‖	10,175	(7,132–13,219)
DC	Other	78	4.9			‖	856	
FL	White	2,055	6.2	0.89	(4.7–8.2)	‖	153,790	(110,235–197,346)
FL	Black	406	11.4	2.73	(7.1–18.0)	‖	109,293	(55,566–163,020)
FL	Other	387	6.3	2.54	(2.8–13.5)	‖	39,042	(7,072–71,011)
GA	White	1,150	6.1	0.81	(4.7–7.9)	‖	70,591	(52,230–88,952)
GA	Black	563	10.2	1.50	(7.6–13.6)	‖	87,119	(61,029–113,208)
GA	Other	339	6.0	1.66	(3.5–10.2)	‖	20,152	(8,976–31,328)
HI	White	329	10.5	2.66	(6.3–17.0)	‖	5,309	(2,474–8,144)
HI	Black	14	2.7			‖	105	
HI	Other	1,488	10.3	0.98	(8.5–12.4)	‖	24,588	(19,864–29,313)
IL	White	872	5.4	0.90	(3.9–7.5)	‖	99,520	(66,880–132,161)
IL	Black	181	8.3	2.32	(4.7–14.1)	‖	40,567	(17,695–63,438)
IL	Other	199	5.8	2.38	(2.6–12.7)	‖	23,853	(4,087–43,619)
IN	White	1,120	6.4	0.85	(4.9–8.3)	‖	61,456	(45,201–77,711)
IN	Black	137	19.7	4.13	(12.8–29.1)	‖	36,496	(19,854–53,139)
IN	Other	133	9.7	2.83	(5.4–16.8)	‖	17,659	(7,137–28,182)
KS	White	2,001	7.5	0.72	(6.2–9.0)	‖	40,184	(32,458–47,910)
KS	Black	125	16.4	4.07	(9.9–26.0)	‖	8,186	(3,906–12,465)
KS	Other	214	3.7	1.18	(2.0–6.9)	‖	3,362	(1,283–5,440)
KY	White	1,600	5.0	0.65	(3.9–6.5)	‖	38,041	(28,662–47,419)

Notes:
* CI denotes confidence interval.
** Total includes data from 31 states and DC, but excludes Puerto Rico.
If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.
When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2018

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	||	Weighted Number	95% CI* Weighted Number
KY	Black	124	15.1	5.15	(7.5–28.1)	||	14,406	(4,658–24,154)
KY	Other	133	4.0	1.67	(1.7–8.9)	||	4,570	(905–8,236)
ME	White	1,527	6.4	0.87	(4.9–8.4)	||	13,238	(9,673–16,803)
ME	Black	33	23.7	13.28	(6.9–56.7)	||	1,656	(0–3,888)
ME	Other	125	11.3	4.08	(5.4–22.0)	||	2,263	(566–3,961)
MD	White	627	5.9	1.30	(3.8–9.0)	||	30,136	(16,822–43,450)
MD	Black	258	8.1	2.15	(4.7–13.4)	||	35,265	(16,263–54,268)
MD	Other	166	9.9	2.87	(5.6–17.2)	||	26,574	(10,908–42,239)
MA	White	449	7.8	1.47	(5.3–11.2)	||	66,323	(41,710–90,936)
MA	Black	45	2.7			||	3,851	
MA	Other	96	3.8			||	9,393	
MI	White	1,755	7.3	0.79	(5.9–9.0)	||	103,545	(81,297–125,794)
MI	Black	318	15.0	2.52	(10.7–20.7)	||	54,581	(35,515–73,647)
MI	Other	298	6.6	1.61	(4.0–10.5)	||	18,860	(9,708–28,012)
MN	White	3,246	5.1	0.52	(4.2–6.2)	||	46,278	(36,868–55,688)
MN	Black	226	7.2	1.96	(4.2–12.1)	||	9,295	(4,222–14,368)
MN	Other	579	4.9	1.06	(3.2–7.5)	||	11,129	(6,364–15,893)
MS	White	717	4.0	0.75	(2.8–5.8)	||	13,025	(8,257–17,793)
MS	Black	632	9.5	1.32	(7.2–12.4)	||	28,861	(20,881–36,841)
MS	Other	64	3.6			||	1,333	
MO	White	810	6.1	1.09	(4.3–8.6)	||	58,021	(37,523–78,519)
MO	Black	111	13.7	3.67	(7.9–22.5)	||	27,428	(12,632–42,225)
MO	Other	69	16.7	6.42	(7.5–33.1)	||	22,797	(3,446–42,148)
MT	White	773	4.7	0.87	(3.2–6.7)	||	8,175	(5,169–11,182)
MT	Black	16	6.7			||	198	
MT	Other	362	8.0	2.42	(4.3–14.2)	||	3,363	(1,348–5,379)
NE	White	2,899	4.7	0.56	(3.7–5.9)	||	17,259	(13,200–21,319)
NE	Black	100	10.2	3.98	(4.6–21.0)	||	3,075	(584–5,565)
NE	Other	438	4.5	1.63	(2.2–9.0)	||	3,217	(889–5,545)
NV	White	488	4.9	1.20	(3.0–7.8)	||	16,134	(8,375–23,893)
NV	Black	39	10.7			||	9,277	

Notes:
* CI denotes confidence interval.
** Total includes data from 31 states and DC, but excludes Puerto Rico.
If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.
When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2018

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	‖	Weighted Number	95% CI* Weighted Number
NV	Other	204	8.5	2.94	(4.2–16.3)	‖	20,505	(5,959–35,050)
NH	White	876	8.7	1.12	(6.7–11.1)	‖	16,979	(12,637–21,322)
NH	Black	26	10.9			‖	894	
NH	Other	75	6.5			‖	1,606	
NJ	White	236	7.0	2.01	(3.9–12.1)	‖	71,698	(31,345–112,050)
NJ	Black	65	17.1	6.76	(7.5–34.4)	‖	56,080	(13,596–98,565)
NJ	Other	82	1.1			‖	5,363	
NM	White	1,099	7.9	1.29	(5.7–10.9)	‖	26,916	(18,088–35,745)
NM	Black	48	6.9			‖	1,313	
NM	Other	423	6.4	1.49	(4.0–10.0)	‖	6,948	(3,705–10,190)
NY	White	1,730	5.6	0.93	(4.0–7.7)	‖	97,215	(64,995–129,434)
NY	Black	257	8.8	2.24	(5.2–14.3)	‖	57,423	(28,045–86,801)
NY	Other	429	5.5	1.40	(3.3–9.0)	‖	53,229	(26,359–80,098)
OH	White	2,109	5.8	0.68	(4.6–7.3)	‖	103,273	(79,525–127,021)
OH	Black	211	14.0	2.79	(9.4–20.4)	‖	56,707	(33,794–79,621)
OH	Other	192	11.1	3.42	(6.0–19.8)	‖	29,444	(10,551–48,337)
OR	White	991	7.7	1.40	(5.4–10.9)	‖	46,180	(29,108–63,251)
OR	Black	26	9.2			‖	1,622	
OR	Other	218	5.7	1.43	(3.4–9.2)	‖	10,902	(5,580–16,225)
PA	White	964	7.5	1.47	(5.0–10.9)	‖	131,348	(79,152–183,544)
PA	Black	182	19.2	4.54	(11.8–29.6)	‖	75,750	(36,146–115,355)
PA	Other	128	10.5	2.95	(5.9–17.8)	‖	35,084	(15,516–54,653)
RI	White	783	8.1	1.70	(5.3–12.1)	‖	10,193	(5,785–14,600)
RI	Black	81	7.6	2.99	(3.5–15.9)	‖	1,564	(344–2,784)
RI	Other	168	7.2	2.19	(4.0–12.9)	‖	2,924	(1,160–4,688)
UT	White	3,262	5.2	0.46	(4.3–6.1)	‖	39,707	(32,721–46,692)
UT	Black	48	14.6	6.33	(5.9–31.6)	‖	2,064	(168–3,959)
UT	Other	379	6.5	1.57	(4.0–10.3)	‖	7,882	(4,059–11,704)
VT	White	1,113	8.1	1.10	(6.2–10.5)	‖	7,115	(5,189–9,040)
VT	Black	12	21.4			‖	302	
VT	Other	92	13.2	5.42	(5.7–27.8)	‖	1,354	(185–2,523)

Notes:
* CI denotes confidence interval.
** Total includes data from 31 states and DC, but excludes Puerto Rico.
If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.
When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Child Current Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2018

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	‖	Weighted Number	95% CI* Weighted Number
WI	White	779	7.8	1.40	(5.4–11.0)	‖	71,220	(45,326–97,114)
WI	Black	50	8.7			‖	9,067	
WI	Other	148	11.4	3.54	(6.1–20.4)	‖	22,742	(8,623–36,861)
Territory								

Notes:
* CI denotes confidence interval.
** Total includes data from 31 states and DC, but excludes Puerto Rico.
If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.
When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention