

**Table L3  
Child Lifetime Asthma Prevalence  
and Weighted Number by Age and State or Territory: BRFSS 2018**

State	Age Group	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI * Weighted Number
Total **	0-4	12,425	4.9	0.37	(4.3–5.7)		603,938	(514,193–693,683)
Total **	5-9	12,263	11.1	0.53	(10.1–12.1)		1,399,619	(1,261,708–1,537,531)
Total **	10-14	17,648	14.6	0.55	(13.6–15.7)		1,835,208	(1,691,147–1,979,269)
Total **	15-17	11,702	16.7	0.69	(15.4–18.1)		1,338,424	(1,222,091–1,454,758)
CA	0-4	711	3.8	0.92	(2.4–6.1)		91,441	(47,116–135,766)
CA	5-9	716	10.7	1.42	(8.2–13.8)		261,463	(190,176–332,751)
CA	10-14	887	14.8	1.55	(12.0–18.1)		356,209	(277,410–435,008)
CA	15-17	555	14.9	1.89	(11.6–19.0)		231,257	(169,550–292,965)
CT	0-4	427	8.1	1.65	(5.4–12.0)		12,422	(7,319–17,524)
CT	5-9	396	13.3	2.01	(9.8–17.8)		24,710	(17,054–32,366)
CT	10-14	664	20.0	2.21	(16.0–24.7)		35,904	(27,175–44,633)
CT	15-17	502	18.3	2.21	(14.3–23.0)		23,557	(17,563–29,550)
DC	0-4	247	8.4	1.94	(5.3–13.1)		2,690	(1,447–3,933)
DC	5-9	168	13.5	2.92	(8.8–20.3)		5,342	(2,969–7,715)
DC	10-14	178	23.0	3.71	(16.6–31.1)		6,575	(4,261–8,888)
DC	15-17	121	27.4	5.32	(18.2–38.9)		4,580	(2,449–6,711)
FL	0-4	724	5.5	1.62	(3.1–9.7)		57,996	(23,912–92,080)
FL	5-9	612	11.6	2.28	(7.8–16.9)		133,353	(79,946–186,761)
FL	10-14	962	17.3	2.64	(12.8–23.1)		195,923	(130,956–260,890)
FL	15-17	559	16.7	3.14	(11.4–23.8)		122,415	(72,984–171,846)
GA	0-4	411	6.5	1.53	(4.1–10.2)		40,600	(21,194–60,006)
GA	5-9	454	13.2	1.72	(10.1–16.9)		86,868	(63,799–109,937)
GA	10-14	770	12.9	1.54	(10.1–16.2)		83,048	(62,246–103,850)
GA	15-17	425	18.5	2.34	(14.3–23.5)		77,737	(56,898–98,575)
HI	0-4	610	10.5	1.76	(7.5–14.4)		8,404	(5,469–11,338)
HI	5-9	457	17.5	2.18	(13.7–22.2)		14,995	(11,055–18,935)
HI	10-14	475	21.9	2.41	(17.6–27.0)		17,918	(13,656–22,179)
HI	15-17	294	22.9	3.09	(17.4–29.5)		10,837	(7,630–14,044)
IL	0-4	235	5.1	1.71	(2.6–9.7)		38,603	(12,639–64,566)
IL	5-9	326	6.7	1.46	(4.4–10.2)		49,918	(28,496–71,341)
IL	10-14	347	12.1	2.03	(8.7–16.7)		92,308	(60,910–123,706)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence**  
**and Weighted Number by Age and State or Territory: BRFSS 2018**

State	Age Group	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI * Weighted Number
IL	15-17	344	15.7	2.62	(11.2–21.5)		73,663	(47,552–99,774)
IN	0-4	279	3.3	0.97	(1.9–5.9)		11,828	(5,082–18,575)
IN	5-9	321	16.3	2.50	(11.9–21.8)		61,984	(41,634–82,334)
IN	10-14	468	14.2	2.14	(10.5–19.0)		51,385	(35,049–67,721)
IN	15-17	328	19.7	2.78	(14.9–25.7)		46,476	(32,092–60,859)
KS	0-4	599	4.3	1.00	(2.7–6.8)		7,850	(4,215–11,486)
KS	5-9	527	10.8	1.63	(8.0–14.4)		20,798	(14,410–27,187)
KS	10-14	711	15.0	1.55	(12.2–18.3)		28,384	(22,373–34,395)
KS	15-17	513	15.6	2.06	(12.0–20.1)		18,028	(13,132–22,925)
KY	0-4	319	4.2	1.70	(1.9–9.1)		11,356	(2,208–20,504)
KY	5-9	378	4.5	1.14	(2.7–7.4)		12,221	(6,196–18,246)
KY	10-14	655	17.2	2.33	(13.1–22.3)		45,756	(32,957–58,555)
KY	15-17	512	13.6	2.10	(10.0–18.3)		22,201	(15,638–28,763)
ME	0-4	338	7.3	2.35	(3.8–13.5)		4,563	(1,557–7,569)
ME	5-9	393	8.4	1.91	(5.3–12.9)		5,319	(2,850–7,787)
ME	10-14	598	17.0	2.18	(13.1–21.7)		11,091	(8,080–14,103)
ME	15-17	365	15.7	2.77	(11.0–21.9)		6,683	(4,175–9,190)
MD	0-4	185	6.3	2.51	(2.8–13.4)		22,292	(4,322–40,261)
MD	5-9	251	13.5	2.58	(9.1–19.4)		49,460	(29,906–69,014)
MD	10-14	362	17.6	2.90	(12.7–24.1)		55,574	(35,880–75,268)
MD	15-17	258	18.6	4.14	(11.8–28.1)		34,753	(17,486–52,020)
MA	0-4	115	7.5	3.23	(3.1–16.8)		25,953	(3,287–48,618)
MA	5-9	162	15.0	3.05	(9.9–22.0)		47,225	(27,609–66,840)
MA	10-14	164	15.9	3.31	(10.4–23.5)		56,594	(32,160–81,029)
MA	15-17	152	14.6	3.23	(9.3–22.1)		33,594	(18,224–48,963)
MI	0-4	490	4.7	1.20	(2.8–7.7)		26,160	(12,776–39,544)
MI	5-9	518	12.3	1.77	(9.2–16.2)		69,992	(49,133–90,851)
MI	10-14	823	16.0	1.64	(13.0–19.5)		89,115	(69,836–108,394)
MI	15-17	550	19.0	2.08	(15.2–23.4)		73,079	(56,015–90,143)
MN	0-4	756	3.2	0.74	(2.0–5.0)		11,216	(5,985–16,446)
MN	5-9	803	6.1	1.00	(4.4–8.4)		21,961	(14,731–29,191)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence**  
**and Weighted Number by Age and State or Territory: BRFSS 2018**

State	Age Group	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI * Weighted Number
MN	10-14	1,658	9.5	1.01	(7.7–11.6)		31,528	(24,632–38,424)
MN	15-17	842	13.3	1.51	(10.6–16.5)		28,840	(21,961–35,719)
MS	0-4	320	4.0	1.31	(2.1–7.5)		6,972	(2,397–11,547)
MS	5-9	305	10.9	1.86	(7.8–15.1)		19,820	(13,108–26,533)
MS	10-14	479	10.5	1.55	(7.9–14.0)		19,992	(14,138–25,845)
MS	15-17	311	16.7	2.69	(12.1–22.7)		19,988	(13,175–26,800)
MO	0-4	182	8.9	2.58	(5.0–15.4)		33,187	(13,638–52,736)
MO	5-9	193	15.4	3.66	(9.5–24.0)		57,630	(27,896–87,365)
MO	10-14	345	15.0	2.63	(10.5–20.9)		49,437	(31,152–67,722)
MO	15-17	273	16.0	2.96	(11.0–22.6)		34,348	(20,959–47,737)
MT	0-4	296	2.2	0.83	(1.0–4.5)		1,311	(330–2,292)
MT	5-9	240	7.7	2.46	(4.1–14.1)		4,721	(1,665–7,777)
MT	10-14	364	7.7	1.75	(4.9–11.9)		4,644	(2,566–6,722)
MT	15-17	254	13.1	2.96	(8.3–20.1)		5,066	(2,750–7,382)
NE	0-4	957	3.2	0.89	(1.9–5.5)		4,255	(1,945–6,566)
NE	5-9	792	7.0	1.43	(4.6–10.4)		9,084	(5,287–12,882)
NE	10-14	966	9.1	1.30	(6.9–12.0)		11,865	(8,440–15,291)
NE	15-17	727	14.4	1.92	(11.0–18.5)		11,119	(8,000–14,238)
NV	0-4	149	7.0	4.22	(2.0–21.2)		13,212	(0–29,771)
NV	5-9	142	12.5	4.11	(6.4–23.0)		23,986	(7,464–40,509)
NV	10-14	298	17.3	3.15	(12.0–24.4)		34,924	(21,542–48,306)
NV	15-17	143	20.5	5.84	(11.4–34.3)		15,558	(5,538–25,578)
NH	0-4	161	3.8	1.47	(1.7–8.0)		2,300	(537–4,062)
NH	5-9	248	10.5	2.56	(6.4–16.7)		6,651	(3,284–10,017)
NH	10-14	358	15.4	2.36	(11.4–20.6)		9,503	(6,482–12,523)
NH	15-17	213	16.9	2.84	(12.0–23.2)		7,355	(4,798–9,911)
NJ	0-4	81	3.5				16,900	
NJ	5-9	81	9.7	4.31	(3.9–22.0)		50,461	(5,140–95,782)
NJ	10-14	142	16.4	4.38	(9.5–26.9)		93,158	(43,318–142,998)
NJ	15-17	82	17.3	5.00	(9.6–29.4)		50,291	(20,740–79,842)
NM	0-4	331	3.6	1.25	(1.8–7.1)		4,647	(1,470–7,824)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence**  
**and Weighted Number by Age and State or Territory: BRFSS 2018**

State	Age Group	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI * Weighted Number
NM	5-9	368	14.5	2.60	(10.1–20.4)		18,897	(11,816–25,977)
NM	10-14	558	11.2	2.23	(7.5–16.4)		14,499	(8,470–20,529)
NM	15-17	316	20.3	3.51	(14.3–28.1)		16,406	(10,149–22,663)
NY	0-4	586	3.6	1.29	(1.7–7.1)		30,097	(8,435–51,758)
NY	5-9	587	9.4	1.85	(6.3–13.7)		87,854	(52,732–122,976)
NY	10-14	761	11.5	1.74	(8.5–15.4)		109,623	(76,224–143,022)
NY	15-17	491	16.3	2.67	(11.8–22.3)		105,480	(69,864–141,096)
OH	0-4	646	7.1	1.46	(4.7–10.6)		46,734	(27,295–66,173)
OH	5-9	529	11.0	1.96	(7.7–15.4)		73,662	(46,537–100,786)
OH	10-14	757	14.1	1.86	(10.9–18.2)		96,284	(69,900–122,668)
OH	15-17	584	18.4	2.78	(13.6–24.5)		80,605	(53,886–107,323)
OR	0-4	277	4.2	1.35	(2.2–7.8)		9,524	(3,477–15,571)
OR	5-9	305	10.5	3.08	(5.8–18.2)		24,052	(9,197–38,908)
OR	10-14	430	13.7	1.97	(10.3–18.0)		29,688	(21,113–38,262)
OR	15-17	224	21.8	5.00	(13.6–33.2)		30,907	(14,502–47,311)
PA	0-4	261	4.1	1.42	(2.1–8.0)		28,135	(8,937–47,333)
PA	5-9	316	15.4	3.42	(9.8–23.3)		101,771	(52,005–151,537)
PA	10-14	401	15.0	2.57	(10.7–20.8)		103,859	(66,508–141,210)
PA	15-17	298	19.4	3.38	(13.6–26.8)		88,401	(54,142–122,661)
RI	0-4	290	9.1	2.30	(5.5–14.7)		3,966	(1,940–5,992)
RI	5-9	216	13.5	3.75	(7.6–22.6)		7,413	(2,961–11,864)
RI	10-14	295	12.9	2.36	(8.9–18.2)		6,582	(4,129–9,035)
RI	15-17	236	23.2	5.19	(14.6–34.9)		8,812	(4,189–13,435)
UT	0-4	947	4.2	0.74	(3.0–5.9)		10,616	(6,907–14,326)
UT	5-9	892	8.1	1.06	(6.2–10.4)		20,374	(14,993–25,754)
UT	10-14	1,122	10.0	1.15	(7.9–12.5)		25,324	(19,321–31,327)
UT	15-17	738	12.0	1.46	(9.5–15.2)		17,821	(13,382–22,260)
VT	0-4	228	6.8	2.04	(3.7–12.1)		1,934	(769–3,099)
VT	5-9	332	16.2	2.91	(11.3–22.7)		4,482	(2,774–6,190)
VT	10-14	390	13.8	2.44	(9.7–19.3)		3,345	(2,141–4,549)
VT	15-17	275	16.6	3.26	(11.2–24.0)		3,262	(1,891–4,632)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Child Lifetime Asthma Prevalence**  
**and Weighted Number by Age and State or Territory: BRFSS 2018**

State	Age Group	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI * Weighted Number
WI	0-4	267	5.3	2.68	(1.9–13.7)		16,775	(0–33,994)
WI	5-9	235	7.0	2.13	(3.8–12.5)		23,153	(8,915–37,391)
WI	10-14	260	18.3	3.00	(13.2–25.0)		65,170	(42,595–87,745)
WI	15-17	217	16.1	3.49	(10.4–24.2)		35,307	(19,934–50,679)
Territory								
PR	0-4	271	17.3	2.81	(12.5–23.6)		28,911	(18,693–39,129)
PR	5-9	283	29.9	2.97	(24.5–36.1)		58,066	(44,942–71,190)
PR	10-14	394	24.0	2.37	(19.7–29.0)		46,166	(36,320–56,012)
PR	15-17	248	27.8	3.31	(21.8–34.7)		38,988	(28,561–49,416)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.