

**Table L5  
Child Lifetime Asthma Prevalence  
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2018**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	34,911	10.0	0.31	(9.5–10.7)		2,185,185	(2,051,445–2,318,924)
Total **	Black NH	4,664	16.7	0.93	(15.0–18.6)		1,074,739	(949,790–1,199,688)
Total **	Other NH	6,101	10.6	0.76	(9.2–12.2)		605,484	(517,944–693,024)
Total **	Hispanic	8,362	11.3	0.59	(10.2–12.5)		1,311,783	(1,171,058–1,452,508)
CA	White NH	748	10.5	1.36	(8.1–13.5)		219,368	(161,058–277,678)
CA	Black NH	116	19.7	4.65	(12.1–30.4)		89,308	(43,274–135,342)
CA	Other NH	414	9.7	1.87	(6.6–14.1)		156,330	(94,779–217,882)
CA	Hispanic	1,591	10.2	0.92	(8.5–12.1)		475,364	(387,784–562,944)
CT	White NH	1,263	12.5	1.17	(10.3–14.9)		37,734	(30,602–44,866)
CT	Black NH	189	17.9	3.15	(12.5–24.9)		15,474	(9,787–21,161)
CT	Other NH	186	14.2	3.15	(9.1–21.6)		10,698	(5,790–15,605)
CT	Hispanic	351	17.9	2.44	(13.6–23.2)		32,686	(23,288–42,084)
DC	White NH	247	6.0	1.60	(3.5–10.0)		1,640	(768–2,512)
DC	Black NH	345	23.0	2.73	(18.1–28.8)		13,707	(10,254–17,160)
DC	Other NH	62	12.6	4.85	(5.7–25.4)		1,740	(335–3,144)
DC	Hispanic	60	13.2	4.34	(6.7–24.2)		2,100	(689–3,511)
FL	White NH	1,647	11.7	1.43	(9.2–14.8)		183,891	(138,856–228,926)
FL	Black NH	362	15.6	3.37	(10.0–23.4)		135,605	(73,041–198,169)
FL	Other NH	212	4.9	2.28	(1.9–11.8)		15,164	(1,033–29,295)
FL	Hispanic	636	13.3	2.39	(9.3–18.8)		175,028	(109,312–240,743)
GA	White NH	948	11.4	1.24	(9.2–14.1)		111,123	(86,830–135,416)
GA	Black NH	535	14.7	1.75	(11.6–18.5)		121,768	(91,765–151,772)
GA	Other NH	176	11.9	2.93	(7.3–19.0)		24,410	(12,261–36,559)
GA	Hispanic	401	8.9	1.61	(6.2–12.6)		30,951	(19,535–42,367)
HI	White NH	274	11.2	2.74	(6.9–17.8)		4,462	(2,178–6,746)
HI	Black NH	13	39.3	19.39	(11.7–76.1)		1,424	(0–3,202)
HI	Other NH	1,271	17.1	1.28	(14.8–19.8)		33,941	(28,789–39,093)
HI	Hispanic	278	23.2	3.34	(17.3–30.4)		12,327	(8,293–16,361)
IL	White NH	613	8.1	1.26	(5.9–10.9)		106,488	(73,700–139,275)
IL	Black NH	161	11.3	2.86	(6.8–18.2)		50,671	(24,667–76,676)
IL	Other NH	107	10.6	3.78	(5.2–20.6)		27,690	(7,233–48,147)

**Notes:**

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5  
Child Lifetime Asthma Prevalence  
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2018**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
IL	Hispanic	371	10.0	1.78	(7.0–14.0)		69,643	(44,741–94,545)
IN	White NH	1,063	11.0	1.15	(8.9–13.4)		94,769	(74,609–114,930)
IN	Black NH	129	23.7	4.55	(16.0–33.7)		40,698	(23,230–58,165)
IN	Other NH	88	15.8	4.47	(8.8–26.6)		18,346	(7,391–29,301)
IN	Hispanic	116	10.0	2.79	(5.7–16.9)		17,860	(7,849–27,872)
KS	White NH	1,777	11.6	0.89	(10.0–13.5)		50,232	(42,539–57,925)
KS	Black NH	117	20.1	4.62	(12.6–30.7)		8,998	(4,525–13,471)
KS	Other NH	169	5.1	1.57	(2.8–9.2)		3,553	(1,407–5,699)
KS	Hispanic	287	9.2	1.95	(6.0–13.8)		12,278	(6,993–17,562)
KY	White NH	1,573	8.5	0.85	(6.9–10.3)		62,799	(50,857–74,742)
KY	Black NH	124	21.9	6.42	(11.9–36.9)		20,966	(8,148–33,783)
KY	Other NH	105	5.1	2.15	(2.2–11.3)		4,614	(944–8,284)
KY	Hispanic	62	7.8				3,155	
ME	White NH	1,509	10.7	1.10	(8.7–13.0)		21,535	(17,126–25,944)
ME	Black NH	30	37.2	13.51	(16.0–64.8)		2,464	(95–4,833)
ME	Other NH	111	14.1	4.87	(6.9–26.5)		2,688	(703–4,672)
ME	Hispanic	44	14.3	6.51	(5.5–32.1)		970	(114–1,825)
MD	White NH	584	7.8	1.31	(5.5–10.7)		33,221	(22,131–44,311)
MD	Black NH	252	15.7	2.94	(10.7–22.3)		67,166	(40,746–93,586)
MD	Other NH	125	19.7	4.61	(12.1–30.2)		36,365	(17,759–54,971)
MD	Hispanic	95	14.0	4.07	(7.8–24.0)		25,329	(10,395–40,262)
MA	White NH	397	13.2	2.07	(9.6–17.8)		93,867	(64,374–123,361)
MA	Black NH	37	18.4	7.76	(7.6–38.3)		21,552	(2,284–40,821)
MA	Other NH	67	8.8	3.41	(4.0–18.1)		14,311	(3,184–25,439)
MA	Hispanic	92	13.1	3.73	(7.4–22.3)		33,634	(14,253–53,015)
MI	White NH	1,685	11.1	0.95	(9.4–13.1)		146,552	(121,638–171,465)
MI	Black NH	308	18.7	2.74	(13.9–24.6)		65,075	(45,005–85,145)
MI	Other NH	243	13.1	2.62	(8.8–19.1)		27,402	(16,259–38,545)
MI	Hispanic	145	10.0	2.78	(5.7–16.9)		19,317	(8,348–30,286)
MN	White NH	3,051	7.6	0.62	(6.4–8.9)		63,646	(53,163–74,128)
MN	Black NH	212	9.5	2.22	(5.9–14.8)		11,378	(5,953–16,803)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5  
Child Lifetime Asthma Prevalence  
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2018**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI* Weighted Number
MN	Other NH	412	6.6	1.41	(4.3–9.9)		11,873	(6,847–16,900)
MN	Hispanic	384	5.5	1.13	(3.6–8.2)		6,647	(3,961–9,333)
MS	White NH	710	6.8	1.00	(5.1–9.1)		21,869	(15,629–28,108)
MS	Black NH	629	14.4	1.65	(11.5–18.0)		43,275	(33,205–53,345)
MS	Other NH	49	2.9				757	
MS	Hispanic	27	4.2				871	
MO	White NH	783	10.5	1.45	(8.0–13.7)		94,159	(67,989–120,328)
MO	Black NH	107	22.2	5.34	(13.4–34.3)		42,493	(19,902–65,083)
MO	Other NH	57	22.3	8.06	(10.4–41.7)		25,508	(4,084–46,932)
MO	Hispanic	46	14.1	6.00	(5.8–30.2)		12,443	(2,004–22,882)
MT	White NH	739	6.7	1.16	(4.7–9.3)		11,148	(7,297–14,999)
MT	Black NH	13	10.0				198	
MT	Other NH	327	10.1	2.87	(5.7–17.2)		3,377	(1,424–5,331)
MT	Hispanic	75	5.7				1,020	
NE	White NH	2,555	7.3	0.73	(6.0–8.8)		22,831	(18,273–27,388)
NE	Black NH	85	15.2	4.78	(8.0–27.1)		3,916	(1,332–6,499)
NE	Other NH	252	7.2	2.77	(3.3–14.8)		2,910	(610–5,211)
NE	Hispanic	550	7.6	1.58	(5.0–11.3)		6,667	(3,861–9,473)
NV	White NH	366	7.3	1.83	(4.4–11.8)		15,843	(7,978–23,708)
NV	Black NH	37	18.4	7.27	(8.0–36.8)		15,500	(2,600–28,400)
NV	Other NH	94	18.5	6.50	(8.9–34.6)		15,202	(3,418–26,985)
NV	Hispanic	235	14.9	3.67	(9.0–23.6)		41,136	(19,673–62,598)
NH	White NH	850	11.6	1.30	(9.3–14.4)		21,720	(16,937–26,503)
NH	Black NH	24	12.0				894	
NH	Other NH	57	8.3				1,513	
NH	Hispanic	49	9.8				1,681	
NJ	White NH	201	13.8	3.42	(8.4–22.0)		111,995	(54,316–169,675)
NJ	Black NH	58	20.5	7.63	(9.4–39.2)		61,094	(18,194–103,995)
NJ	Other NH	39	4.7				11,317	
NJ	Hispanic	88	5.1				26,404	
NM	White NH	472	9.9	2.09	(6.5–14.8)		10,924	(6,224–15,624)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5  
Child Lifetime Asthma Prevalence  
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2018**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI* Weighted Number
NM	Black NH	21	26.2	16.36	(6.3–65.1)		2,533	(0–6,307)
NM	Other NH	283	11.0	2.34	(7.2–16.5)		7,393	(4,252–10,535)
NM	Hispanic	797	11.9	1.63	(9.1–15.5)		33,599	(24,233–42,964)
NY	White NH	1,584	9.0	1.13	(7.0–11.5)		130,378	(97,887–162,869)
NY	Black NH	211	9.3	2.15	(5.9–14.5)		50,785	(28,177–73,393)
NY	Other NH	265	7.2	1.85	(4.3–11.8)		38,722	(19,047–58,397)
NY	Hispanic	365	13.3	2.60	(9.0–19.3)		113,169	(67,050–159,288)
OH	White NH	2,048	9.4	0.88	(7.8–11.3)		157,707	(128,438–186,977)
OH	Black NH	204	20.8	3.68	(14.5–28.9)		82,634	(50,966–114,302)
OH	Other NH	163	12.3	3.59	(6.8–21.2)		27,213	(10,753–43,674)
OH	Hispanic	101	19.0	5.24	(10.8–31.4)		29,729	(11,825–47,634)
OR	White NH	851	9.9	1.68	(7.1–13.7)		47,161	(30,847–63,476)
OR	Black NH	16	21.4				1,622	
OR	Other NH	144	12.4	4.30	(6.1–23.5)		15,721	(4,280–27,163)
OR	Hispanic	225	14.4	3.19	(9.2–21.9)		29,665	(15,689–43,641)
PA	White NH	907	9.5	1.12	(7.5–11.9)		152,038	(117,230–186,845)
PA	Black NH	163	25.0	5.19	(16.3–36.5)		84,570	(43,982–125,158)
PA	Other NH	92	11.7	4.05	(5.7–22.2)		30,198	(8,959–51,437)
PA	Hispanic	114	18.6	6.68	(8.8–35.2)		55,361	(9,906–100,815)
RI	White NH	698	10.3	1.55	(7.6–13.8)		10,058	(7,036–13,080)
RI	Black NH	63	11.5	4.10	(5.6–22.2)		1,736	(494–2,977)
RI	Other NH	100	20.4	5.71	(11.4–33.8)		4,138	(1,519–6,757)
RI	Hispanic	176	19.9	4.66	(12.3–30.6)		10,841	(5,050–16,632)
UT	White NH	2,933	7.6	0.57	(6.6–8.8)		49,653	(42,259–57,047)
UT	Black NH	44	14.7	6.13	(6.2–31.0)		1,820	(246–3,394)
UT	Other NH	238	8.2	2.16	(4.8–13.5)		5,938	(2,758–9,118)
UT	Hispanic	484	9.9	1.58	(7.2–13.5)		16,724	(11,255–22,192)
VT	White NH	1,099	12.7	1.38	(10.2–15.6)		10,874	(8,503–13,245)
VT	Black NH	12	21.4				302	
VT	Other NH	80	15.3	6.21	(6.6–31.6)		1,283	(168–2,398)
VT	Hispanic	34	13.1				563	

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L5**  
**Child Lifetime Asthma Prevalence**  
**and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2018**

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Weighted Number	95% CI* Weighted Number
WI	White NH	736	10.3	1.62	(7.6–14.0)		85,501	(58,368–112,634)
WI	Black NH	47	15.3	6.03	(6.8–31.0)		15,114	(2,895–27,333)
WI	Other NH	113	18.8	5.15	(10.7–31.0)		25,167	(10,793–39,542)
WI	Hispanic	83	8.9	3.69	(3.9–19.2)		14,623	(2,490–26,755)
Territory								

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 31 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.