

Table L4
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
Total *	White	35,409	9.6	0.33	(9.0–10.3)		3,078,290	(2,868,244–3,288,336)
Total *	Black	3,904	17.8	1.11	(15.7–20.0)		1,293,429	(1,119,766–1,467,093)
Total *	Other	7,150	11.8	0.76	(10.4–13.4)		979,048	(849,302–1,108,794)
CA	White	1,792	11.0	0.90	(9.4–12.9)		607,657	(506,712–708,602)
CA	Black	181	19.9	3.59	(13.8–27.9)		131,192	(79,827–182,557)
CA	Other	604	13.1	1.82	(9.9–17.1)		299,470	(212,164–386,775)
CT	White	1,020	13.2	1.42	(10.7–16.3)		56,480	(44,147–68,813)
CT	Black	192	16.1	2.91	(11.2–22.7)		17,460	(11,032–23,889)
CT	Other	218	14.4	3.51	(8.8–22.7)		17,740	(8,453–27,027)
DC	White	153	10.4	2.98	(5.9–17.8)		4,011	(1,709–6,313)
DC	Black	231	15.8	2.59	(11.4–21.6)		11,135	(7,529–14,742)
DC	Other	49	29.4	11.02	(12.8–54.1)		4,562	(538–8,586)
FL	White	1,840	9.8	1.29	(7.5–12.6)		233,704	(172,027–295,382)
FL	Black	310	14.5	2.99	(9.6–21.4)		128,571	(73,893–183,250)
FL	Other	336	11.8	2.44	(7.8–17.5)		69,045	(40,670–97,420)
GA	White	789	11.5	2.06	(8.1–16.2)		133,188	(84,417–181,960)
GA	Black	329	22.5	3.40	(16.6–29.9)		197,927	(131,900–263,954)
GA	Other	175	3.9	1.24	(2.0–7.2)		11,511	(4,432–18,591)
HI	White	288	7.6	1.92	(4.6–12.4)		3,490	(1,715–5,265)
HI	Black	8	0.0				0	
HI	Other	1,368	15.4	1.20	(13.2–17.9)		36,347	(30,602–42,091)
IL	White	924	7.1	0.98	(5.4–9.3)		132,607	(96,754–168,461)
IL	Black	160	19.2	4.05	(12.5–28.4)		88,975	(48,034–129,915)
IL	Other	141	11.3	3.59	(5.9–20.5)		37,021	(12,257–61,786)
IN	White	1,302	9.1	0.89	(7.5–11.0)		99,390	(80,125–118,654)
IN	Black	134	14.0	2.90	(9.3–20.7)		25,918	(15,189–36,646)
IN	Other	164	9.5	2.42	(5.7–15.4)		14,669	(7,124–22,215)
KS	White	2,115	10.1	0.78	(8.7–11.7)		51,899	(43,930–59,867)
KS	Black	125	23.2	4.36	(15.7–32.8)		12,478	(7,354–17,603)
KS	Other	250	14.6	3.40	(9.1–22.6)		14,215	(7,116–21,314)
ME	White	1,367	12.0	1.27	(9.7–14.7)		23,705	(18,672–28,738)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L4
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	Weighted Number	95% CI [¶] Weighted Number
ME	Black	18	0.0			0	
ME	Other	76	27.1	7.02	(15.7–42.8)	4,646	(1,837–7,454)
MA	White	463	10.6	1.95	(7.4–15.1)	83,101	(51,668–114,534)
MA	Black	71	14.6	5.35	(6.9–28.4)	25,227	(5,695–44,758)
MA	Other	97	21.4	5.62	(12.4–34.4)	49,815	(20,087–79,543)
MI	White	1,575	9.5	1.01	(7.7–11.7)	131,948	(103,835–160,062)
MI	Black	258	12.9	2.21	(9.1–17.9)	47,218	(30,730–63,706)
MI	Other	262	14.9	2.69	(10.3–20.9)	42,372	(26,256–58,489)
MN	White	2,620	7.4	0.64	(6.2–8.7)	63,635	(52,666–74,604)
MN	Black	157	11.8	2.97	(7.1–18.9)	14,918	(7,154–22,683)
MN	Other	462	8.8	1.48	(6.3–12.2)	20,597	(13,754–27,439)
MS	White	538	10.2	1.81	(7.1–14.3)	32,474	(20,610–44,338)
MS	Black	477	12.6	1.91	(9.3–16.8)	36,347	(24,948–47,747)
MS	Other	54	10.8	6.41	(3.2–30.8)	4,732	(0–10,654)
MO	White	1,089	8.4	1.01	(6.6–10.6)	81,951	(62,631–101,271)
MO	Black	145	19.4	4.30	(12.3–29.2)	37,252	(19,706–54,799)
MO	Other	71	7.4	2.86	(3.4–15.3)	10,032	(2,493–17,571)
MT	White	1,083	7.4	0.87	(5.9–9.3)	13,119	(10,069–16,169)
MT	Black	10	18.4			392	
MT	Other	318	14.2	3.04	(9.2–21.3)	6,086	(3,315–8,858)
NE	White	2,864	7.0	0.62	(5.8–8.3)	24,715	(20,364–29,065)
NE	Black	123	22.9	4.87	(14.8–33.8)	7,002	(3,677–10,327)
NE	Other	423	11.4	2.62	(7.2–17.7)	7,888	(4,059–11,716)
NV	White	388	9.1	2.09	(5.8–14.1)	26,578	(14,347–38,809)
NV	Black	47	9.3			8,314	
NV	Other	208	14.9	3.78	(8.9–23.9)	36,582	(16,802–56,361)
NH	White	772	10.8	1.37	(8.4–13.8)	21,867	(16,364–27,371)
NH	Black	14	5.6			532	
NH	Other	77	18.5	5.95	(9.5–33.0)	5,005	(1,416–8,594)
NM	White	847	7.2	1.28	(5.1–10.1)	23,411	(15,112–31,711)
NM	Black	36	24.6	11.28	(9.0–51.8)	6,327	(0–13,070)

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**

Table L4
Child[§] Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2019

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI [¶] (Percent)	 	Weighted Number	95% CI [¶] Weighted Number
NM	Other	275	7.7	2.42	(4.1–14.0)		7,556	(2,800–12,311)
NY	White	526	7.9	1.37	(5.6–11.0)		173,637	(113,674–233,601)
NY	Black	108	27.1	5.67	(17.5–39.4)		202,747	(102,727–302,768)
NY	Other	119	12.4	3.69	(6.8–21.6)		83,604	(32,678–134,530)
OH	White	1,783	9.5	1.05	(7.7–11.8)		165,853	(128,985–202,721)
OH	Black	166	19.7	4.01	(13.0–28.7)		84,580	(47,174–121,986)
OH	Other	174	11.7	2.88	(7.1–18.6)		30,357	(15,236–45,477)
OR	White	933	11.0	1.83	(7.9–15.2)		60,921	(39,839–82,003)
OR	Black	21	3.4				622	
OR	Other	165	15.8	5.44	(7.8–29.5)		25,978	(6,015–45,942)
PA	White	1,002	11.7	1.26	(9.4–14.4)		206,362	(162,383–250,341)
PA	Black	204	15.9	2.79	(11.1–22.1)		61,763	(39,861–83,666)
PA	Other	147	12.8	3.54	(7.3–21.4)		35,875	(15,134–56,616)
RI	White	667	9.8	1.49	(7.3–13.2)		13,056	(9,151–16,961)
RI	Black	67	21.9	7.28	(10.8–39.2)		4,193	(1,031–7,355)
RI	Other	131	21.3	4.68	(13.5–31.8)		8,061	(4,367–11,756)
TX	White	1,723	9.3	1.26	(7.1–12.0)		451,992	(329,537–574,446)
TX	Black	208	13.7	3.73	(7.8–22.7)		127,025	(56,169–197,882)
TX	Other	334	7.0	2.20	(3.8–12.8)		71,202	(26,687–115,717)
UT	White	3,311	8.2	0.55	(7.2–9.3)		62,614	(54,331–70,898)
UT	Black	49	24.8	7.27	(13.3–41.4)		4,518	(1,531–7,505)
UT	Other	285	7.1	1.60	(4.6–11.0)		6,894	(3,812–9,977)
VT	White	975	12.8	1.52	(10.1–16.0)		12,722	(9,683–15,762)
VT	Black	11	8.0				97	
VT	Other	71	15.3	4.79	(8.1–27.2)		1,651	(637–2,665)
WI	White	660	8.9	1.46	(6.5–12.3)		82,202	(55,085–109,319)
WI	Black	44	9.4				10,697	
WI	Other	96	8.2	2.85	(4.1–15.8)		15,536	(5,296–25,775)
Territory								

Notes:

[§]Aged 0-17

[¶]CI denotes confidence interval.

* Total includes data from 29 states and DC, but excludes Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Asthma and Community Health Branch, National Center for Environmental Health
Centers for Disease Control and Prevention**