

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ⁹	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
U.S. Total ^f	White NH	321,217	14.8	0.13	(14.6–15.1)		21,868,907	(21,469,416–22,268,399)
U.S. Total ^f	Black NH	31,805	16.9	0.38	(16.2–17.6)		4,760,506	(4,536,010–4,985,001)
U.S. Total ^f	Other NH	32,240	12.9	0.47	(12.0–13.8)		2,814,081	(2,602,891–3,025,272)
U.S. Total ^f	Hispanic	34,001	13.0	0.38	(12.3–13.8)		5,095,708	(4,789,016–5,402,401)
AL	White NH	3,075	15.9	0.92	(14.1–17.7)		413,983	(363,899–464,067)
AL	Black NH	1,169	17.9	1.63	(14.8–21.1)		176,916	(142,151–211,681)
AL	Other NH	190	10.9	2.80	(5.4–16.4)		15,049	(7,201–22,897)
AL	Hispanic	84	18.2	5.16	(7.9–28.4)		28,131	(10,809–45,453)
AK	White NH	3,824	12.8	0.81	(11.2–14.4)		43,177	(37,653–48,701)
AK	Black NH	95			(–)		3,511	(–)
AK	Other NH	1,163	15.1	1.56	(12.0–18.1)		21,241	(16,720–25,763)
AK	Hispanic	190	21.1	3.83	(13.5–28.6)		7,918	(4,743–11,092)
AZ	White NH	7,209	16.0	0.61	(14.8–17.1)		495,568	(456,757–534,380)
AZ	Black NH	283	23.0	3.42	(16.2–29.7)		59,781	(39,229–80,332)
AZ	Other NH	953	12.6	1.52	(9.6–15.6)		62,203	(46,655–77,752)
AZ	Hispanic	1,907	12.4	0.94	(10.6–14.3)		197,496	(166,605–228,386)
AR	White NH	4,232	13.7	0.82	(12.0–15.3)		229,432	(200,759–258,104)
AR	Black NH	585	13.5	2.28	(9.0–18.0)		43,775	(28,295–59,255)
AR	Other NH	273	16.8	3.36	(10.2–23.4)		16,628	(9,470–23,786)
AR	Hispanic	132	9.9	2.89	(4.1–15.6)		15,402	(6,166–24,639)
CA	White NH	3,063	16.3	0.88	(14.6–18.1)		1,901,899	(1,689,924–2,113,874)
CA	Black NH	342	23.3	2.96	(17.5–29.1)		395,729	(285,501–505,956)
CA	Other NH	982	12.4	1.44	(9.6–15.2)		733,852	(557,847–909,858)
CA	Hispanic	2,205	12.8	0.91	(11.0–14.6)		1,412,377	(1,202,402–1,622,351)
CO	White NH	7,315	16.1	0.54	(15.0–17.2)		501,361	(466,514–536,208)
CO	Black NH	309	15.4	2.28	(10.9–19.9)		27,544	(18,904–36,184)
CO	Other NH	608	14.0	1.76	(10.5–17.4)		37,501	(27,574–47,428)
CO	Hispanic	1,817	13.2	0.95	(11.3–15.0)		116,818	(99,075–134,562)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

⁹Other Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
CT	White NH	5,946	14.1	0.65	(12.8–15.4)		263,247	(238,102–288,392)
CT	Black NH	557	20.3	2.36	(15.7–25.0)		56,805	(42,331–71,280)
CT	Other NH	587	12.6	2.13	(8.4–16.8)		24,258	(15,592–32,924)
CT	Hispanic	981	19.9	1.67	(16.6–23.1)		89,529	(73,062–105,997)
DE	White NH	2,459	12.8	0.93	(10.9–14.6)		63,412	(53,919–72,905)
DE	Black NH	553	19.3	2.34	(14.7–23.9)		31,945	(23,455–40,435)
DE	Other NH	198	12.9	3.25	(6.5–19.3)		6,277	(2,963–9,591)
DE	Hispanic	332	11.7	2.41	(6.9–16.4)		7,708	(4,395–11,021)
DC	White NH	1,486	17.4	1.40	(14.6–20.1)		38,515	(31,787–45,243)
DC	Black NH	1,156	19.4	1.61	(16.2–22.6)		41,971	(34,560–49,381)
DC	Other NH	256	16.4	2.84	(10.9–22.0)		6,490	(4,097–8,884)
DC	Hispanic	187	18.0	3.63	(10.9–25.2)		10,809	(6,002–15,617)
GA	White NH	4,993	15.0	0.78	(13.5–16.5)		653,586	(583,285–723,887)
GA	Black NH	2,009	15.2	1.34	(12.6–17.8)		377,241	(307,026–447,457)
GA	Other NH	476	12.5	2.06	(8.4–16.5)		65,984	(43,384–88,585)
GA	Hispanic	461	11.7	2.04	(7.6–15.7)		84,704	(53,780–115,628)
HI	White NH	2,586	10.0	0.89	(8.2–11.7)		26,415	(21,566–31,264)
HI	Black NH	90			(–)		3,937	(–)
HI	Other NH	4,410	14.1	0.72	(12.7–15.5)		103,337	(92,505–114,168)
HI	Hispanic	549	21.0	2.15	(16.7–25.2)		21,624	(16,878–26,369)
ID	White NH	5,737	13.8	0.56	(12.7–14.9)		157,858	(144,824–170,893)
ID	Black NH	32			(–)		1,553	(–)
ID	Other NH	278	12.9	2.52	(8.0–17.9)		7,931	(4,735–11,127)
ID	Hispanic	503	17.4	2.15	(13.1–21.6)		27,393	(20,039–34,748)
IL	White NH	2,206	12.9	0.90	(11.2–14.7)		784,390	(673,371–895,409)
IL	Black NH	380	15.7	2.21	(11.4–20.1)		204,591	(145,086–264,096)
IL	Other NH	243	10.6	2.94	(4.8–16.4)		80,476	(33,601–127,351)
IL	Hispanic	290	13.8	2.86	(8.2–19.5)		216,888	(120,871–312,905)
IN	White NH	7,804	14.9	0.52	(13.8–15.9)		607,347	(563,759–650,935)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
IN	Black NH	780	20.3	1.92	(16.6–24.1)		95,374	(75,407–115,341)
IN	Other NH	547	17.8	2.19	(13.6–22.1)		39,566	(29,121–50,011)
IN	Hispanic	499	12.7	1.82	(9.2–16.3)		42,273	(29,567–54,978)
IA	White NH	8,033	12.7	0.50	(11.7–13.7)		264,980	(243,720–286,240)
IA	Black NH	195	23.3	3.73	(15.9–30.7)		19,681	(12,524–26,837)
IA	Other NH	293	19.7	3.08	(13.6–25.7)		21,057	(13,801–28,313)
IA	Hispanic	836	8.4	1.54	(5.4–11.4)		11,036	(6,860–15,211)
KS	White NH	14,751	14.8	0.38	(14.1–15.6)		254,479	(241,216–267,742)
KS	Black NH	774	15.3	1.69	(12.0–18.6)		18,362	(14,123–22,602)
KS	Other NH	818	18.8	1.81	(15.3–22.4)		24,938	(19,713–30,163)
KS	Hispanic	831	14.9	1.43	(12.1–17.7)		34,630	(27,614–41,647)
KY	White NH	4,463	15.7	0.71	(14.3–17.0)		459,884	(418,087–501,681)
KY	Black NH	548	18.0	2.95	(12.2–23.8)		48,785	(31,676–65,894)
KY	Other NH	186	13.7	3.63	(6.5–20.9)		16,614	(7,453–25,775)
KY	Hispanic	98	21.8	5.05	(11.8–31.8)		24,096	(11,985–36,208)
LA	White NH	3,458	14.2	0.76	(12.7–15.7)		294,256	(262,313–326,198)
LA	Black NH	1,067	17.0	1.52	(14.0–20.0)		180,771	(146,436–215,107)
LA	Other NH	246	20.6	3.51	(13.7–27.5)		27,686	(17,125–38,247)
LA	Hispanic	179	11.3	2.90	(5.6–17.0)		21,827	(10,333–33,322)
ME	White NH	10,861	16.8	0.56	(15.7–17.9)		171,083	(159,332–182,833)
ME	Black NH	59			(–)		1,912	(–)
ME	Other NH	359	20.3	2.99	(14.4–26.2)		7,447	(5,068–9,826)
ME	Hispanic	193	26.5	4.82	(17.0–36.0)		5,690	(3,263–8,117)
MD	White NH	9,664	14.0	0.55	(13.0–15.1)		335,617	(308,281–362,953)
MD	Black NH	3,410	17.1	0.93	(15.3–18.9)		239,619	(211,886–267,351)
MD	Other NH	971	13.7	1.62	(10.5–16.9)		59,312	(44,506–74,118)
MD	Hispanic	1,052	10.9	1.27	(8.4–13.4)		53,625	(40,709–66,540)
MA	White NH	5,465	17.6	0.72	(16.2–19.0)		687,137	(627,735–746,539)
MA	Black NH	428	16.7	2.39	(12.0–21.4)		62,285	(42,991–81,580)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
MA	Other NH	584	12.8	1.90	(9.0–16.5)		72,445	(49,602–95,289)
MA	Hispanic	948	16.0	1.55	(13.0–19.1)		104,170	(83,058–125,281)
MI	White NH	7,393	16.0	0.59	(14.8–17.1)		946,493	(873,894–1,019,091)
MI	Black NH	910	19.1	1.60	(15.9–22.2)		192,913	(158,190–227,636)
MI	Other NH	597	15.4	1.96	(11.6–19.3)		67,733	(49,886–85,580)
MI	Hispanic	257	17.9	3.31	(11.4–24.5)		64,142	(37,875–90,410)
MN	White NH	13,294	12.6	0.36	(11.9–13.3)		445,323	(419,884–470,762)
MN	Black NH	619	15.3	1.76	(11.9–18.8)		40,982	(30,933–51,031)
MN	Other NH	950	14.9	1.55	(11.9–18.0)		48,899	(38,048–59,751)
MN	Hispanic	752	11.0	1.32	(8.5–13.6)		22,974	(17,308–28,639)
MS	White NH	2,621	14.3	0.91	(12.5–16.0)		185,881	(161,510–210,252)
MS	Black NH	1,571	15.5	1.32	(12.9–18.1)		122,610	(100,680–144,539)
MS	Other NH	101			(–)		14,313	(–)
MS	Hispanic	39			(–)		10,220	(–)
MO	White NH	10,465	13.4	0.54	(12.3–14.4)		508,066	(466,011–550,121)
MO	Black NH	745	14.9	1.65	(11.7–18.1)		76,380	(58,968–93,792)
MO	Other NH	534	17.4	2.47	(12.5–22.2)		36,356	(25,438–47,274)
MO	Hispanic	254	13.8	2.88	(8.1–19.4)		25,825	(14,470–37,180)
MT	White NH	5,171	14.3	0.62	(13.1–15.5)		105,363	(96,059–114,668)
MT	Black NH	18			(–)		628	(–)
MT	Other NH	711	18.7	2.19	(14.4–23.0)		11,962	(8,916–15,009)
MT	Hispanic	147	18.0	3.82	(10.5–25.6)		6,266	(3,395–9,136)
NE	White NH	13,046	12.1	0.43	(11.2–12.9)		143,462	(133,068–153,855)
NE	Black NH	240	14.1	2.85	(8.5–19.7)		9,256	(5,233–13,280)
NE	Other NH	481	12.6	1.97	(8.7–16.5)		9,392	(6,350–12,434)
NE	Hispanic	907	9.1	1.22	(6.7–11.5)		13,192	(9,573–16,811)
NV	White NH	1,847	14.3	1.19	(12.0–16.6)		168,785	(139,748–197,821)
NV	Black NH	137	17.0	3.89	(9.3–24.7)		39,250	(19,769–58,731)
NV	Other NH	221	14.1	3.71	(6.8–21.4)		45,295	(19,827–70,762)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
NV	Hispanic	428	9.1	1.47	(6.2–12.0)		58,924	(39,922–77,927)
NH	White NH	5,935	17.9	0.74	(16.5–19.4)		177,966	(162,541–193,390)
NH	Black NH	32			(–)		103	(–)
NH	Other NH	273	15.3	3.76	(7.9–22.7)		7,816	(3,628–12,003)
NH	Hispanic	122			(–)		6,256	(–)
NJ	White NH	4,171	13.6	0.81	(12.0–15.2)		529,227	(462,144–596,310)
NJ	Black NH	943	15.6	1.49	(12.6–18.5)		135,393	(108,013–162,773)
NJ	Other NH	884	10.4	1.57	(7.3–13.5)		86,887	(59,779–113,995)
NJ	Hispanic	1,643	13.5	1.01	(11.5–15.5)		193,621	(163,479–223,763)
NM	White NH	2,963	15.3	0.92	(13.5–17.1)		92,926	(81,297–104,555)
NM	Black NH	70			(–)		2,653	(–)
NM	Other NH	808	11.7	1.56	(8.6–14.8)		21,034	(15,241–26,827)
NM	Hispanic	2,271	13.4	0.94	(11.6–15.3)		102,406	(87,648–117,164)
NY	White NH	28,366	14.1	0.42	(13.2–14.9)		1,224,958	(1,148,518–1,301,398)
NY	Black NH	2,888	15.3	0.92	(13.5–17.1)		330,365	(288,500–372,229)
NY	Other NH	2,959	10.2	1.02	(8.2–12.2)		180,672	(143,483–217,862)
NY	Hispanic	3,588	16.6	0.82	(15.0–18.2)		466,332	(417,840–514,824)
NC	White NH	3,114	12.8	0.77	(11.3–14.4)		672,841	(589,749–755,932)
NC	Black NH	908	17.4	1.56	(14.4–20.5)		294,932	(239,063–350,801)
NC	Other NH	336	17.2	2.81	(11.7–22.7)		81,800	(53,529–110,070)
NC	Hispanic	478	9.7	1.87	(6.0–13.4)		67,668	(40,569–94,766)
ND	White NH	5,213	11.9	0.62	(10.7–13.1)		60,012	(53,715–66,310)
ND	Black NH	75			(–)		2,589	(–)
ND	Other NH	417	17.5	2.69	(12.2–22.8)		8,427	(5,610–11,245)
ND	Hispanic	94			(–)		2,728	(–)
OH	White NH	12,178	15.1	0.49	(14.1–16.1)		1,085,744	(1,012,980–1,158,509)
OH	Black NH	829	16.6	1.62	(13.4–19.7)		180,888	(143,572–218,205)
OH	Other NH	612	15.0	1.83	(11.4–18.6)		54,375	(40,982–67,767)
OH	Hispanic	317	15.2	2.57	(10.2–20.3)		54,580	(35,174–73,987)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
OK	White NH	3,911	15.3	0.75	(13.9–16.8)		308,743	(277,715–339,771)
OK	Black NH	283	19.1	2.78	(13.6–24.6)		41,417	(28,340–54,494)
OK	Other NH	750	20.1	1.81	(16.6–23.7)		88,862	(71,793–105,931)
OK	Hispanic	357	9.2	1.69	(5.9–12.5)		26,727	(16,730–36,725)
OR	White NH	4,275	17.1	0.71	(15.7–18.5)		434,231	(397,100–471,362)
OR	Black NH	78	31.5	6.46	(18.6–44.3)		22,837	(10,948–34,725)
OR	Other NH	360	17.2	2.22	(12.8–21.6)		51,790	(37,735–65,845)
OR	Hispanic	448	10.8	1.50	(7.9–13.8)		41,545	(29,826–53,263)
PA	White NH	4,818	14.5	0.68	(13.1–15.8)		1,124,847	(1,015,873–1,233,822)
PA	Black NH	710	20.5	1.95	(16.7–24.4)		214,554	(169,851–259,257)
PA	Other NH	370	10.2	1.83	(6.6–13.8)		54,700	(34,825–74,575)
PA	Hispanic	342	18.3	2.57	(13.3–23.4)		136,511	(96,466–176,557)
RI	White NH	4,186	17.6	0.83	(16.0–19.3)		108,903	(98,063–119,744)
RI	Black NH	253	15.0	3.03	(9.1–21.0)		6,707	(3,787–9,627)
RI	Other NH	324	17.5	2.74	(12.1–22.9)		10,150	(6,782–13,517)
RI	Hispanic	630	17.5	2.00	(13.5–21.4)		23,009	(17,286–28,732)
SC	White NH	7,067	13.1	0.59	(12.0–14.3)		344,885	(312,876–376,895)
SC	Black NH	1,945	15.8	1.40	(13.0–18.5)		157,487	(127,358–187,616)
SC	Other NH	437	11.7	2.39	(7.0–16.4)		17,032	(9,819–24,246)
SC	Hispanic	327	10.1	2.30	(5.6–14.6)		22,018	(11,567–32,468)
SD	White NH	5,630	12.4	1.04	(10.4–14.5)		69,003	(57,323–80,682)
SD	Black NH	51			(–)		827	(–)
SD	Other NH	1,268	13.6	2.55	(8.6–18.6)		8,946	(5,624–12,268)
SD	Hispanic	163			(–)		3,345	(–)
TN	White NH	3,840	15.2	0.75	(13.7–16.6)		611,168	(550,043–672,293)
TN	Black NH	471	14.8	2.10	(10.7–18.9)		125,707	(88,258–163,156)
TN	Other NH	241	16.4	2.93	(10.6–22.2)		39,000	(24,497–53,504)
TN	Hispanic	113	22.4	5.26	(11.9–32.8)		50,940	(23,471–78,408)
TX	White NH	5,721	14.8	0.77	(13.3–16.3)		1,367,314	(1,222,047–1,512,580)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
TX	Black NH	981	13.6	1.71	(10.3–17.0)		355,285	(263,438–447,132)
TX	Other NH	703	7.5	1.44	(4.7–10.3)		120,448	(75,015–165,881)
TX	Hispanic	3,010	11.3	0.98	(9.4–13.2)		924,940	(760,817–1,089,063)
UT	White NH	8,735	15.6	0.52	(14.6–16.6)		286,648	(267,019–306,277)
UT	Black NH	80	23.3	6.33	(10.7–35.9)		5,709	(2,008–9,410)
UT	Other NH	463	14.5	2.03	(10.5–18.5)		22,075	(15,589–28,562)
UT	Hispanic	1,045	11.6	1.12	(9.4–13.8)		37,068	(29,726–44,409)
VT	White NH	5,994	17.2	0.73	(15.8–18.6)		82,131	(74,909–89,352)
VT	Black NH	45			(–)		734	(–)
VT	Other NH	278	19.2	4.09	(11.2–27.3)		3,820	(2,086–5,554)
VT	Hispanic	89			(–)		2,150	(–)
VA	White NH	7,192	15.2	0.59	(14.0–16.3)		629,723	(579,045–680,401)
VA	Black NH	1,397	16.3	1.26	(13.9–18.8)		204,421	(171,411–237,432)
VA	Other NH	570	13.2	1.83	(9.6–16.8)		83,622	(59,666–107,577)
VA	Hispanic	457	13.4	1.95	(9.6–17.3)		82,914	(57,760–108,068)
WA	White NH	10,159	16.7	0.50	(15.7–17.7)		690,613	(647,857–733,370)
WA	Black NH	274	15.7	2.63	(10.5–20.8)		36,641	(23,445–49,838)
WA	Other NH	1,289	14.5	1.24	(12.1–17.0)		133,248	(109,470–157,025)
WA	Hispanic	999	11.8	1.19	(9.4–14.1)		80,027	(63,484–96,570)
WV	White NH	6,129	16.2	0.60	(15.1–17.4)		209,408	(193,650–225,166)
WV	Black NH	186	19.1	3.45	(12.3–25.9)		8,974	(5,419–12,528)
WV	Other NH	188	19.5	3.37	(12.8–26.1)		6,110	(3,821–8,398)
WV	Hispanic	85	19.3	4.79	(9.8–28.9)		4,614	(2,148–7,081)
WI	White NH	5,257	14.5	0.70	(13.1–15.8)		552,106	(497,345–606,866)
WI	Black NH	232	22.3	4.65	(13.1–31.4)		57,933	(30,777–85,089)
WI	Other NH	343	19.8	3.52	(12.9–26.7)		43,601	(27,209–59,993)
WI	Hispanic	164	9.9	2.89	(4.2–15.6)		27,382	(10,904–43,860)
WY	White NH	3,896	14.8	0.90	(13.1–16.6)		54,514	(47,647–61,381)
WY	Black NH	13			(–)		244	(–)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechninfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Adult^a Lifetime^b Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^a	Sample Size ^c	Prevalence (Percent)	Standard Error	95% CI ^d (Percent)	 	Weighted Number ^e	95% CI ^d (Weighted Number)
WY	Other NH	151	25.1	5.09	(15.1–35.2)		5,424	(2,870–7,977)
WY	Hispanic	201	8.0	2.23	(3.7–12.4)		3,240	(1,422–5,059)

Notes: For additional information on methods and variable description, refer to 'Technical Information,' available at <https://www.cdc.gov/asthma/brfss/2021/brfssstechinfo.html>

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^gOther Non-Hispanic (NH) race includes American Indian or Native Alaskan; Asian; Native Hawaiian or Pacific Islander; other race; and multiracial.

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%