

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	White NH	33,695	8.3	0.32	(7.7–8.9)		1,767,834	(1,631,130–1,904,539)
Total ^f	Black NH	4,837	15.3	1.04	(13.4–17.5)		1,130,607	(968,641–1,292,573)
Total ^f	Other NH	6,343	9.9	0.92	(8.2–11.8)		711,412	(575,408–847,416)
Total ^f	Hispanic	8,209	10.6	0.70	(9.3–12.1)		1,320,760	(1,142,554–1,498,967)
AL	White NH	499	12.5	2.07	(8.9–17.1)		70,124	(46,024–94,225)
AL	Black NH	296	17.2	2.85	(12.3–23.6)		64,296	(42,135–86,458)
AL	Other NH	63	8.7	3.90	(3.5–20.0)		6,270	(630–11,910)
AL	Hispanic	32			(.–)		4,259	(.–)
CA	White NH	283	4.3	1.09	(2.6–7.1)		84,976	(43,167–126,785)
CA	Black NH	40	29.4	9.57	(14.4–50.7)		140,083	(30,726–249,440)
CA	Other NH	220	6.9	1.69	(4.2–11.1)		131,358	(68,338–194,379)
CA	Hispanic	892	9.1	1.30	(6.9–12.0)		393,028	(278,967–507,088)
CT	White NH	1,022	7.0	1.00	(5.2–9.2)		22,117	(15,881–28,353)
CT	Black NH	137	14.7	4.10	(8.4–24.7)		13,080	(5,576–20,584)
CT	Other NH	229	17.7	4.10	(11.0–27.2)		20,573	(10,060–31,087)
CT	Hispanic	372	22.2	3.36	(16.3–29.5)		36,754	(24,098–49,410)
DC	White NH	192	6.6	2.24	(3.4–12.6)		1,638	(523–2,753)
DC	Black NH	173	17.3	3.40	(11.6–25.0)		12,270	(7,284–17,257)
DC	Other NH	55	18.9	7.76	(8.0–38.6)		2,449	(197–4,700)
DC	Hispanic	59	21.4	5.81	(12.1–34.9)		3,955	(1,663–6,247)
GA	White NH	676	11.9	2.22	(8.2–17.0)		104,593	(63,273–145,913)
GA	Black NH	369	15.5	2.44	(11.3–20.9)		128,662	(88,028–169,296)
GA	Other NH	117	11.9	4.05	(6.0–22.4)		29,447	(8,940–49,955)
GA	Hispanic	160	19.0	5.70	(10.2–32.6)		73,936	(23,919–123,953)
HI	White NH	214	5.1	2.31	(2.1–12.1)		5,464	(484–10,444)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(.–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
HI	Black NH	14			(.-)		487	(.-)
HI	Other NH	1,099	9.0	1.38	(6.6–12.1)		15,895	(10,988–20,802)
HI	Hispanic	226	19.8	5.81	(10.7–33.5)		2,806	(900–4,712)
IL	White NH	288	6.2	1.42	(4.0–9.7)		68,655	(38,944–98,365)
IL	Black NH	71	8.0	3.43	(3.4–17.8)		37,754	(6,069–69,439)
IL	Other NH	52	13.9	8.56	(3.8–39.6)		53,507	(0–126,087)
IL	Hispanic	89	11.4	3.79	(5.8–21.2)		65,256	(22,196–108,315)
IN	White NH	1,362	8.3	0.89	(6.8–10.3)		79,197	(62,428–95,966)
IN	Black NH	194	16.1	2.92	(11.1–22.7)		39,787	(24,927–54,647)
IN	Other NH	167	14.5	3.99	(8.3–24.1)		20,688	(8,353–33,023)
IN	Hispanic	225	8.8	2.41	(5.1–14.8)		13,005	(5,677–20,332)
KS	White NH	3,151	10.1	0.65	(8.9–11.5)		42,442	(37,019–47,865)
KS	Black NH	167	15.9	3.11	(10.7–23.0)		7,714	(4,680–10,747)
KS	Other NH	371	10.7	2.20	(7.1–15.8)		9,347	(5,410–13,284)
KS	Hispanic	483	8.9	1.37	(6.5–11.9)		10,157	(7,002–13,311)
KY	White NH	834	7.6	1.12	(5.7–10.1)		51,530	(36,598–66,462)
KY	Black NH	61			(.-)		5,217	(.-)
KY	Other NH	58			(.-)		6,404	(.-)
KY	Hispanic	35	21.8	7.24	(10.8–39.1)		12,790	(4,068–21,513)
ME	White NH	1,570	11.1	1.24	(8.9–13.8)		21,356	(16,614–26,098)
ME	Black NH	18			(.-)		578	(.-)
ME	Other NH	73	9.5	4.34	(3.8–22.0)		1,349	(124–2,574)
ME	Hispanic	61			(.-)		556	(.-)
MD	White NH	1,514	9.0	1.18	(7.0–11.6)		40,544	(29,857–51,230)
MD	Black NH	799	14.6	1.81	(11.4–18.5)		67,706	(50,957–84,455)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(.-) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
MD	Other NH	372	8.3	1.97	(5.2–13.1)		18,257	(9,547–26,967)
MD	Hispanic	449	7.5	1.67	(4.8–11.5)		12,992	(7,199–18,786)
MA	White NH	854	13.4	1.70	(10.4–17.1)		83,262	(61,545–104,979)
MA	Black NH	135	18.5	5.59	(9.9–32.0)		25,532	(8,371–42,694)
MA	Other NH	153	11.9	3.67	(6.4–21.2)		24,664	(9,000–40,329)
MA	Hispanic	217	14.6	2.78	(10.0–20.9)		36,772	(22,580–50,965)
MI	White NH	1,110	10.0	1.24	(7.8–12.7)		117,936	(88,164–147,708)
MI	Black NH	202	12.5	2.44	(8.4–18.1)		48,110	(29,628–66,592)
MI	Other NH	172	5.7	1.57	(3.3–9.7)		15,182	(7,169–23,196)
MI	Hispanic	106	14.4	4.53	(7.6–25.7)		27,791	(9,226–46,356)
MN	White NH	2,290	7.8	0.74	(6.5–9.4)		60,501	(49,118–71,885)
MN	Black NH	191	19.1	4.33	(12.0–29.0)		26,025	(12,903–39,147)
MN	Other NH	442	5.4	1.00	(3.7–7.7)		13,724	(8,827–18,620)
MN	Hispanic	348	8.7	1.70	(5.9–12.7)		9,026	(5,512–12,540)
MS	White NH	503	10.0	1.79	(7.0–14.1)		29,447	(18,810–40,085)
MS	Black NH	404	16.6	2.68	(12.0–22.5)		51,589	(34,603–68,576)
MS	Other NH	35			(–)		2,230	(–)
MS	Hispanic	21			(–)		943	(–)
MO	White NH	2,104	9.3	0.99	(7.5–11.4)		80,195	(63,164–97,226)
MO	Black NH	182	18.6	4.15	(11.8–28.1)		41,697	(21,658–61,736)
MO	Other NH	185	12.1	3.13	(7.2–19.7)		16,583	(8,028–25,137)
MO	Hispanic	107			(–)		2,746	(–)
MT	White NH	893	6.9	0.92	(5.3–9.0)		11,047	(8,165–13,930)
MT	Black NH	7			(–)		0	(–)
MT	Other NH	299	10.1	2.49	(6.2–16.1)		3,901	(1,930–5,872)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
MT	Hispanic	61	9.5	4.44	(3.7–22.4)		1,752	(108–3,396)
NE	White NH	2,414	5.9	0.64	(4.8–7.3)		17,914	(14,101–21,728)
NE	Black NH	78	13.9	4.96	(6.7–26.7)		4,542	(1,155–7,929)
NE	Other NH	208	7.5	2.20	(4.2–13.2)		3,458	(1,503–5,413)
NE	Hispanic	470	11.4	2.38	(7.5–17.0)		9,942	(5,607–14,277)
NH	White NH	701	11.2	1.46	(8.7–14.4)		20,701	(15,412–25,989)
NH	Black NH	17			(–.)		508	(–.)
NH	Other NH	66			(–.)		2,073	(–.)
NH	Hispanic	47	15.0	5.37	(7.2–28.7)		2,744	(765–4,722)
NJ	White NH	658	6.5	1.17	(4.6–9.2)		49,831	(32,091–67,571)
NJ	Black NH	185	7.3	2.10	(4.1–12.6)		21,601	(9,263–33,940)
NJ	Other NH	279	13.2	3.21	(8.1–20.9)		47,057	(22,864–71,249)
NJ	Hispanic	510	9.0	1.54	(6.4–12.5)		38,999	(25,656–52,341)
NM	White NH	384	8.6	1.95	(5.5–13.3)		9,359	(5,112–13,606)
NM	Black NH	23	31.4	15.35	(10.2–64.9)		3,025	(0–6,846)
NM	Other NH	287	5.8	1.50	(3.5–9.5)		3,756	(1,905–5,608)
NM	Hispanic	718	8.9	1.25	(6.8–11.7)		24,218	(17,608–30,827)
NY	White NH	1,317	8.7	1.58	(6.0–12.3)		153,304	(97,606–209,002)
NY	Black NH	232	11.4	2.74	(7.0–18.0)		85,268	(43,830–126,707)
NY	Other NH	240	6.7	2.26	(3.4–12.7)		45,096	(14,553–75,639)
NY	Hispanic	383	12.9	2.36	(8.9–18.3)		95,903	(59,807–131,999)
OH	White NH	2,009	8.5	0.85	(7.0–10.4)		134,765	(108,606–160,925)
OH	Black NH	155	8.6	2.69	(4.6–15.6)		41,868	(15,704–68,031)
OH	Other NH	201	9.0	2.22	(5.5–14.4)		26,644	(13,784–39,504)
OH	Hispanic	140	9.3	3.08	(4.8–17.3)		11,356	(3,790–18,922)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
PA	White NH	790	6.6	1.07	(4.8–9.0)		95,680	(65,722–125,637)
PA	Black NH	156	20.6	4.04	(13.8–29.6)		69,338	(40,895–97,781)
PA	Other NH	112	12.0	4.80	(5.3–25.0)		40,346	(6,783–73,909)
PA	Hispanic	120	18.2	4.00	(11.6–27.4)		52,314	(28,851–75,777)
RI	White NH	731	9.1	1.41	(6.7–12.3)		9,665	(6,650–12,681)
RI	Black NH	81	12.9	4.56	(6.3–24.7)		3,134	(873–5,395)
RI	Other NH	115	7.3	2.98	(3.2–15.7)		1,756	(308–3,205)
RI	Hispanic	235	11.6	2.60	(7.4–17.7)		5,649	(3,086–8,212)
TX	White NH	843	8.3	1.84	(5.3–12.6)		164,227	(89,849–238,605)
TX	Black NH	212	17.3	3.66	(11.2–25.6)		161,659	(92,195–231,122)
TX	Other NH	243	15.9	4.09	(9.4–25.6)		119,915	(52,992–186,839)
TX	Hispanic	961	10.2	1.54	(7.5–13.6)		348,859	(242,836–454,883)
UT	White NH	2,503	8.2	0.71	(6.9–9.7)		53,877	(44,556–63,198)
UT	Black NH	30			(–)		1,544	(–)
UT	Other NH	221	8.0	2.18	(4.6–13.4)		6,572	(2,983–10,161)
UT	Hispanic	508	9.3	1.50	(6.7–12.7)		14,729	(9,910–19,548)
VT	White NH	1,174	8.5	0.94	(6.8–10.5)		8,207	(6,453–9,960)
VT	Black NH	15			(–)		22	(–)
VT	Other NH	74	12.8	7.21	(4.0–34.2)		1,153	(0–2,558)
VT	Hispanic	38			(–)		358	(–)
WI	White NH	804	9.2	1.32	(6.9–12.1)		75,266	(53,877–96,654)
WI	Black NH	33	31.9	14.16	(11.6–62.7)		24,868	(0–52,933)
WI	Other NH	121	14.3	7.72	(4.7–36.5)		21,759	(0–47,397)
WI	Hispanic	77			(–)		6,529	(–)
VI	White NH	8			(–)		14	(–)

For additional information on methods and variable description, refer to “Technical Information,” available at: <https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(–) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%

Table L4
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2021

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
VI	Black NH	160	13.2	4.29	(6.8–24.0)		2,641	(863–4,419)
VI	Other NH	14			(.–.)		0	(.–.)
VI	Hispanic	59	13.1	10.56	(2.4–48.2)		636	(0–1,754)

For additional information on methods and variable description, refer to “Technical Information,” available at:
<https://www.cdc.gov/asthma/brfss/2021/child/brfsschildtechinfo.html>

^aAged 0–17 years

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 29 states and DC but excludes Puerto Rico and U.S. Virgin Islands

^gNon-Hispanic (NH), Other race includes Non-Hispanic American Indian Native Alaskan, Asian, Native Hawaiian or Pacific Islander, other, and Multiracial

(.–.) or empty cell: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%