RESEARCH LETTERS

- Meyer Sauteur PM, Beeton ML, Pereyre S, Bébéar C, Gardette M, Hénin N, et al.; ESGMAC the ESGMAC MAPS study group. *Mycoplasma pneumoniae*: gone forever? Lancet Microbe. 2023;4:e763. https://doi.org/10.1016/ S2666-5247(23)00182-9
- Meyer Sauteur PM, Beeton ML, Pereyre S, Bébéar C, Gardette M, Hénin N, et al. European Society of Clinical Microbiology and Infectious Diseases (ESCMID) Study Group for Mycoplasma and Chlamydia Infections (ESGMAC), and the ESGMAC Mycoplasma pneumoniae Surveillance (MAPS) Study Group. Mycoplasma pneumoniae: delayed re-emergence after COVID-19 pandemic restrictions. Lancet Microbe. 2024;5:e100–1. https://doi.org/10.1016/ S2666-5247(23)00344-0
- Opota O, Brouillet R, Greub G, Jaton K. Methods for realtime PCR-based diagnosis of *Chlamydia pneumoniae, Chlamydia psittaci*, and *Chlamydia abortus* infections in an opened molecular diagnostic platform. Methods Mol Biol. 2017;1616:171–81. https://doi.org/10.1007/978-1-4939-7037-7_11

Address for correspondence: Gilbert Greub, Institute of Microbiology, Department of Laboratory Medicine and Pathology, Lausanne University Hospital and University of Lausanne, Bugnon 48, CH-1011 Lausanne, Switzerland; email: gilbert.greub@chuv.ch

Highly Pathogenic Avian Influenza A(H5N1) Viruses from Multispecies Outbreak, Argentina, August 2023

Agustina Rimondi, Ralph E.T. Vanstreels, Valeria Olivera, Agustina Donini, Martina Miqueo Lauriente, Marcela M. Uhart

Author affiliations: Robert Koch Institute, Berlin, Germany (A. Rimondi); Instituto Nacional de Tecnología Agropecuaria Instituto de Virología e Innovaciones Tecnológicas, Buenos Aires, Argentina (A. Rimondi, V. Olivera); University of California School of Veterinary Medicine, Davis, California, USA (R.E.T. Vanstreels, M.M. Uhart); Southern Right Whale Health Monitoring Program, Puerto Madryn, Argentina (A. Donini, M.M. Uhart); Secretaria de Ambiente y Cambio Climático de Provincia de Río Negro, Viedma, Argentina (M. Miqueo Lauriente)

DOI: https://doi.org/10.3201/eid3004.231725

We report full-genome characterization of highly pathogenic avian influenza A(H5N1) clade 2.3.4.4b virus from an outbreak among sea lions (August 2023) in Argentina and possible spillover to fur seals and terns. Mammalian adaptation mutations in virus isolated from marine mammals and a human in Chile were detected in mammalian and avian hosts.

n February 2023, the first case of highly pathogenic Lavian influenza (HPAI) A(H5N1) in Argentina was detected in a wild goose near the border with Bolivia and Chile (Appendix Figure 1, https://wwwnc. cdc.gov/EID/article/30/4/23-1725-App1.pdf) (1). In contrast with Peru and Chile, where extensive mortality of seabirds and marine mammals had been attributed to the virus in the preceding months (2,3), the initial spread of HPAI H5N1 in Argentina was largely limited to backyard and industrial poultry (94 outbreaks), causing the death or disposal of 2.2 million birds. Argentina declared itself free from the disease in poultry on August 8, 2023; before then, HPAI H5N1 detections in wildlife in Argentina had been scarce (7 events during February-April) and limited to aquatic birds (Anatidae, Laridae, and Rallidae) (1,4). However, soon thereafter, the national animal health services confirmed HPAI H5N1 in South American sea lions (Otaria byronia) from Río Grande, southernmost Argentina. Over subsequent weeks, the virus was detected in sea lions northward along the Argentina coast, and sporadic cases also occurred in South American fur seals (Arctocephalus australis). The most affected site was Punta Bermeja (Appendix Figure 1), the largest sea lion colony in Argentina, where an estimated 811 sea lions died over 2 months; minimal numbers (<5) of fur seals and terns were also affected (1,4).

In collaboration with provincial authorities and park rangers, we collected swab samples (oronasal, rectal, tracheal, lung, and brain) from 16 deceased sea lions, 1 fur seal, 1 great grebe (*Podiceps major*), and 1 South American tern (Sterna hirundinacea) discovered at Punta Bermeja on August 26, 2023. A sampled adult male sea lion was seen alive showing clinical signs consistent with HPAI infection (inability to stand or walk, muscular tremors and spasms, difficulty breathing, and abundant oral mucus). We tested the samples by real-time reverse transcription PCR targeting influenza A virus (5) and confirmed that all were positive. On the basis of viral RNA yields, we selected brain samples from 4 sea lions, 1 fur seal, and 1 tern for full-genome sequencing (Appendix Figure 2). We used maximum-likelihood tree phylogenetic analysis (6) and mutational analysis



Figure. Maximum-likelihood trees for hemagglutinin (A) and polymerase basic 2 (B) gene segments evaluated in study of highly pathogenic avian influenza A(H5N1) in Argentina compared with reference strains from other countries in South America. Tree areas have been enlarged at right to show detail. Red arrows indicate virus from marine mammals in Argentina; red asterisk indicates virus from a tern in Argentina. Black arrowhead along full tree in panel A indicates the hemagglutinin sequence from the first detection of HPAI H5N1 in a wild goose in Argentina. Node shape represents host group, and node color (and bars adjacent to trees) represents the region/country. Branch lengths are drawn proportionally to the extent of changes. Values adjacent to nodes represent bootstrap support ≥40. Scale bars indicate nucleotide substitutions per site.

to compare the sequences (GenBank accession nos. OR987081–128) with representative HPAI H5N1 strains from South America.

Phylogenetic trees (Figure; Appendix Figure 2) showed that the viruses we identified belong to HPAI H5N1 clade 2.3.4.4b and are closely related to H5N1 viruses that circulated in South America during 2022–2023. Our finding supports the hypothesis that, after introduction from North America into Peru in November 2022, HPAI H5N1 viruses continued spreading across the continent and into Argentina. Of note, the viruses from Punta Bermeja did not cluster with the hemagglutinin and neuraminidase sequences available from HPAI H5N1 first detected in a wild goose in Argentina. Instead,

all gene segments from the viruses were closely related to virus sequences from sea lions in Chile and Peru (2; C. Pardo Roa, unpub. data, https://www. biorxiv.org/content/10.1101/2023.06.30.547205v); 6 gene segments (all except polymerase basic protein 1 and nucleocapsid protein) also clustered with the virus isolated from a human in Chile (7). That finding suggests that viruses from Punta Bermeja may have been derived from a separate HPAI H5N1 introduction into Argentina. Because of the lack of genomic data for HPAI H5N1 viruses circulating in Argentina during February-July 2023, the finer scale pathways (local geographic routes and host species involved) of how these viruses arrived at Punta Bermeja remain unclear. Even so, the viruses that we report did not cluster with those from birds in Uruguay, Brazil, or Bird Island (Antarctica), possibly suggesting separate pathways of virus spread.

On the basis of previous comparisons with HPAI H5N1 isolates from other countries in South America, we identified 9 mutations already present in viruses infecting sea lions in Peru and Chile but not in the goose/ Guangdong reference strain or in viruses from birds and mammals from North America in 2022 (Table, https:// wwwnc.cdc.gov/eid/article/30/4/23-1725-t1). Specifically, we found Q591K and D701N mutations in polymerase basic 2 associated with increased pathogenicity to mammals (8). The virus we detected in the South American tern also has those mutations, but they were absent from previously reported HPAI H5N1 viruses from avian hosts in South America (except for A/ sanderling/Arica y Parinacota/240265/2023, which has the D701N mutation). That finding further supports the hypothesis that HPAI H5N1 viruses from sea lions from Peru and Chile acquired mammalian adaptation mutations that improved their ability to infect pinnipeds while possibly retaining the ability to infect avian hosts. Given the rapid and widespread dissemination of the viruses among pinnipeds in South America and the substantial associated mortalities (3,9), it seems likely that pinniped-to-pinniped transmission played a role in the spread of the mammal-adapted HPAI H5N1 viruses in the region. It is alarming that the HPAI H5N1 viruses infecting pinnipeds and seabirds in Argentina share the same mammalian adaptation mutations as the virus from the affected human in Chile, which highlights the potential threat posed by these viruses to public health.

Acknowledgments

We gratefully acknowledge all data contributors (i.e., the authors and their originating laboratories responsible for obtaining the specimens, and their submitting laboratories for generating the genetic sequence and metadata and sharing via the GISAID Initiative [https://www.gisaid. org], on which this research is based). We thank the Secretaría de Ambiente y Cambio Climático de la Provincia de Río Negro, especially Dina Migani and Federico Hollman, and Sebastián Ortega from Área Natural Protegida Bahía de San Antonio.

M.M.U. and A.R. designed the study and contributed funding; R.E.T.V., A.D., and M.M.L. collected samples; M.M.L. contributed surveillance data; V.O. performed the laboratory analyses; A.R. and R.E.T.V. performed the bioinformatic analyses; A.R., R.E.T.V., and M.M.U. wrote the manuscript. All authors have read, revised, and approved the manuscript.

About the Author

Dr. Rimondi is a scientist at the National Institute of Agricultural Technology in Argentina and a postdoctoral fellow from Alexander von Humboldt Foundation from Germany working on HPAI H5N1 at the Robert Koch Institute. Her primary research interests focus on molecular epidemiology and host–pathogen interactions of avian influenza viruses.

References

- 1. Servicio Nacional de Sanidad y Calidad Agroalimentaria. State of the epidemiological situation in Argentina [in Spanish] [cited 2023 Dec 12]. https://www.argentina.gob. ar/senasa/estado-de-la-situacion-epidemiologica-enla-argentina
- Leguia M, Garcia-Glaessner A, Muñoz-Saavedra B, Juarez D, Barrera P, Calvo-Mac C, et al. Highly pathogenic avian influenza A (H5N1) in marine mammals and seabirds in Peru. Nat Commun. 2023;14:5489. https://doi.org/10.1038/s41467-023-41182-0
- Ulloa M, Fernández A, Ariyama N, Colom-Rivero A, Rivera C, Nuñez P, et al. Mass mortality event in South American sea lions (*Otaria flavescens*) correlated to highly pathogenic avian influenza (HPAI) H5N1 outbreak in Chile. Vet Q. 2023;43:1–10. https://doi.org/10.1080/01652176.2023.2265173
- 4. World Organisation for Animal Health. WAHIS: World Animal Health Information System [cited 2023 Dec 12]. https://wahis.woah.org
- Pan American Health Organization. CDC protocol for real-time RT-PCR for the new subtype of influenza A(H1N1) virus [in Spanish] [cited 2023 Dec 12]. https://www.paho. org/es/node/36933
- Nguyen LT, Schmidt HA, von Haeseler A, Minh BQ. IQ-TREE: a fast and effective stochastic algorithm for estimating maximum-likelihood phylogenies. Mol Biol Evol. 2015;32:268–74. https://doi.org/10.1093/molbev/msu300
- Castillo A, Fasce R, Parra B, Andrade W, Covarrubias P, Hueche A, et al. The first case of human infection with H5N1 avian Influenza A virus in Chile. J Travel Med. 2023; 30(5):taad083. https://doi.org/10.1093/jtm/taad083
- Lee CY, An SH, Choi JG, Lee YJ, Kim JH, Kwon HJ. Rank orders of mammalian pathogenicity-related PB2 mutations of avian influenza A viruses. Sci Rep. 2020;10:5359. https://doi.org/10.1038/s41598-020-62036-5
- 9. Campagna C, Uhart M, Falabella V, Campagna J, Zavattieri V, Vanstreels RET, et al. Catastrophic mortality of southern elephant seals caused by H5N1 avian influenza. Mar Mamm Sci. 2024;40:322–5. https://doi.org/10.1111/mms.13101

Address for correspondence: Agustina Rimondi, Robert Koch Institute, Holländerstrasse 102, 13407, Berlin, Germany; email: rimondia@rki.de or rimondi.agustina@inta.gob.ar

Article DOI: https://doi.org/10.3201/eid3004.231725

EID cannot ensure accessibility for supplementary materials supplied by authors. Readers who have difficulty accessing supplementary content should contact the authors for assistance.

High-Pathogenicity Avian Influenza A(H5N1) Viruses in Multispecies Outbreak, Argentina, August 2023

Appendix

Details on the laboratory methods employed for the detection and full-genome characterization of HPAI H5N1 viruses in samples from marine mammals and seabirds at Punta Bermeja, Argentina.

Biosecurity

Beach surveys, documentation of clinical cases and sample collection from affected animals were performed by trained veterinarians in full personal protective equipment (hooded tyvek suits, double gloves, N95 respirators, goggles and rubber boots), and under government permits to perform these activities. All swabs collected were placed in cryotubes containing 1 mL of DNA/RNA Shield (Zymo Research, Irvine, CA, USA) for inactivation, then placed in individual ziploc bags (all samples per individual animal), sprayed with 10% bleach, then placed in a second ziploc bag that was stored in a cooler with icepacks. Personal protective equipment and disposable items were discarded as pathogenic waste, and all reusable items (boots, bucket, cooler, knives) were thoroughly washed and scrubbed with water, detergent and a handbrush, and then disinfected with Lysol and 10% bleach before leaving the site. Inactivated samples were transferred to an ultralow freezer (-80°C) within 24 hours after collection, with all samples from a single collection event in double ziploc bags sprayed with 10% bleach. At the laboratory, initial RNA extraction was performed under laminar flow and samples were added to lysis buffer from the QIAamp Viral RNA Mini Kit (Qiagen Inc., Valencia, CA, USA). After waiting the appropriate time for sample inactivation, further steps were performed without laminar flow.

Virus detection

Viral RNA was extracted from 140 μ l of suspension from pooled swabs (Appendix Table 1) using a QIAamp Viral RNA Mini Kit Qiagen Inc., Valencia, CA, USA). RNA was eluted in a final volume of 60 µl and stored at -80°C until further use. Viral cDNA was prepared using 15 µl of viral RNA and random hexamers in a final volume of 30 µl using a High Capacity cDNA Archive kit (Applied Biosystems, Foster City, CA, USA). The cDNA was tested for IAV by realtime reverse transcription PCR (RRT-PCR) on an ABI Prism 7500 SDS (Applied Biosystems) using TaqMan Universal PCR Master Mix (Applied Biosystems) directed to the matrix (M) gene (1). Quantification cycles (Cq) values were used as a proxy to compare viral RNA load in different samples (Appendix Table 1). Based on average viral RNA loads (summarized in Appendix Table 2), brain samples were selected for further testing. Viral RNA was then extracted from individual brain swabs of four South American sea lions (RN-PB004, RN-PB007, RN-PB011, RN-PB013), one South American fur seal (RN-PB019) and one South American tern (RN-PB015) for further full genome sequencing. The four South American sea lions were randomly selected within age-sex cohorts (i.e., a sub-adult male, a sub-adult female, an adult male, and an adult female). No further analyses were performed on the samples from the great grebe due to low viral RNA yields.

Full genome sequencing

The viral genome was amplified from RNA using a multi-segment one-step RT-PCR with Superscript III high-fidelity RT-PCR kit (Invitrogen, Carlsbad CA) according to manufacturer's instructions using the Opti1 primer set (Opti1-F1, Opti1-F2 and Opti1-R1) as previously described by Zhou and colleagues (2). The RT-PCR amplification parameters were: 2 min at 55°C, 60 min at 42°C, and 2 min at 94°C, followed by 5 cycles of (94°C/30 s; 44°C/30 s; 68°C/3.5 min), 26 cycles of (94°C/30 s; 57°C/30 s; 68°C/3.5 min), and a final extension for 10 min at 68°C. Amplicons were visualized on a 1% agarose gel and purified with Agencourt AMPure XP beads (Beckman Coulter, Brea, CA). The concentration of purified amplicons was quantified using the Qubit High Sensitivity dsDNA kit and a Qubit Fluorometer (Invitrogen). The sequencing library preparation was done with the Oxford Nanopore Rapid Barcode library kit SQH-RBK110.96 and loaded on the Mk1c sequencer according to ONT instructions for the R.9 flow cells. Then, real time basecalling was performed with the MinIT to produce fast5 and fastQ files. The automatic real time division into passed and failed reads by the MinIT works as a

quality check, removing reads with quality scores lower than 7. The quality checked reads were demultiplexed and trimmed for adapters and primers, followed by mappings and a final consensus production using Qiagen CLC Genomics Workbench v23.0.2 (Qiagen, Hilden, Germany).

Phylogenetic analysis

Publicly available sequences (as of 9 December 2023) were obtained from GenBank (https://www.ncbi.nlm.nih.gov/genbank/) and the Global Initiative on Sharing All Influenza Data (https://gisaid.org) (*3*). All available sequences from influenza A viruses obtained from samples collected in South America since 1 January 2022 were included, as well as representative samples from other continents (accession codes provided in Appendix Table 3). Sequences were aligned with MAFFT v7.520 (https://mafft.cbrc.jp/alignment/software/) using the FFT-NS-2 algorithm (*4*). Maximum Likelihood trees were built using IQ-TREE v2.2.2.6 (http://www.iqtree.org/), using the integrated ModelFinder for model selection (*5*) and performing 5000 ultra-fast bootstrap repetitions.

References

- <eref>1. World Health Organization (WHO). Protocolo del CDC para el RT-PCR en tiempo real para el nuevo subtipo del virus de influenza A(H1N1): Revisión 1 (30 de abril de 2009) [cited 2023 Dec 12]. https://www.paho.org/es/node/36933</eref>
- <jrn>2. Zhou B, Donnelly ME, Scholes DT, St George K, Hatta M, Kawaoka Y, et al. Single-reaction genomic amplification accelerates sequencing and vaccine production for classical and Swine origin human influenza a viruses. J Virol. 2009;83:10309–13. 10.1128/JVI.01109-09 <u>PubMed</u> <u>https://doi.org/10.1128/JVI.01109-09</u>
- <jrn>3. Shu Y, McCauley J. GISAID: Global initiative on sharing all influenza data from vision to reality. Euro Surveill. 2017;22:30494. 10.2807/1560-7917.ES.2017.22.13.30494 <u>PubMed</u> <u>https://doi.org/10.2807/1560-7917.ES.2017.22.13.30494</u>
- <jrn>4. Katoh K, Misawa K, Kuma K, Miyata T. MAFFT: a novel method for rapid multiple sequence alignment based on fast Fourier transform. Nucleic Acids Res. 2002;30:3059–66. 10.1093/nar/gkf436 <u>PubMed https://doi.org/10.1093/nar/gkf436</u>

<jrn>5. Kalyaanamoorthy S, Minh BQ, Wong TKF, von Haeseler A, Jermiin LS. ModelFinder: fast model selection for accurate phylogenetic estimates. Nat Methods. 2017;14:587–9. 10.1038/nmeth.4285 <u>PubMed https://doi.org/10.1038/nmeth.4285</u></jrn>

Appendix Table 1. Details of Cq values obtained by RRT-PCR from pooled samples of wildlife collected at Punta Bermeja, Rio Negro, Argentina, in August 2023

Negro, A	igentina, in August	. 2023				
Pool	ID	Host species	Age	Sex	Swab	Cq
A	RN-PB002	South American sea lion	Adult	Female	Oronasal	27.24
	RN-PB006	South American sea lion	Sub-adult	Female	Oronasal	
	RN-PB007	South American sea lion	Sub-adult	Female	Oronasal	
	RN-PB013	South American sea lion	Adult	Female	Oronasal	
	RN-PB016	South American sea lion	Adult	Female	Oronasal	
В	RN-PB005	South American sea lion	Adult	Male	Oronasal	26.14
	RN-PB008	South American sea lion	Sub-adult	Male	Oronasal	
	RN-PB011	South American sea lion	Adult	Male	Oronasal	
	RN-PB012	South American sea lion	Adult	Male	Oronasal	
	RN-PB017	South American sea lion	Adult	Male	Oronasal	
	RN-PB018	South American sea lion	Adult	Male	Oronasal	
С	RN-PB003	South American sea lion	Juvenile	Female	Oronasal	25.72
	RN-PB004	South American sea lion	Sub-adult	Male	Oronasal	
	RN-PB009	South American sea lion	Adult	Male	Oronasal	
	RN-PB010	South American sea lion	Juvenile	Female	Oronasal	
	RN-PB019	South American fur seal	Juvenile	Male	Oronasal	
D	RN-PB002	South American sea lion	Adult	Female	Rectal	24.66
	RN-PB006	South American sea lion	Sub-adult	Female	Rectal	
	RN-PB007	South American sea lion	Sub-adult	Female	Rectal	
	RN-PB013	South American sea lion	Adult	Female	Rectal	
	RN-PB016	South American sea lion	Adult	Female	Rectal	
E	RN-PB005	South American sea lion	Adult	Male	Rectal	30.71
	RN-PB008	South American sea lion	Sub-adult	Male	Rectal	
	RN-PB011	South American sea lion	Adult	Male	Rectal	
	RN-PB012	South American sea lion	Adult	Male	Rectal	
	RN-PB017	South American sea lion	Adult	Male	Rectal	
	RN-PB018	South American sea lion	Adult	Male	Rectal	
F	RN-PB003	South American sea lion	Juvenile	Female	Rectal	30.92
	RN-PB004	South American sea lion	Sub-adult	Male	Rectal	
	RN-PB009	South American sea lion	Adult	Male	Rectal	
	RN-PB010	South American sea lion	Juvenile	Female	Rectal	
	RN-PB019	South American fur seal	Juvenile	Male	Rectal	
G	RN-PB002	South American sea lion	Adult	Female	Tracheal	22.97
	RN-PB006	South American sea lion	Sub-adult	Female	Tracheal	
	RN-PB007	South American sea lion	Sub-adult	Female	Tracheal	
	RN-PB013	South American sea lion	Adult	Female	Tracheal	
	RN-PB016	South American sea lion	Adult	Female	Tracheal	
Н	RN-PB005	South American sea lion	Adult	Male	Tracheal	19.13
	RN-PB008	South American sea lion	Sub-adult	Male	Tracheal	
	RN-PB011	South American sea lion	Adult	Male	Tracheal	
	RN-PB012	South American sea lion	Adult	Male	Tracheal	
	RN-PB017	South American sea lion	Adult	Male	Tracheal	
	RN-PB018	South American sea lion	Adult	Male	Tracheal	
1	RN-PB003	South American sea lion	Juvenile	Female	Tracheal	23.42
	RN-PB004	South American sea lion	Sub-adult	Male	Tracheal	
	RN-PB009	South American sea lion	Adult	Male	Tracheal	
	RN-PB010	South American sea lion	Juvenile	Female	Tracheal	
	RN-PB019	South American fur seal	Juvenile	Male	Tracheal	
J	RN-PB002	South American sea lion	Adult	Female	Lung	21.58
	RN-PB006	South American sea lion	Sub-adult	Female	Lung	
	RN-PB007	South American sea lion	Sub-adult	Female	Lung	
	RN-PB013	South American sea lion	Adult	Female	Lung	
	RN-PB016	South American sea lion	Adult	Female	Lung	
К	RN-PB005	South American sea lion	Adult	Male	Lung	21.87
	RN-PB008	South American sea lion	Sub-adult	Male	Lung	
	RN-PB011	South American sea lion	Adult	Male	Luna	
	RN-PB012	South American sea lion	Adult	Male	Lung	
	RN-PB017	South American sea lion	Adult	Male	Lung	
					<u> </u>	

Pool	ID	Host species	Age	Sex	Swab	Cq
	RN-PB018	South American sea lion	Adult	Male	Lung	
L	RN-PB003	South American sea lion	Juvenile	Female	Lung	24.31
	RN-PB004	South American sea lion	Sub-adult	Male	Lung	
	RN-PB009	South American sea lion	Adult	Male	Lung	
	RN-PB010	South American sea lion	Juvenile	Female	Lung	
	RN-PB019	South American fur seal	Juvenile	Male	Lung	
Μ	RN-PB002	South American sea lion	Adult	Female	Brain	19.30
	RN-PB006	South American sea lion	Sub-adult	Female	Brain	
	RN-PB007	South American sea lion	Sub-adult	Female	Brain	
	RN-PB013	South American sea lion	Adult	Female	Brain	
	RN-PB016	South American sea lion	Adult	Female	Brain	
Ν	RN-PB005	South American sea lion	Adult	Male	Brain	21.84
	RN-PB008	South American sea lion	Sub-adult	Male	Brain	
	RN-PB011	South American sea lion	Adult	Male	Brain	
	RN-PB012	South American sea lion	Adult	Male	Brain	
	RN-PB017	South American sea lion	Adult	Male	Brain	
	RN-PB018	South American sea lion	Adult	Male	Brain	
0	RN-PB003	South American sea lion	Juvenile	Female	Brain	18.87
	RN-PB004	South American sea lion	Sub-adult	Male	Brain	
	RN-PB009	South American sea lion	Adult	Male	Brain	
	RN-PB010	South American sea lion	Juvenile	Female	Brain	
	RN-PB019	South American fur seal	Juvenile	Male	Brain	
Р	RN-PB014	South American sea lion	Fetus	Unknown	All	17.56
Q	RN-PB015	South American tern	Juvenile	Male	All	27.74
R	RN-PB020	Great Grebe	Adult	Male	All	35.88

Appendix Table 2. Average Cq values obtained by RRT-PCR from pooled samples collected from different tissues of sea lions at Punta Bermeja, Rio Negro, Argentina, in August 2023

Statistic	Rectal	Oronasal	Lung	Tracheal	Brain
Mean	28.8	26.4	22.6	21.8	20.0
Standard deviation	1.6	1.5	0.8	3.6	2.4

Appendix Table 3. Accession codes for publicly-available gene sequences from GenBank and the Global Initiative on Sharing All Influenza Data used in the phylogenetic and mutation analyses.

Isolate	Accession code
A/Thalasseu acuflavidus/EspiritoSanto/1339 N2/2023 H5N1 Brazil 2023–05–15	OR269884-OR269891
A/Goose/Guangdong/1/96 H5N1 China 1996–01–01	EPI_ISL_1254
A/goose/Argentina/140223/2023 H5N1 Argentina 2023–02–11	EPI_ISL_17527083
A/Chile/25945/2023 H5N1 Chile 2023–03–24	EPI_ISL_17468386
A/sea lion/Tarapaca/240524–2/2023 H5N1 Chile 2023–03–07	EPI_ISL_17885975
A/sea lion/Arica y Parinacota/240270–1/2023 H5N1 Chile 2023–03–01	EPI_ISL_17885976
A/sanderling/Arica y Parinacota/240265/2023 H5N1 Chile 2023–03–03	EPI_ISL_17885978
A/sea lion/Peru/AQP-SER00R/2023 H5N1 Peru 2023–03–06	EPI_ISL_18054510
A/sea lion/Peru/TAC-INS-011/2023 H5N1 Peru 2023–03–07	EPI_ISL_17777532
A/sea lion/Peru/TAC-INS-010/2023 H5N1 Peru 2023–03–07	EPI_ISL_17777531
A/sea lion/Peru/AQP-SER00K/2023 H5N1 Peru 2023–02–07	EPI_ISL_18054509
A/Sea Lion/Peru/LIM-SER036/2023 H5N1 Peru 2023–01–23	EPI_ISL_18054502
A/dolphin/Peru/PIU-SER002/2022 H5N1 Peru 2022–11–22	EPI_ISL_18265431
A/lion/Peru/AIS0554/2023 H5N1 Peru 2023–02–08	EPI_ISL_17805999
A/pelican/Peru/PIU-SER019/2022 H5N1 Peru 2022–11–24	EPI_ISL_18265435
A/Brown skua/Bird Island/128287/2023 H5N1 Antarctica 2023–10–08	EPI_ISL_18439562
A/black-necked swan/Uruguay/UDELAR-078-M2/2023 H5N1 Uruguay 2023–03–15	EPI_ISL_18310957
A/Ecuador/6563/2023 H5N1 Ecuador 2023–01–05	EPI_ISL_17021605
A/wildbird-Fregata-magnificens/Ecuador/IC03–4587/2023 H5N1 Ecuador 2023–01–11	EPI_ISL_17973443
A/duck/Choco/ICA-3501/2022 H5N1 Colombia 2022–10–09	EPI_ISL_17353839
A/Pelican/Venezuela/Pel3/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16013752
A/Colorado/18/2022 H5N1 USA 2022–04–20	EPI_ISL_12799972
A/skunk/Washington/22–019274–001-original/2022 H5N1 USA 2022–06–07	EPI_ISL_15078254
A/harbor seal/Washington/23–025991–001-original/2023 H5N1 USA 2023–08–25	EPI_ISL_18311025
A/dolphin/Florida/22–025319–002-original/2022 H5N1 USA 2022–03–30	EPI_ISL_15078255
A/chicken/Wyoming/22–009599–002-original/2022 H5N1 USA 2022–03–26	EPI_ISL_13009694
A/Mink/Spain/3691–2 22VIR10586–8/2022 H5N1 Spain 2022–10–18	EPI_ISL_15878541
A/gray seal/Netherlands/30448/2023 H5N1 Netherlands 2023–01–01	EPI_ISL_17672783
A/common dolphin/Wales/040498/2023 H5N1 UK 2023–02–20	EPI_ISL_17465833

Isolate	Accession code
A/Brown skua/Bird Island/128288/2023 H5N1 Antarctica 2023–10–08	EPI_ISL_18439563
A/Brown skua/Bird Island/128289/2023 H5N1 Antarctica 2023–10–08	EPI ISL 18439564
A/pelican/Peru/PIU-SER028/2022 H5N1 Peru 2022–11–24	EPI_ISL_18265436
A/pelican/Peru/PIII-SER016/2022 H5N1 Peru 2022-11-24	EPI ISI 18265437
	ED ISI 18265434
	EFI_ISL_10203434
A/Sanderling/Peru/PIO-SER003/2022 H3N1 Peru 2022-11-22	EPI_ISL_18205432
A/pelican/Peru/PIU-SER013/2022 H5N1 Peru 2022–11–23	EPI_ISL_18265433
A/falcon/Peru/A273/2022 H5N1 Peru 2022–12–01	EPI_ISL_17526123
A/owl/Peru/A293/2022 H5N1 Peru 2022–12–01	EPI ISL 17526122
A/sanderling/Peru/PIU-005/2022 H5N1 Peru 2022–11–22	EPI_ISL_18054501
A/guanay cormorant/Peru/PIU-024/2022 H5N1 Peru 2022–11–24	FPI_ISI_18054500
A/pelican/Peru/PIII-028/2022 H5N1 Peru 2022-11-24	EPL ISI 18054507
	EPLISI 18054506
A/Delegania and antidic/(anotalic/282/2020 HENI) Venezuela 2022 11, 25	ED ISI 16954305
A/relican/Deru/DILL042/2022 LENI Deru 2022 113/1 Vellezuela 2022 11-23	EFI_ISL_10054595
	EFI_ISL_10054504
A/Pelecanus occidentalis/venezuela/351/2022 H3N1 venezuela 2022-11-25	EPI_ISL_10054394
A/Pelecanus occidentalis/Venezuela/3S4/2022 H5N1 Venezuela 2022-11-25	EPI_ISL_16854397
A/Pelecanus occidentalis/Venezuela/3S3/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854396
A/Pelecanus occidentalis/Venezuela/3S6/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854399
A/Pelecanus occidentalis/Venezuela/3S5/2022 H5N1 Venezuela 2022–11–25	EPI ISL 16854398
A/duck/Peru/LAM-INS-014/2023 H5N1 Peru 2023–09–26	EPI_ISL_18497946
A/Pelecanus occidentalis/Venezuela/3S8/2022 H5N1 Venezuela 2022–11–25	FPI_ISI_16854401
A/Pelecanus occidentalis/A/enezuela/3S7/2022 H5N1 Venezuela 2022 -11_25	EPI ISI 16854400
A/Pelecanus occidentalis/Venezuela/507/2022 H5N1 Venezuela 2022 11-25	EDI ISI 16854400
A/Pelecalius occidentalis/vellezuela/452/2022 H3N1 Vellezuela 2022-11-23	EFI_ISL_10034403
A/Pelecanus occidentalis/venezuela/451/2022 H3N1 venezuela 2022–11–25	EPI_ISL_10054402
A/duck/Peru/LAM-INS-015/2023 H5N1 Peru 2023–09–20	EPI_ISL_18497950
A/Pelecanus occidentalis/Venezuela/4S4/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854405
A/Pelecanus occidentalis/Venezuela/4S3/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854404
A/Pelecanus occidentalis/Venezuela/4S6/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854407
A/Pelecanus occidentalis/Venezuela/4S5/2022 H5N1 Venezuela 2022–11–25	EPI ISL 16854406
A/Pelecanus occidentalis/Venezuela/4S8/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854409
A/Pelecanus occidentalis/Venezuela/4S7/2022 H5N1 Venezuela 2022–11–25	EPI_ISL_16854408
A/american kestrel/Peru/LINMSM-A273/2022 H5N1 Peru 2022–12–01	FPI_ISI_18238548
A/Belcher gull/Peru/LINMSM-4267/2022 H5N1 Peru 2022-12-01	EPI ISI 18371664
A/Guanay comorant/Peru/LIMSM-0275/2022 H5N1 Peru 2022_12_01	EPI ISI 18371665
	EDI ISI 18371666
	EFI_ISL_10371000
	EPI_ISL_10013753
A/pelican/Peru/PiO-INS-001/2022 H5N1 Peru 2022-11-12	EPI_ISL_16249274
A/chicken/Magdalena/ICA-3503/2022 H5N1 Colombia 2022–11–18	EPI_ISL_1/353838
A/belchers gull/Peru/UNMSM-A102/2022 H5N1 Peru 2022–11–01	EPI_ISL_18238610
A/duck/Peru/CAL-INS-013/2023 H5N1 Peru 2023–07–24	EPI_ISL_18217104
A/peruvian pelican/Peru/UNMSM-A074/2022 H5N1 Peru 2022–11–01	EPI_ISL_18238608
A/belchers gull/Peru/UNMSM-A267/2022 H5N1 Peru 2022–12–01	EPI ISL 18238609
A/western barn owl/Peru/UNMSM-A293/2022 H5N1 Peru 2022–12–01	EPI_ISL_18238622
A/peruvian pelican/Peru/UNMSM-A106/2022 H5N1 Peru 2022–11–01	EPI_ISL_18238607
A/owl/Peru/23_005629_001-original/2022 H5N1 Peru 2022_11_1	EPI_ISI_17660073
A/chicken/Peru//3_005607_003-original/2022 H5N1 Peru 2022_11_11	EPI ISI 17660072
A/braw boob//Boru/23 005620 003 original/2022 H5N1 Boru 2022 11 11	EDI ISI 17660074
A objekon (Doru / 23 - 005607 - 003 - 019/11a)/2022 UEN1 Doru 2022 11 11	EDUSI 17660071
	EFI_ISL_17000071
A/Chicken/Peru/23-005607-001-original/2022 H5N1 Peru 2022-11-11	EPI_ISL_17660070
A/Pelecanus/Peru/vFAR-140/2022 H5N1 Peru 2022–12–01	EPI_ISL_17099964
A/wildbird-Fregata-magnificens/Ecuador/IC06-4590/2023 H5N1 Ecuador 2023-01-11	EPI_ISL_17973458
A/Gull/Chile/7023–3/2022 H5N1 Chile 2022–12–07	EPI_ISL_17011958
A/Gull/Chile/7023–2/2022 H5N1 Chile 2022–12–07	EPI_ISL_17011964
A/turkey vulture/Valparaiso/230187–1/2022 H5N1 Chile 2022–12–31	EPI_ISL_17885968
A/domestic duck/Maule/240466–1/2023 H5N1 Chile 2023–03–07	EPI ISL 18005779
A/heron/Antofagasta/228705–3/2022 H5N1 Chile 2022–12–20	EPI_ISL_17885969
A/turkey vulture/Antofagasta/228252-1/2022 H5N1 Chile 2022-12-17	EPI_ISL_17885970
A/heron/Antofagasta/228705–2/2022 H5N1 Chile 2022–12–20	EPI_ISL_17885971
A/kelp gull/Maule/239349/2023 H5N1 Chile 2023–03–01	EPI ISI 17885972
A/domestic duck/Araucanja/239189-3/2023 H5N1 Chile 2023-02-28	FPI ISI 18005783
Altern/Maule/238507/2023 H5N1 Chile 2023_02_23	EPI ISI 17885073
	EDI IQI 10005700
	EDI ISI 10003700
	EFI_ISL_10003/01
Avback crowned night neron/Antolagasta/226/09–2/2022 H5N1 Chile 2022–12–20	
Avpackyard cnicken/Uruguay/UDELAK-040-m5/2023 H5N1 Uruguay 2023–03–03	EPI_ISL_18310942
Avplack crowned night neron/Antotagasta/228/05-3/2022 H5N1 Chile 2022-12-20	EPI_ISL_18005784
A/sanderling/Arica y Parinacota/230758-1/2022 H5N1 Chile 2022-12-30	EPI_ISL_17885980
A/pelican/Valparaiso/234040/2023 H5N1 Chile 2023–01–25	EPI_ISL_17885982

	Accession code
A/pelican/Valparaiso/233450–1/2023 H5N1 Chile 2023–01–23	EPI_ISL_17885983
A/chicken/Araucania/239569–2/2023 H5N1 Chile 2023–03–02	EPI_ISI_17885952
A/alogant tern/Tarnaca/220133 1/2022 H5N1 Chilo 2022 12 23	EDI ISI 17885053
	EFI_I3L_17005955
A/cnicken/Araucania/239569-1/2023 H5N1 Chile 2023-03-02	EPI_ISL_17885954
A/elegant tern/Arica y Parinacota/229476–1/2022 H5N1 Chile 2022–12–24	EPI_ISL_17885955
A/pelican/Valparaiso/233091–2/2023 H5N1 Chile 2023–01–20	EPI ISL 17885956
A/duck/Maule/240466-1/2023 H5N1 Chile 2023-03-07	EPI ISI 17885957
A/cnicken/Araucania/239189–2/2023 H5N1 Chile 2023–02–28	EPI_ISL_17885958
A/duck/Araucania/241914–2/2023 H5N1 Chile 2023–03–14	EPI_ISL_17885959
A/whimbrel/Coquimbo/239964/2023 H5N1 Chile 2023–03–05	EPI ISL 17885960
A/duck/Araucania/240481–2/2023 H5N1 Chile 2023–03–07	EPI_ISI_17885961
A/turkov/Nublo/241568_1/2023 H5N1 Chilo 2023_03_10	EDI ISI 17885062
	EI 1_13E_17005902
A/duck/Araucania/239189-3/2023 H5N1 Chile 2023-02-28	EPI_ISL_17885963
A/turkey/Nuble/240489–1/2023 H5N1 Chile 2023–03–07	EPI_ISL_17885964
A/chiloe wigeon/OHiggins/240893–2/2023 H5N1 Chile 2023–03–09	EPI ISL 17885965
A/turkev/Araucania/241892–3/2023 H5N1 Chile 2023–03–14	EPI_ISI_17885966
A/blockish overtoroatchor/O/Hinging/240628/2023 HEN1 Chilo 2023 03 06	EDI ISI 17885067
	EFI_I3L_17803907
A/backyard chicken/Uruguay/UDELAR-040-M7/2023 H5N1 Uruguay 2023–03–03	EPI_ISL_18310967
A/backyard chicken/Uruguay/UDELAR-047-M1/2023 H5N1 Uruguay 2023–03–06	EPI_ISL_18310966
A/backvard chicken/Uruguav/UDELAR-047-M3/2023 H5N1 Uruguav 2023–03–06	EPI ISL 18310965
A/backyard chicken/Uruguay/UDELAR-124-M1/2023 H5N1 Uruguay 2023–04–16	EPI_ISI_18310964
A/back/ard chickon// lauguay/UDEL/AC 127 M1/2022 HEN1 / lauguay 2022 04 17	EDI ISI 19210062
A/backyard Chickel/Oruguay/ODELAR-127-W1/2023 H3N1 Oruguay 2023-04-17	EFI_ISL_10310903
A/backyard chicken/Uruguay/UDELAR-127-M4/2023 H5N1 Uruguay 2023–04–17	EPI_ISL_18310962
A/backyard chicken/Uruguay/UDELAR-144-M3/2023 H5N1 Uruguay 2023–05–03	EPI_ISL_18310961
A/backvard duck/Uruguav/UDELAR-124-M3/2023 H5N1 Uruguav 2023–04–16	EPI ISL 18310960
A/chicken/Bolivar/ICA-3500/2022 H5N1 Colombia 2022–11–08	EPI ISI 17353507
A/Chicken//Choco/ICA-3502/2022 H5N1 Colonibla 2022-11-15	EPI_ISL_17353506
A/chicken/Choco/ICA-3504/2022 H5N1 Colombia 2022–11–01	EPI_ISL_17353509
A/chicken/Cordoba/ICA-3499/2022 H5N1 Colombia 2022–11–26	EPI ISL 17353510
A/pelican/Valparaiso/233447–2/2023 H5N1 Chile 2023–01–21	EPI ISL 17885985
A/whimbrel/\/alparaiso/239946/2023 H5N1 Chile 2023–03–05	FPI_ISI_17885987
Albeahard turkey/Ultruguey/UDELA 124 M6/2022 HENI1 Unguey 2022 04 16	EDI ISI 19210050
A/backyard turkey/Oruguay/ODELAR-124-M0/2023 Fish Toruguay 2025-04-10	EFI_ISL_16310959
A/black-necked swan/Uruguay/UDELAR-014-M3/2023 H5N1 Uruguay 2023–02–18	EPI_ISL_18310958
A/peruvian booby/Peru/LIM-INS-012/2023 H5N1 Peru 2023–04–12	EPI_ISL_17777533
A/guanay cormorant/Peru/CAL-INS-009/2023 H5N1 Peru 2023–03–17	EPI ISL 17777530
A/peruvian booby/Peru/CAL-INS-008/2023 H5N1 Peru 2023-03-17	FPI_ISI_17777529
	EDI ISI 17777509
A/peruvian bobby/Feru/CAL-INS-00/72023 H3N1 Feru 2023–03–17	EFI_ISL_17777526
A/gull/Peru/LIM-INS-006/2023 H5N1 Peru 2023–03–16	EPI_ISL_1////52/
A/peruvian booby/Peru/LIM-INS-005/2023 H5N1 Peru 2023–03–20	EPI_ISL_17777526
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03	EPI ISL 17777525
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02	EPI_ISL_17777525
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black chimmer/Chile/C61062/2023 H5N1 Chile 2022 12 02	EPI_ISL_17777525 EPI_ISL_16891401
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/guil/Peru/A267/2022 H5N1 Peru 2022–11–01	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISI_17477222
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–14_01	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EDI_ISL_17477222
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_17477221 EPI_ISL_16249730
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16249730 EPI_ISL_16161675
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16249730 EPI_ISL_16161675 EPI_ISL_16161673
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/keru/Meuk/2022 H5N1 Ecuador 2022–11–25 A/chicken/keru/Meuk/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Meuk/2022 H5N1 Chile 2022–202 02	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16161673
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_17865849 EPI_ISL_17865849
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_16249730 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_16157545
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Fecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2023 H5N1 Chile 2023–03–12	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_161249730 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_17885849 EPI_ISL_17885849 EPI_ISL_17885872
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/welican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Higgins/241252–1/2023 H5N1 Chile 2023–03–06 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–12 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Haule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Maule/240379/2023 H5N1 Chile 2023–03–12 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/axian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17885873
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Inuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Isan/Peru/AISA0451/2022 H5N1 Peru 2022–11–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16157545 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805998
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–12 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/240505 H501 Peru 2	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17885874 EPI_ISL_17885874
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7601/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Higgins/241252–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Haule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/Haule/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805996
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–12–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Caudor/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–06 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–10 Aavian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805995
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7601/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/black skimmer/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–12 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2023 H5N1 Chile 2023–03–08	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_17885849 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17885874 EPI_ISL_17805998 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805995
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/welican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Maule/240379/2023 H5N1 Chile 2023–03–06 A/chicken/OHiggins/241252–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AIS0549/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/2415550/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AIS0549/2023 H5N1 Chile 2023–03–08 A/bikken/Peru/AIS0549/2023 H5N1 Chile 2023–03–08 A/bikken/Peru/AIS0549/2023 H5N1 Peru 2022–12–22	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805996 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_1780597
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/bilack skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/gull/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/A106/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Lecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Lecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Lecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Lecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241657–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240634/2023 H5N1 Chile 2023–03–06	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805997 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_1780597
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/bilack skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/welican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Leuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Leuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/239136/2023 H5N1 Chile 2023–02–27	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16157545 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805996 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805877 EPI_ISL_17805877
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/bilack skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7601/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Muble/241681–1/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISA0451/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–08 A/chicken/Nuble/24055/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–08 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–08 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–08 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–07 A/chicken/Nuble/24055/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–02–27 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–02–27 A/chicken/Peru/AIS0548/2022 H5N1 Peru 2022–12–28	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_16157545 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17885877 EPI_ISL_17885878 EPI_ISL_17885878 EPI_ISL_17885878 EPI_ISL_17805993
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/bilack skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Icuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Icuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Icuador/02/2022 H5N1 Ecuador 2022–11–22 A/chicken/Nuble/241881–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–02–27 A/chicken/Nuble/240155/2023 H5N1 Chile 2023–02–27 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477222 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885849 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805996 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_1780597 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A102/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/03/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Icuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/24084/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/2401557/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/2401557/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/24015547/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/24015547/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/24015547/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/24015547/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO547/2022 H5N1 Peru 2022–12–28	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_17177219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885874 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–29 A/chicken/Ecuador/04/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241681–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241684/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/240684/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–06 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/240684/2023 H5N1 Chile 2023–03–06 A/chicken/Peru/AISO548/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO548/202	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16157545 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805996 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805995 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805992 EDI_ISL_17805992
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023–04–03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/black skimmer/Chile/C61740/2022 H5N1 Chile 2022–12–02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023–05–18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023–05–18 A/pelican/Peru/A074/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A267/2022 H5N1 Peru 2022–11–01 A/gull/Peru/A106/2022 H5N1 Peru 2022–11–01 A/pelican/Peru/A106/2022 H5N1 Peru 2022–11–01 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–29 A/chicken/Peru/LIM-INS-003/2022 H5N1 Peru 2022–11–25 A/chicken/Ecuador/03/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Ceuador/02/2022 H5N1 Ecuador 2022–11–25 A/chicken/Muble/241681–1/2023 H5N1 Chile 2023–03–06 A/chicken/Nuble/241657–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA04451/2022 H5N1 Peru 2022–11–22 A/chicken/Nuble/241557–1/2023 H5N1 Chile 2023–03–10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022–11–22 A/chicken/Peru/AISA0446/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO549/2022 H5N1 Peru 2022–12–22 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–08 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–06 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–06 A/chicken/Peru/AISO548/2023 H5N1 Chile 2023–03–27 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–28 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO544/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO545/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO545/2022 H5N1 Peru 2022–12–03 A/chicken/Peru/AISO545/20	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_161675545 EPI_ISL_17885872 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805997 EPI_ISL_17805997 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805997 EPI_ISL_17805994 EPI_ISL_17805994 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805992 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991
A/peruvian booby/Peru/LIM-INS-004/2023 H5N1 Peru 2023-04-03 A/Peruvian pelican/Chile/C61740/2022 H5N1 Chile 2022-12-02 A/black skimmer/Chile/C61962/2022 H5N1 Chile 2022-12-02 A/wildbird-Sula-nebouxii/Ecuador/7607/2023 H5N1 Ecuador 2023-05-18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023-05-18 A/wildbird-Sula-nebouxii/Ecuador/7611/2023 H5N1 Ecuador 2023-05-18 A/pelican/Peru/A074/2022 H5N1 Peru 2022-11-01 A/gull/Peru/A102/2022 H5N1 Peru 2022-11-01 A/pelican/Peru/A106/2022 H5N1 Peru 2022-11-01 A/chicken/Peru/L1M-INS-003/2022 H5N1 Peru 2022-11-25 A/chicken/Ecuador/04/2022 H5N1 Ecuador 2022-11-25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022-11-25 A/chicken/Ecuador/02/2022 H5N1 Ecuador 2022-11-25 A/chicken/Cuador/02/2022 H5N1 Ecuador 2022-11-25 A/chicken/Naule/240379/2023 H5N1 Chile 2023-03-06 A/chicken/Nuble/241681-1/2023 H5N1 Chile 2023-03-10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022-11-22 A/chicken/Nuble/241557-1/2023 H5N1 Chile 2023-03-10 A/avian/Peru/AISA0451/2022 H5N1 Peru 2022-11-22 A/chicken/Nuble/241557-1/2023 H5N1 Chile 2023-03-10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022-12-22 A/chicken/Nuble/241557-1/2023 H5N1 Chile 2023-03-10 A/avian/Peru/AISA0446/2022 H5N1 Peru 2022-12-22 A/chicken/Nuble/240684/2022 H5N1 Peru 2022-12-22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023-03-08 A/chicken/Peru/AIS0549/2022 H5N1 Peru 2022-12-22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023-03-08 A/chicken/Peru/AIS0547/2022 H5N1 Peru 2022-12-22 A/chicken/Nuble/240684/2023 H5N1 Chile 2023-03-08 A/chicken/Peru/AIS0547/2022 H5N1 Peru 2022-12-28 A/chicken/Nuble/240155/2023 H5N1 Chile 2023-02-27 A/chicken/Nuble/240684/2023 H5N1 Chile 2023-02-27 A/chicken/Peru/AIS0547/2022 H5N1 Peru 2022-12-28 A/chicken/Peru/AIS0547/2022 H5N1 Peru 2022-12-03 A/chicken/Peru/AIS0545/2022 H5N1 Peru 2022-12-03 A/chi	EPI_ISL_17777525 EPI_ISL_16891401 EPI_ISL_16891402 EPI_ISL_18137626 EPI_ISL_18137671 EPI_ISL_17477219 EPI_ISL_17477220 EPI_ISL_17477220 EPI_ISL_17477221 EPI_ISL_16161675 EPI_ISL_16161675 EPI_ISL_16161673 EPI_ISL_16161673 EPI_ISL_17885879 EPI_ISL_17885873 EPI_ISL_17885873 EPI_ISL_17805998 EPI_ISL_17805998 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805996 EPI_ISL_17805997 EPI_ISL_17805994 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805993 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991 EPI_ISL_17805991

Isolate	Accession code
A/chicken/Peru/AIS0542/2022 H5N1 Peru 2022–12–01	EPI_ISL_17805989
A/chicken/Peru/AIS0540/2022 H5N1 Peru 2022–11–28	EPI_ISL_17805988
A/chicken/Peru/AIS0539/2022 H5N1 Peru 2022–11–18	EPI_ISL_17805987
A/chicken/Peru/AIS0546/2022 H5N1 Peru 2022–12–18	EPI_ISL_17805986
A/pelican/Peru/AISA0464/2022 H5N1 Peru 2022–11–22	EPI_ISL_17806003
A/goose/Araucania/239189–1/2023 H5N1 Chile 2023–02–28	EPI_ISL_17885869
A/pelican/Peru/AIS0541/2022 H5N1 Peru 2022–11–16	EPI_ISL_17806002
A/chicken/OHiggins/241252–6/2023 H5N1 Chile 2023–03–12	EPI_ISL_17885870
A/chicken/Peru/AIS0551/2022 H5N1 Peru 2022–12–12	EPI_ISL_17806001
A/pelican/Peru/AIS0538/2022 H5N1 Peru 2022–11–10	EPI_ISL_17806000
A/chicken/OHiggins/241252–3/2023 H5N1 Chile 2023–03–12	EPI_ISL_17885871
A/pelican/OHiggins/233721–1/2023 H5N1 Chile 2023–01–24	EPI_ISL_17885912
A/pelican/OHiggins/233663–1/2023 H5N1 Chile 2023–01–24	EPI_ISL_17885915
A/pelican/Nuble/233947–2/2023 H5N1 Chile 2023–01–26	EPI_ISL_17885918
A/pelican/Tarapaca/227436–2/2022 H5N1 Chile 2022–12–09	EPI_ISL_17885942
A/pelican/Antofagasta/228244–2/2022 H5N1 Chile 2022–12–16	EPI_ISL_17885944
A/chicken/Araucania/241914–1/2023 H5N1 Chile 2023–03–14	EPI_ISL_17885945
A/chicken/Araucania/241892–2/2023 H5N1 Chile 2023–03–14	EPI_ISL_17885946
A/humboldt penguin/Tarapaca/238744–2/2023 H5N1 Chile 2023–02–23	EPI_ISL_17885947
A/humboldt penguin/Coquimbo/239590/2023 H5N1 Chile 2023–02–28	EPI_ISL_17885948
A/chicken/Araucania/240481–1/2023 H5N1 Chile 2023–03–07	EPI_ISL_17885949
A/great egret/Araucania/240518/2023 H5N1 Chile 2023–03–07	EPI_ISL_17885950
A/gray gull/Tarapaca/232825–1/2023 H5N1 Chile 2023–01–18	EPI_ISL_17885951
A/pelican/Maule/231155–2/2023 H5N1 Chile 2023–01–09	EPI_ISL_17885921
A/pelican/Coquimbo/231946–1/2023 H5N1 Chile 2023–01–14	EPI_ISL_17885922
A/pelican/Coquimbo/230310–1/2023 H5N1 Chile 2023–01–02	EPI_ISL_17885923
A/pelican/Atacama/230158–2/2022 H5N1 Chile 2022–12–30	EPI_ISL_17885924
A/pelican/Atacama/230158–1/2022 H5N1 Chile 2022–12–30	EPI_ISL_17885925
A/pelican/Atacama/229450–2/2022 H5N1 Chile 2022–12–26	EPI_ISL_17885926
A/pelican/Atacama/229424–2/2022 H5N1 Chile 2022–12–22	EPI_ISL_17885927
A/pelican/Antofagasta/228318–1/2022 H5N1 Chile 2022–12–16	EPI_ISL_17885928
A/pelican/Antofagasta/228272–1/2022 H5N1 Chile 2022–12–18	EPI_ISL_17885929
A/pelican/Valparaiso/233091–1/2023 H5N1 Chile 2023–01–20	EPI_ISL_17885930
A/pelican/Antofagasta/228246–3/2022 H5N1 Chile 2022–12–15	EPI_ISL_17885931
A/pelican/Valparaiso/233418–1/2023 H5N1 Chile 2023–01–20	EPI_ISL_17885932
A/pelican/Antofagasta/228246–2/2022 H5N1 Chile 2022–12–15	EPI_ISL_17885934
A/south american sea lion/Peru/AQP-SER00R/2023 H5N1 Peru 2023–03–06	EPI_ISL_18265422
A/sea lion/Peru/AQP-SER00B/2023 H5N1 Peru 2023–01–25	EPI_ISL_18054508



Appendix Figure 1. Location of Punta Bermeja and other HPAI H5N1 detections in pinnipeds since August 2023 (red dots) and HPAI H5N1 detections in poultry (blue dots) and wild birds (purple dots) in Argentina.



B

0.020 Note: Branches shorter than 0.0013 are shown as having length 0.0013

ngdong/1/96_H5N1_China_1996-01-01

















G 0,007 lote: Branches shorter than 0,0006 are shown as having length 0.0006 Uruguay_2023-03-15 _2022-12-01 Country (Node color) Antarctica Argentina Brazil Chile 01 25 2022-12-01 2022-12-01 ISN1_Uruguay_2023-03-03 HSN1_Uruguay_2023-03-03 I3_HSN1_Uruguay_2023-03-06 I3_HSN1_Uruguay_2023-03-06 Colombia Ecuador Host group (Node shape) Human
 Mammal
 Poultry
 Wild bird Other Peru Uruguay 23_H59 2-12-22 2022-11-11 2023-02-18 Venezuela _Uruguay_2023-0 2-11-11 guay_2023-05-03 -20 H5N1_CH 12-07 le_2022-12-17 -01
2-11-22 2022-12-2 hile_2022-1022-12-26 1023-01-14 N1_Chile_2023-03-06 hile_2023-02-28 -01-23 2-11-22 2-11-22 22-11-22 2-11-24 4-12 Uruguay_2023-04-17 _Uruguay_2023-04-17 uay_2023-04-16 2 2-11-11 590/2023_H5N1_Ec dor_2023-01-11 iador/7607/2023_H5N1_Ecuador_2023-05-18 xiii/Ecuador/7611/2023_H5N1_Ecuador_2023-05-11 M1_Chite______ al/2023_HSN1_Uo-_____ dor_2022.11.25 dor_2022.11.25 f1_Colombia_2022.11.18 Colombia_2022.11.26 --tombia_2022.11. 2023-02-23 5N1 USA 2023-08-25 -06-0 _2022-11-01 -11-13 ب²۲ bia_202 H5N1_Venezuela_2022-11-25 22_H5N1_Venezuela_2022-11-25 20ela_2022-11-25 H5N1_V 4025319-002-original/2022_H5N1_USA_2022-03-30 -005959-002-original/2022_H5N1_USA_2022-03-26 22VIRI0586-8/2022_H5N1_Spain_2022-10-18 ands/30448/2023_H5N1_Nichterlands_2053 Males/D0408/2055



Appendix Figure 2. Maximum likelihood tree for PB2, PB1, PA, HA, NP, NA, MP, and NS gene segments of HPAI H5N1 strains from Punta Bermeja, Argentina, in relation to all HPAI H5N1 strains from South America and a few strains from North America and Europe to show viral evolution in the southern hemisphere. Node shape represents host group, and node color (and bars adjacent to trees) represents the region/country. Branch lengths are drawn proportionally to the extent of changes (scale-bars are shown). Values adjacent to nodes represent bootstrap support.