

Data table for Figure 22 (page 1 of 2). Infant mortality rates, by race and Hispanic origin of mother and leading causes of death: United States, 2005–2015

Excel and PowerPoint: https://www.cdc.gov/nchs/hus/contents2017.htm#Figure_022

Infant mortality rates, by race and Hispanic origin: 2005–2015

Year	All mothers	Hispanic or Latina	White	Race and Hispanic origin of mother		
				Not Hispanic or Latina		
				Black or African American	Asian or Pacific Islander	American Indian or Alaska Native
Infant deaths per 1,000 live births						
2005	6.86	5.62	5.76	13.63	4.77	8.31
2006	6.68	5.41	5.58	13.35	4.40	8.65
2007	6.75	5.51	5.63	13.31	4.60	9.37
2008	6.61	5.59	5.53	12.67	4.39	8.67
2009	6.39	5.29	5.33	12.40	4.27	9.17
2010	6.14	5.25	5.18	11.46	4.18	8.64
2011	6.07	5.15	5.07	11.45	4.18	8.52
2012	5.98	5.11	5.04	11.19	3.96	8.73
2013	5.96	5.00	5.06	11.11	3.90	7.72
2014	5.82	5.01	4.89	10.93	3.68	7.66
2015	5.90	4.96	4.90	11.25	4.08	8.58
Standard error						
2005	0.04	0.08	0.05	0.15	0.15	0.46
2006	0.04	0.07	0.05	0.15	0.14	0.45
2007	0.04	0.07	0.05	0.15	0.14	0.47
2008	0.04	0.07	0.05	0.14	0.14	0.45
2009	0.04	0.07	0.05	0.14	0.13	0.47
2010	0.04	0.07	0.05	0.14	0.13	0.47
2011	0.04	0.08	0.05	0.14	0.13	0.47
2012	0.04	0.08	0.05	0.14	0.12	0.48
2013	0.04	0.07	0.05	0.14	0.12	0.45
2014	0.04	0.07	0.05	0.14	0.12	0.45
2015	0.04	0.07	0.05	0.14	0.12	0.48

See footnotes at end of table.

Data table for Figure 22 (page 2 of 2). Infant mortality rates, by race and Hispanic origin of mother and leading causes of death: United States, 2005–2015

Excel and PowerPoint: https://www.cdc.gov/nchs/hus/contents2017.htm#Figure_022

Infant mortality rates, by leading causes of death: 2005–2015

Year	<i>Leading causes of death</i>				
	<i>Congenital malformations</i>	<i>Short gestation and low birthweight</i>	<i>Sudden infant death syndrome</i>	<i>Maternal complications</i>	<i>Unintentional injuries</i>
Infant deaths per 1,000 live births					
2005	134.6	113.5	54.0	42.7	26.2
2006	137.2	113.5	54.6	39.3	26.8
2007	134.9	112.7	57.0	41.1	29.7
2008	133.7	112.0	55.3	41.8	30.9
2009	129.7	109.6	54.0	39.1	28.4
2010	127.9	103.8	51.5	39.1	27.7
2011	126.9	104.1	48.2	40.4	29.5
2012	125.7	106.6	42.4	38.4	29.4
2013	121.5	107.1	39.7	40.6	29.3
2014	119.2	104.6	38.6	39.6	29.2
2015	121.8	102.7	39.4	38.4	42.4
Standard error					
2005	1.80	1.66	1.14	1.02	0.80
2006	1.79	1.63	1.13	0.96	0.79
2007	1.77	1.62	1.15	0.98	0.83
2008	1.78	1.62	1.14	0.99	0.85
2009	1.77	1.63	1.14	0.97	0.83
2010	1.79	1.61	1.13	0.99	0.83
2011	1.79	1.62	1.10	1.01	0.86
2012	1.78	1.64	1.04	0.99	0.86
2013	1.76	1.65	1.00	1.02	0.86
2014	1.73	1.62	0.98	1.00	0.86
2015	1.75	1.61	1.00	0.98	0.90

NOTES: Infants are defined as under 1 year of age. Rates are based on the number of deaths from the mortality file and the number of births from the natality file. Infant mortality rates by race and Hispanic origin are from the Linked Birth/Infant Death data set, in which the most recent data year available is 2015. Persons of Hispanic origin may be of any race. Starting with 2003 data, some states reported multiple-race data. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards, for comparability with other states. Deaths are identified using *International Classification of Diseases, 10th Revision* (ICD-10). The codes were: Congenital malformations, deformations and chromosomal abnormalities (Q00–Q99); Disorders related to short gestation and low birth weight, not elsewhere classified (P07); Sudden infant death syndrome (R95); Newborn affected by maternal complications of pregnancy (P01); Accidents (unintentional injuries) (V01–X59). Age-adjusted rates are calculated using the year 2000 standard population with unrounded population numbers. See [Appendix II](#), Cause of death; Table IV; Hispanic origin; Race.

SOURCE: NCHS, National Vital Statistics System (NVSS), Linked Birth/Infant Death Data Set. See [Appendix I](#), National Vital Statistics System (NVSS).