## NATIONAL SURVEY OF FAMILY GROWTH, 2022-2023 Household Screener in CAPI Reference Questionnaire (CRQ) Format

## Abbre<u>viations</u>

FW4549:

Household HH -R -Respondent Rs -Respondents

CAWI -Computer-assisted web interview (online interview)

FTF -Face-to-face (or in-person) interview

## SCREENER SECTION

## HOUSEHOLD ROSTER; DEMOGRAPHIC CHARACTERISTICS; WITHIN HOUSEHOLD SELECTION PROTOCOL

VARIABLES IMPORTED FROM PRELOAD:

SAMPLEID: 10 DIGIT SAMPLE IDENTIFICATION NUMBER IDENTIFYING HOUSEHOLD

PROJ ID: 30 CHAR STRING PROJECT (TEXT) DESCRIPTION

PROJ ID IS PRELOADED INTO THE SCREENER AND PUSHED INTO THE MAIN INSTRUMENT

AS "PROJECT ID". THESE TWO VARIABLES USED TO SEPARATE MAIN, TRAINING,

AND CERTIFICATION INTERVIEWS.

2 CHAR STRING WE WERE NEVER ABLE TO TELL WHAT THIS WAS USED FOR IN THE C6 PART ID

INSTRUMENT BUT ALL THE DATA APPEARS TO HAVE "CD" AS THE VALUE FOR THIS

ITEM

STATE 50 CHAR STRING STATE WERE SCREENER CONDUCTED (PASSED TO ST AND THEN

INTO THE MAIN INSTRUMENT VIA RSTATE) ADDRESS NUMBER (STRING LENGTH 20)

ADD NUM STREET STREET NAME (STRING LENGTH 40) APT APARTMENT NUMBER (STRING LENGTH 30)

CITY CITY (STRING LENGTH 30)

ZIP CODE (STRING LENGTH 10 [9 + MASK]) ZIP

ASK INFORMANT: VARIABLE PRELOADED FROM ST. USED TO DETERMINE IF THE INTERVIEWER SEES

THE SC-1B INFORMANT QUESTION. THE PRELOAD VALUES CAN BE 1 (PROXY

ALLOWED) OR 5 (PROXY NOT ALLOWED-DEFAULT SETTING).

{NOTE THESE 24 PRELOAD VARIABLES ARE USED FOR THE MEASURE OF SIZE

SELECTION PROTOCOL A DESCRIPTION OF THIS CAN BE FOUND ON THE NEXT PAGE.

AFRICAN AMERICAN FEMALES AGE 15-19 MEASURE OF SIZE FAA1519: AFRICAN AMERICAN FEMALES AGE 20-24 MEASURE OF SIZE FAA2024: FAA2544: AFRICAN AMERICAN FEMALES AGE 25-44 MEASURE OF SIZE

AFRICAN AMERICAN FEMALES AGE 45-49 MEASURE OF SIZE FAA4549: FH1519: HISPANIC FEMALES AGE 15-19 MEASURE OF SIZE

FH2024: HISPANIC FEMALES AGE 20-24 MEASURE OF SIZE FH2544: HISPANIC FEMALES AGE 25-44 MEASURE OF SIZE FH4549: HISPANIC FEMALES AGE 45-49 MEASURE OF SIZE WHITE FEMALES AGE 15-19 MEASURE OF SIZE FW1519: WHITE FEMALES AGE 20-24 MEASURE OF SIZE FW2024: FW2544: WHITE FEMALES AGE 25-44 MEASURE OF SIZE WHITE FEMALES AGE 45-49 MEASURE OF SIZE

MAA1519: AFRICAN AMERICAN MALES AGE 15-19 MEASURE OF SIZE MAA2024: AFRICAN AMERICAN MALES AGE 20-24 MEASURE OF SIZE MAA2544: AFRICAN AMERICAN MALES AGE 25-44 MEASURE OF SIZE

AFRICAN AMERICAN MALES AGE 45-49 MEASURE OF SIZE MAA4549: MH1519: HISPANIC MALES AGE 15-19 MEASURE OF SIZE

MH2024: HISPANIC MALES AGE 20-24 MEASURE OF SIZE HISPANIC MALES AGE 25-44 MEASURE OF SIZE MH2544: MH4549: HISPANIC MALES AGE 45-49 MEASURE OF SIZE MW1519: WHITE MALES AGE 15-19 MEASURE OF SIZE MW2024: WHITE MALES AGE 20-24 MEASURE OF SIZE MW2544: WHITE MALES AGE 25-44 MEASURE OF SIZE WHITE MALES AGE 45-49 MEASURE OF SIZE MW4549:

TopAgeElig: UPPER SCREENER AGE RANGE LIMIT OF R'S ELIGIBLE FOR NSFG

#### DESCRIPTION OF THE 24 VARIABLES REPRESENTING THE MEASURE OF SIZE:

The previous 24 variables represent an array in the screener that holds the preloaded MOS selection criteria (also known as the "measures of size") from IFMS. However, the C6 Blaise instrument stored these values in the variables named PreloadScreen01- PreloadScreen24. Below is an illustration of what cell correlate to the PreloadScreen[X] variables.

	Female			Male		
Age	Black	Hispanic	Other	Black	Hispanic	Other
15 – 19	PreloadScreen01	PreloadScreen02	PreloadScreen03	PreloadScreen04	PreloadScreen05	PreloadScreen06
	FAA1519	FH1519	FW1519	MAA1519	MH1519	MW1519
20 – 24	PreloadScreen07	PreloadScreen08	PreloadScreen09	PreloadScreen10	PreloadScreen11	PreloadScreen12
	FAA2024	FH2024	FW2024	MAA2024	MH2024	MW2024
25 – 44	PreloadScreen13	PreloadScreen14	PreloadScreen15	PreloadScreen16	PreloadScreen17	PreloadScreen18
	FAA2544	FH2544	FW2544	MAA2544	MH2544	MW2544
45 – 49	PreloadScreen19	PreloadScreen20	PreloadScreen21	PreloadScreen22	PreloadScreen23	PreloadScreen24
	FAA4549	FH4549	FW4549	MAA4549	MH4549	MW4549

The following is an example of the screener preload string that comes from IFMS: 301001859^SRC.SRO.NSFG.SCREEN.TEST1^CD^^Maryland^1234^Apple Ave^^Hyattsville^12345^ASK INFORMANT\_^F01^F02^F03^F04^F05^F06^F07^F08^F09^F10^F 11^F12^M01^M02^M03^M04^M05^M06^M07^M08^M09^M10^M11^M12

Also the zip code can also be 12345-1234 (in other words, you can add the mask and the additional 4 digits).

Below is how this previous preload string would look in the MOS table:

Segment 301	Female			Male		
Age	Black	Hispanic	Other	Black	Hispanic	Other
15 - 19	^F01	^F05	^F09	^M01	^M05	^M09
20 - 24	^F02	^F06	^F10	^M02	^M06	^M10
25 - 44	^F03	^F07	^F11	^M03	^M07	^M11
45 - 49	^F04	^F08	^F12	^M04	^M08	^M12

MOS values as of January 12, 2022. Values potentially change across years of data collection. Year 1 values shown here.

	Female			Male		
Age	Black	Hispanic	Other	Black	Hispanic	Other
15 - 19	1.0000	1.0000	1.0000	0.9091	0.9091	0.9091
20 - 24	0.2500	0.2500	0.2500	0.2273	0.2273	0.2273
25 - 44	0.2500	0.2500	0.2500	0.2273	0.2273	0.2273
45 - 49	0.2500	0.2500	0.2500	0.2273	0.2273	0.2273

Therefore the MOS preload string for Year 1 (2022) would be: ^1^0.25^0.25^0.25^1^0.25^0.25^0.25^1^0.25^0.25^0.25^0.25^0.9091^0.2273^0. 2273^0.2273^0.9091^0.2273^0.2273^0.2273^0.9091^0.2273^0.2273^0.2273^0.

VARIABLES CREATED IN THIS SECTION:

TabletOrientation Tablet Screen Orientation (For Touchscreen Presentation Tracking):

1= Landscape, 2= Portrait, & 3= Laptop

TabletMode CAPI or Tablet Mode (For Touchscreen Presentation Tracking):

1=CAPI Laptop & 2=Touchscreen Tablet

UseKeys Use Dark or Light Keys (For Touchscreen Presentation Tracking):

1=Dark Keys & 2=Light Keys

Language active via the touchscreen toolbar (For Touchscreen

Presentation Tracking): 1=English & 2=Spanish

AllowCAPI If the traditional CAPI presentation is available (For Touchscreen

Presentation Tracking): 1=Yes & 5=No

DateOfInterview: DATE OF SCREENER MM/DD/YYYY (FC SC-1)

TimeOfInterview: TIME OF SCREENER (FC SC-1)

ResHHL[X]: THIS IS SIMPLY A SEQUENTIAL ASSIGNING OF NUMBER TO HOUSEHOLD MEMBER, USED TO FACILITATE THE SELECTION ALGORITHM AND IS USED AS THE NUMBER FOR "PERSON ID"
TO REPRESENT THE ROW WHERE THIS INDIVIDUAL RESIDES IN THE FIRST TABLE. THIS PERSON ID THEN ALLOWS THE SELECTION ALGORITHM TO MAP PEOPLE TO THEIR ROWS AND USES THIS AS THE INDEX NUMBER FOR THE VARIOUS ARRAYS IN THE ALGORITHMS.

SEXINDEX[X]: SEX INDEX FOR EACH PERSON LISTED IN HH (FC SC-4a)

AGE DKRF Flag Non-response codes assignment flag for AGE X[X] (FC SC-4b)

AGEINDEX[X]: AGE INDEX FOR EACH PERSON LISTED IN HH (FC SC-4c)
RACEINDEX[X]: RACE INDEX FOR EACH PERSON LISTED IN HH (FC SC-4d)
USUALRES[X]: VAR USED FOR DORMRES AND LATER ROUTING (FC SC-5)
FIELDCOUNT: VAR USED TO CALCULATE MISSING TABLE INFO (FC SC-7)
RACE\_FILL: FILL FOR VARROSTER AND RACE OF NAME[X] (FC SC-8a)

AGEINELG: VAR USED FOR EXITAGE (FC SC-10)
INFNAME: NAME OF INFORMANT (FC SC-9)

PROBE [X]: PROBABILITY OF EACH PERSON LISTED IN HH (FC SC-12)

MAXRESIDENT: NUMBER OF ELIGIBLE HH MEMBERS (FC SC-12)
TOTPROB: TOTAL PROBABILITY FOR THE HH (FC SC-12)

PERSPROB[X]: PERSONAL PROBABILITY FOR EACH PERSON IN HH (FC SC-12)

CUMPROB[X]: CUMULATIVE PROBABILITY IN HH (FC SC-12)

RChoiceRandom: RANDOM NUMBER CREATED FOR SELECTION (FC SC-12)

SELECTED: USED TO RECORD LINE NUMBER OF SELECTED RESPONDENT (FC SC-13)

RNAME: HHROster.HHPerson[SELECTED].NAME (FC SC-14)
RSEX: HHROster.HHPerson[SELECTED].SEX (FC SC-14)

RSCRNINF: IF SELECTED R=INFORMANT. (FC SC-14)

STDORMRES: IF SELECTED R IS LIVING AWAY AT SCHOOL (FC SC-17b)

RMINOR USED TO DETERMINE IF THE SELECTED RESPONDENT WAS A MINOR SO WE KNEW THAT

WE SHOULD EXPECT TO RECEIVE TWO CONSENT FORMS (INSTEAD OF ONE FOR AN ADULT RESPONDENT). THIS INFORMATION WAS USED TO ASSIST IN LOGGING PROCEDURES (FC SC-16) (ALSO USED IN C7 TO ASSESS AGE OF MAJORITY FOR STATES WHERE IT

DIFFERS FROM THE REST OF THE COUNTRY).

LANG: INTERVIEW LANGUAGE

PROBCELL[X] USED TO DETERMINE TO APPROPRIATE PRELOADSCREEN[X] CELL VALUE TO USE

(PREVIOUSLY ILLUSTRATED ABOVE). BASED ON A CALCULATION DONE USING AGE INDEX,

SEXINDEX, AND RACEINDEX TO DETERMINE THE CORRECT CELL CONTAINING THE SELECTION PROBABILITY (OR MEASURE OF SIZE) FOR EACH HOUSEHOLD MEMBER.

VARIABLES CREATED IN THIS SECTION TO OUTPUT TO DATA FILE

SampleID: 10 DIGIT SAMPLE IDENTIFICATION NUMBER IDENTIFYING HOUSEHOLD

PROJ\_ID: PROJECT (TEXT) DESCRIPTION

DateOfInterview: DATE WHEN SCREENER BEGAN MM/DD/YYYY (FC SC-1)

TimeOfInterview: TIME WHEN SCREENER BEGAN (FC SC-1)

CONTACTATTEMPTDATE: DATE CURRENT SCREENER BEGAN MM/DD/YYYY (FC SC-1)

CONTACTATTEMPTTIME: TIME CURRENT SCREENER BEGAN (FC SC-1)

VERSIONDATE PRELOAD DATAMODEL VERSION DATE FOR THIS CASE (FC SC-1)
VERSIONTIME PRELOAD DATAMODEL VERSION TIME FOR THIS CASE (FC SC-1)

VERSION ASSIGNED IN THE INSTRUMENT AND INCREMENTED BY ONE WHEN A NEW RELEASE IS

SENT TO THE FIELD. (FC SC-1)

CURRENTSECS TOTAL NUMBER OF SECONDS FOR THIS SESSION (FC SC-1)
TOTALSECS TOTAL NUMBER OF SECONDS FOR THIS CASE (FC SC-1)
TOTALMINS TOTAL NUMBER OF MINUTES FOR THIS CASE (FC SC-1)

IWSTARTDATE INTERVIEW START DATE (FC SC-1)
IWCURRDATE INTERVIEW CURRENT DATE (FC SC-1)

TS\_BEGINIW TIME STAMP FOR BEGINNING THE IW (FC SC-1)

#### NSFG HOUSEHOLD SCREENER CRQ for Y1-Y2 (2022-2023)

OMB Number 0920-0314

SEXINDEX[X]: SEX INDEX FOR EACH PERSON LISTED IN RR (FC SC-4b)

AGEINDEX[X]: AGE INDEX FOR EACH PERSON LISTED IN HH (FC SC-4b)

RACEINDEX[X]: RACE INDEX FOR EACH PERSON LISTED IN HH (FC SC-4c)

AGEINELG: VAR USED FOR EXITAGE (FC SC-10)

NAME OF INFORMANT (FC SC-9)

PROB[X]: PROBABILITY OF EACH PERSON LISTED IN HH (FC SC-12)

TOTPROB:
TOTAL PROBABILITY OF EACH PERSON LISTED IN HH (FC SC-12)
PERSPROB[X]:
PERSONAL PROBABILITY FOR THE HH (FC SC-12)
CUMPROB[X]:
CUMULATIVE PROBABILITY IN HH (FC SC-12)
RChoiceRandom:
RANDOM NUMBER CREATED FOR SELECTION (FC SC-12)
SELECTED:
USED TO RECORD LINE NUMBER OF SELECTED RESPONDENT (FC SC-13)
RNAME:
HHROSTER.HHPERSON[SELECTED] NAME (FC SC-14) RNAME: HHRoster.HHPerson[SELECTED].NAME (FC SC-14) HHRoster.HHPerson[SELECTED].SEX (FC SC-14) RSEX:

RSCRNINF: IF SELECTED R=INFORMANT. (FC SC-14)
STDORMRES: IF SELECTED R IS LIVING AWAY AT SCHOOL (FC SC-17B)
PROBCELL[X] USED TO DETERMINE TO APPROPRIATE PRELOADSCREEN[X] CELL VALUE TO USE

(PREVIOUSLY ILLUSTRATED ABOVE). BASED ON A CALCULATION DONE USING AGE INDEX, SEXINDEX, AND RACEINDEX TO DETERMINE THE CORRECT CELL CONTAINING THE SELECTION

PROBABILITY (OR MEASURE OF SIZE) FOR EACH HOUSEHOLD MEMBER.

COMPLETE SCREENER COMPLETION STATUS (FC SC-19) FIELD USED FOR IFMS SCREENER COMPLETION STATUS (FC SC-19) FIELD USED FOR IFMS TIME STAMP FOR ENDING OF IW (FC SC-19) INTERVIEW END DATE (FC SC-19) IWCOMPLETE

TS ENDIW

IWENDDATE IWTOTAL TIME TOTAL OF INTERVIEW (FC SC-19)

### FLOW CHECK SC-1: CONSTRUCT VARIABLE VersionDate

Datamodel version date for this case

#### CONSTRUCT VARIABLE VersionTime

Datamodel version time for this case

#### CONSTRUCT VARIABLE Version

Datamodel version number, incremented by one with each version released to the field

#### CREATE VARIABLE IWSTARTDATE

Used for back-up timings in the event something should go wrong with the adt files.

## CREATE VARIABLE IWCURRDATE

Used for back-up timings in the event something should go wrong with the adt files.

#### CREATE VARIABLE TS BEGINIW

Used for back-up timings in the event something should go wrong with the adt files.

## CREATE VARIABLE CURRENTSECS

Total number of seconds for this session

## CREATE VARIABLE TOTALSECS

Total number of seconds for this case

## CREATE VARIABLE TOTALMINS

Total number of Minutes for this case

### CREATE VARIABLE DateOfInterview:

DateOfInterview=CURRENT DATE MM/DD/YYYY (SYSDATE) OR DATE AT THE TIME OF THE START OF THE SCREENER

#### CREATE VARIABLE TimeOfInterview:

TimeOfInterview=TIME OF SCREENER OR TIME AT THE TIME OF

#### THE START OF THE SCREENER

#### CREATE VARIABLE CONTACTATTEMPTDATE

Current Contact Attempt Date - used to prepopulate the date for the current contact attempt in IFMS

#### CREATE VARIABLE CONTACTATTEMPTTIME

Current Contact Attempt Time - used to prepopulate the time for the current contact attempt in IFMS

#### CREATE VARIABLE WEBSCREEN

Indicator if screener is completed on the web (1=yes,
2=no)

## CREATE VARIABLE TOAAMT FILL

Amount of token of appreciation, \$40/\$60 (Phase 1 or 2) or \$80/\$100 (Phase 3)

Amount of token of appreciation offered for main survey:

IF Y1 Q3/Q4: \$40/\$60/\$80 (Phase 1 or 2)

\$80/\$100/\$120 (Phase 3)

IF Y2 Q1/Q2: \$40/\$60 (Phase 1 or 2)

\$80/\$100 (Phase 3)

(DISPLAY IF FTFMODE=2)

Thank you for participating in the National Survey of Family Growth.

To move through the survey, click [Next] or swipe left to move to the next question.

If you want to go back to a previous question, click [Back] or swipe right.

{ASKED OF ALL

#### SCINTRO

## SC-0. IF WEBSCREEN=1, DISPLAY:

Below we tell you more about the survey and how your information is kept confidential

Notice - CDC estimates the average public reporting burden for this collection of information as 3 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road, MS D-74, Atlanta, GA 30333; ATTN: PRA (0920-0314).

Assurance of Confidentiality - We take your privacy very seriously. All information that relates to or describes identifiable characteristics of individuals, a practice, or an establishment will be used only for statistical purposes. NCHS staff, contractors, and agents will not disclose or release responses in identifiable form without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 U.S.C. 242m) and the Confidential Information Protection and Statistical Efficiency Act (Title III of the Foundations for Evidence-Based Policymaking Act of 2018 (Pub. L. No. 115-435, 132 Stat. 5529 § 302)). In accordance with CIPSEA, every NCHS employee, contractor, and agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you. In addition to the above cited laws, NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. §§ 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks.

#### IF WEBSCREEN=1, DISPLAY:

To move through the survey,  ${f click}$  [Next] or  ${f swipe}$  left to move to the next question.

If you want to go back to a previous question, click [Back] or swipe right. { ASKED OF ALL

#### SCDESCRP

SC-0aa.

We are doing an important study called the National Survey of Family Growth (NSFG). To prepare for this study, we are asking a scientifically selected sample of households to take part in a brief screening survey. Any adult who lives in this household can answer the brief screening survey. Based on the answers to the screening questions, you or someone else in your household may be asked to complete the main NSFG survey. The selected person will receive (TOAAMT\_FILL) as a token of appreciation. Thank you for your help with this important study.

IF WEBSCREEN=1, DISPLAY: Please press [Next] to begin the brief screening survey.]

## FLOW CHECK SC-0a: IF WEB SCREENER (WEBSCREEN=1) ASK SC-0a WSCRLANG, ELSE GO TO SC1 CONFIRMA

{ Asked if web screener (WEBSCREEN=1)

#### WSCRLANG

SC-0a.

Would you prefer to complete this screening survey in English or Spanish?

English.....1 Spanish.....2

{ Asked if web screener (WEBSCREEN=1; FILL AGE BASED ON SAMPLE STATE OF MAJORITY) SCIAGE

SC-0b. Are you [FILL 18/19/21] years of age or older and a member of this household?

## FLOW CHECK SC-0b: IF SC-0b SCIAGE EQ NO ASK SC-0c NEWSCIF, ELSE GO TO SC-1 CONFIRMA

## NEWSCIF

SC-0c.

A household member age [FILL AGE OF MAJORITY] or older is needed to complete this screening survey. Please ask a household member who is at least [FILL AGE OF MAJORITY] years of age to complete this screening survey. Please provide them with the letter and log-in information you received at this address.

Please exit this screening survey.

#### {ASKED OF ALL

#### CONFIRMA

SC-1. IF WEBSCREEN=1, DISPLAY:

Your address is:
 (ADD\_NUM) (STREET) (APT),
 (CITY)
 (STATE), (ZIP)

Is this correct?

IF R SELECTS "No", DISPLAY: Thank you for your time. Please close this window to exit the survey.

IF WEBSCREEN=2, DISPLAY:

☑ Interviewer Checkpoint

If you've entered the wrong sample line or if the wrong address is listed on the screen, please suspend the case by selecting the [Exit] button.

Please re-enter the numeric portion of the street address to continue.

• REMEMBER TO OFFER ADVANCE HOUSEHOLD LETTER AT DOOR.

{NO DK, RF, OR EMPTY. THIS FIELD SHOULD BE DEFINED AS AN AUXFIELD, TO ENSURE THAT THIS IS ASKED/RE-ASKED UPON ENTERING/RE-ENTERING IW.)

SOFT EDIT CHECK SC-1:

IF WEBSCREEN=2 AND CONFIRMA <> ADD\_NUM THEN, DISPLAY:
"If you have entered the wrong sample line, please suspend
this case by pressing [Exit]"

FLOW CHECK SC-1a: IF WEB SCREENER (WEBSCREEN=1) ASK SC-1a INTRO\_ROSTER, ELSE GO TO FLOW CHECK SC-1

{ Asked if web screener (WEBSCREEN=1) INTRO ROSTER

SC-1a. If at any point during this survey you get disconnected, please log back in using the same credentials (provided in the letter).

The next questions are about the people who live in this household.

FLOW CHECK SC-1: IF FTF SCREENER (WEBSCREEN=2) ASK SC-1b INFORMANT, ELSE GO TO FLOW CHECK SC-2

{ Asked if FTF screener (WEBSCREEN=2)

INFORMANT

Who are you talking to now?

Household Member ...... 1
Proxy Reporter ..... 5

UNDERLYING ATTRIBUTES: NODK, NORF

FLOW CHECK SC-2: CREATE TABLE NAMED HHROSter: SET UP AS AN ARRAY TO LOOP UP TO 15 TIMES. CREATE ROW NAMED HHPerson: SET UP AS AN ARRAY TO LOOP

THROUGH NAME[X] TO DORMRES[X]. ENTRY OF 15 PERSONS WITH THEIR CORRESPONDING DEMOGRAPHIC INFORMATION. SUBSEQUENTLY, CREATING VARIABLE NAMES AS HHROster.HHPerson.NAME[X]

## TABLE HHL APPEARS...

	Name	Sex	Age	Age_Range	Race	Hisp	DormRes
HHL[1]							
HHL[2]							
• • • • • •	• • • • • •				• • • • • •		• • • • • •
HHL[14]							
HHL[15]							

{ ASKED OF ALL

#### NAME [X]

## SC-2. IF WEBSCREEN=1, ASK:

Please enter the first name (or initials) of the people who usually live  $\underline{\text{here.}}$  Please include any unmarried children away from home living in a dormitory, fraternity or sorority.

If you need help with any of the questions, please click the ? button on the left.

[IF NAME[1] and SC-1b <>5, ASK:]
Let's start with you, what is your name?

ELSE IF NAME[X] > NAME[1] , ASK:

(Please enter the name (or initials) of the people who usually live here. Please include any unmarried children away from home living in a dormitory, fraternity or sorority.)

What is the next person's name?

### IF WEBSCREEN=2, ASK:

I would like the name (or initials) of the people  $\underline{\text{who usually live here.}}$  Please include any unmarried children away from home living in a dormitory, fraternity or sorority.

Remember that this interview is completely voluntary and confidential.

[IF NAME[1] and SC-1b <>5, ASK:]
Let's start with you, what is your name?

[IF ASK INFORMANT=1 AND IF SC-1b=5, ASK:] What is the first person's name?

ELSE IF NAME[X] > NAME[1] , ASK:

(Please give me the name (or initials) of the people who usually live here? Please include any unmarried children away from home living in a dormitory, fraternity or sorority.)

(What is the next person's name?)

[HELP AVAILABLE]

◆ ENTER FIRST NAME OTHERWISE PRESS "Next" TO CONTINUE.

#### FLOW CHECK SC-3: CONVERT NAME TO UPPERCASE UPON PRESSING ENTER AT NAME [X].

{ ASKED OF ALL

#### SEX[X]

SC-3. IF WEBSCREEN=1, ASK: Are you/Is (NAME[X]) male or female?

IF WEBSCREEN=2, ASK: IF NECESSARY ASK: (Are you/Is (NAME[X]) male or female?)

## EDIT CHECK SC-3: IF RESPONSE NOT GIVEN FOR SC-3, DISPLAY: "Please provide a response."

NOTE: This edit check is treated as a hard check if screening informant does not select a sex for <u>other</u> household members. It is treated as a soft check if the screening informant does not select a sex for themself.

If after soft check, the screening informant still does not answer SC-3 for themself, ask SEX[X]PROMPT.

 $\{ \text{FOR BOTH MODES: IF NAME} [1] \}$  (HH MEMBER WHO IS SCREENING INFORMANT FOR FTF, OR HH MEMBER FOR CAWI) AND SC-3 IS MISSING, THEN ASK:

#### SEX[X]PROMPT

SC-3a. To help with survey selection and to ask questions that may apply to you, are you...

## FLOW CHECK SC-4a: CREATE SEXINDEX[X]

IF SEX[X] OR SEX[X]PROMPT=2(FEMALE) THEN SEXINDEX[X]=1
IF SEX[X] OR SEX[X]PROMPT=1(MALE) THEN SEXINDEX[X]=2
IF SEX[X]PROMPT = 8, THEN SEXINDEX[X]=8

{ ASKED OF ALL

## AGE X[X]

 $SC-\overline{4}$ . IF WEBSCREEN=1, ASK:

How old [IF NAME[X]=1 and SC-1b <>5 THEN "are you"/ IF NAME[X+1] or SC-1b=5 THEN "is (NAME[X])"]?

IF WEBSCREEN=2, ASK:

How old [IF NAME[X]=1 and SC-1b <>5 THEN "are you"/ IF NAME[X+1] or SC-1b=5 THEN "is (NAME[X])"]?

- $\bullet$  if the informant is absolutely unable to provide the age of a household member, enter "[DK]" or "[RF]" and continue to the next screen.
- ◆ ENTER [0] IF LESS THAN 1 YEAR.

UNDERLYING RANGE = 0 TO 120

#### HARD EDIT CHECK SC-0a:

IF HHL = 1 AND AGE\_X[1] < 18 (OR FIRST PERSON LISTED IN THE ROSTER IS NOT 18 YEARS OLD OR OLDER) THEN, DISPLAY:

IF WEBSCREEN=1, DISPLAY: "You must be at least [FILL AGE 18/19/21 BASED ON SAMPLED STATE] years old to complete this

screening survey.

ELSE IF WEBSCREEN=2, DISPLAY: "Informant must be at least [FILL 18/19/21 BASED ON SAMPLED STATE] years old."

IF NEBRASKA OR ALABAMA, FILL "19" FOR AGE. IF MISSISSIPPI, FILL "21" FOR AGE. ELSE, FILL "18".

#### HARD EDIT CHECK SC-0b:

IF HHL = 1 AND AGE\_X[1]= DK OR RF (OR FIRST PERSON LISTED IN THE ROSTER ANSWERS AS DK/RF) THEN, DISPLAY:

""Don't Know" and "Refused" are not accepted for this question. If (this INF/you) cannot or will not provide an answer, you must exit (the screener/this interview) (and find a different INF)"

#### FLOW CHECK SC-4b: CREATE AGE DKRF Flag

{ ASKED IF AGE OF HOUSEHOLD MEMBER NOT REPORTED (AGE\_X[X] = DK or RF) AGE Range[X]

SC-4a. (How old ^NameX2?) Age probes: Is the household member...

14 or under? If yes, select [1]. If no, continue;

[xRange1\_Fill]? If yes, select [2]. If no, continue;

([xRange2\_Fill]? If yes, select [3]. If no, continue;/EMPTY)

[xRange3\_Fill]? If yes, select [4]. If no, continue;

50-54? If yes, select [5]. If no, continue;

55 or older? If select [6].

#### FLOW CHECK SC-4c: CREATE AGE RANGE FILLS:

## REASSIGN AGE X[X] VALUES AS FOLLOWS AFTER CAPTURING AGE RANGE:

If AGE\_Range[X]=1, Set AGE\_X[X]=14
If AGE\_Range[X]=2, Set AGE\_X[X]=16
If AGE\_Range[X]=3, Set AGE\_X[X]=18

If AGE Range[X]=4, Set AGE X[X]=35

If AGE\_Range[X]=5, Set AGE\_X[X]=52
If AGE Range[X]=6, Set AGE X[X]=55

CREATE AGEINDEX[X]:

IF AGE\_X[X]<15 THEN AGEINDEX[X]=0
ELSEIF AGE\_X[X]=15-19 THEN AGEINDEX[X]=1

ELSEIF AGE\_X[X]=20-24 THEN AGEINDEX[X]=2

ELSEIF AGE X[X]=25-44 THEN AGEINDEX[X]=3

ELSEIF AGE\_X[X]=45-TopAgeElig/49¹ THEN AGEINDEX[X]=4 ELSE AGE X[X]> TopAgeElig/49 THEN AGEINDEX[X]=0

IF AGEINDEX[X]=0 THEN GO TO FLOW CHECK SC-4d

ELSE IF AGE-ELIGIBLE (OR AGEINDEX[X]<>0) ASK SC-5 HISP[X].

{ ASKED FOR ALL HH MEMBERS

#### HISP[X]

SC-5. [IF NAME[X]=1 and SC-1b <>5 THEN "Do you"/ IF NAME[X+1] or SC-1b=5 THEN
 "Does(NAME[X])"]consider [IF NAME[X]=1 and SC-1b <>5 THEN "yourself"/ IF
 NAME[X+1] AND SEX[X]=1 THEN "himself"/ IF NAME[X+1] AND SEX[X]=2 THEN
 "herself"] to be Hispanic or Latino?

[HELP AVAILABLE]

Yes.....1 No.....5

FLOW CHECK SC-4c1:IF HISP[X]=1, set RACE = 6 and go to FLOW CHECK SC-4d.

{Asked if HH member not Hispanic or Latino (SC-5 HISP[X] EQ 5) RACE[X]

[HELP AVAILABLE]

◆IF WEBSCREEN=2, READ DROPDOWN LIST:

FLOW CHECK SC-4d: CREATE RACEINDEX[X]

IF HISP[X]=5 (NO) AND RACE[X]=4 (BLACK) THEN RACEINDEX[X]=1 ELSEIF HISP[X]=1 (YES) THEN RACEINDEX[X]=2 ELSE HISP[X]=5 (NO) AND RACE[X]=1 (INDIAN) OR 2 (ASIAN) OR 3 (HAWAIIAN) OR 5 (WHITE) THEN RACEINDEX[X]=3

FLOW CHECK SC-5: CREATE USUALRES[X]

<sup>&</sup>lt;sup>1</sup> This will always be the value preloaded in TopAgeElig.

 $<sup>^2</sup>$  This code is not viewable in the CAPI instrument and is used for assigning a value to RACE[X] when HISP[X] = Yes.

SET USUALRES[X]=1

IF (AGE[X]=>17 AND <=22)

SET USUALRES[X]=2, ASK DORMRES[X] SC-7. ELSE GO TO FC SC-6.

{ Asked if HH member is age 17-22 (AGE[X]=>17 AND <=22) **DORMRES[X]** 

SC-7. [IF NAME[X]=1 and SC-1b <>5 THEN "Do you"/ IF NAME[X+1] or SC-1b=5 THEN
 "Does(NAME[X])"]live in a college or university dormitory, fraternity, or
 sorority during the school year?

Yes.....1 No.....5

FLOW CHECK SC-6: CREATE RACE\_FILL (THIS FILL IS ONLY CREATED FOR THOSE WHERE HHROSTER.HHPERSON[I].AGE X IN [15..TopAgeElig]):

ELSEIF HISP[X] = 1, THEN

RACE FILL = "Hispanic or Latino"

ELSEIF RACE[X] = 2 AND HISP[X]  $\Leftrightarrow$  1, THEN

RACE FILL = "Asian"

ELSEIF RACE[X] = 3 AND HISP[X]  $\Leftrightarrow$  1, THEN

RACE FILL = "Native Hawaiian or other Pacific Islander"

ELSEIF RACE[X] = 4 AND HISP[X]  $\Leftrightarrow$  1, THEN

RACE FILL = "Black or African-American"

ELSE RACE[X] = 5 AND HISP[X] <> 1, THEN
 RACE FILL = "White"

FLOW CHECK SC-7: CREATE INFNAME:

NAME CORRESPONDING TO RESPONSE GIVEN FOR INFORMANT SC-1. INFNAME=HHROster.HHPerson[INFORMANT].NAME

{ ASKED OF ALL

## ENDROSTER

SC-8a.

IF WEBSCREEN=1, ASK:

You have listed: [LIST ALL MEMBERS FROM THE HHROSter.HHPerson, SEPARATED BY COMMAS].

Are there any other members of this household who are currently living in a college or university dormitory, fraternity, or sorority?

If there are no other household members, press [NEXT] to continue.

If there are other household members to enter, press [BACK] to return to the last screen screen and enter additional household members.

IF WEBSCREEN=2, ASK:

Are there any other members of this household who are currently living in a college or university dormitory, fraternity, or sorority?

- IF INFORMANT SAYS THERE ARE NO OTHERS, PRESS [Next] TO CONTINUE.
- ◆ OTHERWISE, IF INFORMANT HAS MORE PEOPLE TO DESCRIBE, PRESS [Back] TO RETURN TO THE ROSTER SCREEN AND ENTER ADDITIONAL HOUSEHOLD INFORMATION.

UNDERLYING RANGE: 1 TO 1

UNDERLYING ATTRIBUTES: NODK, NORF, NOEMPTY

{ ASKED OF ALL

#### VERROSTER

SC-8b. DISPLAYED FOR ALL:

IF WEBSCREEN=1, DISPLAY:

To ensure all the information is entered correctly, please review the list of household members.

Currently, the following members of this household have been listed:

IF WEBSCREEN=2, DISPLAY:

To ensure all the information is entered correctly, let's review the list of household members. Please let me know if any of this information is incorrect.

Currently, the following members of this household have been listed:

DISPLAY FOR BOTH MODES:

IF NAME[1] and SC-1b <>5 THEN:

(X.) You're (NAME[1]) and you're (AGE[X]) years old, (RACE\_FILL), and [Female/Male]

FOR NAME [X] > 1 DISPLAY:

(X.) NAME[X] and (he/she) is (less than 1 year old/1 year old/(AGE[X]) years old), and (RACE FILL).

IF NAME[X] <> EMPTY AND DORMRES[X]=1 AND USUALRES[X]=2, DISPLAY: There is also the following information about others who live here or are away at college:

(X.) NAME[X] and (he/she) is AGE[X] years old, and (RACE FILL].

Is all of the information correct?

IF WEBSCREEN=1, DISPLAY:

If there are other household members to enter, press [Back] to return to the roster screen and enter additional household information.

Yes											1
No.											5

[ASKED OF ALL

#### INTROInfoFix

To make changes to list of household members, click EDIT to move to a household member to edit.

To remove household member, click DELETE. You will be presented with updated list of household members.

Once you make the change, please click "Next" until you reach the household members verification screen again.

FLOW CHECK SC-8: CREATE AGEINELG:

IF ALL AGEINDEX[X]=0, SET AGEINELG=1.

ELSE SET AGEINELG=5,

IF AGEINELG=1 OR IF SEXINDEX[X]=8, ASK EXITAGE SC-9.

ELSE GO TO FLOW CHECK SC-9.

----- TERMINATION SCRIPT -----

{ ASKED IF NO AGE ELIGIBLE HH MEMBERS (AGEINELG=1)

#### EXITAGE

SC-9. Thank you. These are all the questions for you now. On behalf of RTI, the National Center for Health Statistics, and the Department of Health and Human Services, thank you for taking time to help with this screening survey.

```
UNDERLYING RANGE: 1 TO 1
UNDERLYING ATTRIBUTES: NODK, NORF, NOEMPTY
IF WEBSCREEN=2, Go To SC-12 ST_sPhone
IF WEBSCREEN=1, exit
```

#### APPLICATION THRESHOLD

FLOW CHECK SC-9: IF VERROSTER = 1 AND INFORMANT = RESPONSE, THEN PROGRAM BEGINS WITH THE IN HOUSEHOLD SELECTION PROTOCOL. THESE TWO VARIABLES ACT AS THE THRESHOLD FOR CREATING THE RANDOM NUMBER AND SELECTING THE RESPONDENT.

FLOW CHECK SC-10: CREATE PROB[X]:

IF ALL AGEINDEX[X] = 0 OR AGEINDEX[1]=8 SET PROB[X] = 0

CREATE TABLE HHROS SORT:

IMPORT ALL MEMBERS FROM THE HHROSter.HHPerson BLOCK WHO HAVE A
VALUE OF PROB[X] > 0 AND COMPUTE THE FOLLOWING VARIABLES FOR
THESE INDIVIDUALS HAVING THE BLOCK NOTION OF
HHROS SORT.HHPerson[X].:

IF PROB[X] <> 0 THEN

```
IF SEXINDEX[X] = 1 THEN
```

IF AGEINDEX[X] = 1 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = MAA1519

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = MH1519

ELSE RACEINDEX[X] = 3 THEN PROB[X] = MW1519

ELSEIF AGEINDEX[X] = 2 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = MAA2024

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = MH2024

ELSE RACEINDEX[X] = 3 THEN PROB[X] = MW2024

ELSEIF AGEINDEX[X] = 3 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = MAA2544

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = MH2544

ELSE RACEINDEX[X] = 3 THEN PROB[X] = MW2544

ELSEIF AGEINDEX[X] = 4 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = MAA4549

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = MH4549

ELSE RACEINDEX[X] = 3 THEN PROB[X] = MW4549

ELSE SEXINDEX[X] = 2 THEN

IF AGEINDEX[X] = 1 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = FAA1519

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = FH1519

ELSE RACEINDEX[X] = 3 THEN PROB[X] = FW1519

ELSEIF AGEINDEX[X] = 2 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = FAA2024

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = FH2024

ELSE RACEINDEX[X] = 3 THEN PROB[X] = FW2024

ELSEIF AGEINDEX[X] = 3 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = FAA2544

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = FH2544

ELSE RACEINDEX[X] = 3 THEN PROB[X] = FW2544

ELSEIF AGEINDEX[X] = 4 THEN

IF RACEINDEX[X] = 1 THEN PROB[X] = FAA4549

ELSEIF RACEINDEX[X] = 2 THEN PROB[X] = FH4549
ELSE RACEINDEX[X] = 3 THEN PROB[X] = FW4549

CREATE MAXRESIDENT: NUMBER OF PEOPLE THAT NOW MAKE UP THE HHROS SORT.HHPerson[X]. TABLE.

## CREATE TOTPROB:

TOTPROB=PROB[1] + PROB[2] +

. . .

+ PROB[MAXRESIDENT]

## CREATE PERSPROB[X]:

PERSPROB[X]=PROB[X]/TOTPROB

### CREATE CUMPROB[X]:

CUMPROB[1]=PERSPROB[1]

CUMPROB[2]=PERSPROB[1]+PERSPROB[2]

CUMPROB[3]=PERSPROB[1]+PERSPROB[2]+PERSPROB[3]

. . .

CUMPROB[MAXRESIDENT] = (3CUMPROB[1]...CUMPROB[MAXRESIDENT])

#### CREATE RChoiceRandom:

CUMPROB [X] creates and stores the value that is used with the randomly generated number (RchoiceRandom) to select the respondent. I have illustrated how this variable is created, below in Figure 1. An additional note, if the HH member is ineligible the CumProb[X] is set to equal CumProb[X-1] and their PersProb is set to 0. This is done to force the program to skip or ignore these individuals in the section of the respondent and the last eligible HHmember is always set to have a value of 1 (as seen in Figure 2).

Figure 1

$$CumProb[1] = \frac{PersProb[1]}{TotProb}$$

X = 2 to MaxResident

$$CumProb[\mathbf{X}] = \frac{PersProb[\mathbf{X}]}{TotProb + CumProb[\mathbf{X}-1]}$$

	Figure 2										
HH Member	CumProb	PersProb									
1	0.232	1.00									
2	0.464	1.00									
3	0.696	1.00									
4 5	0.696 0.890	0.00 0.84 < Ineligible HH Member									
6	1.000	0.47									

TotProb=	4.31
----------	------

#### FLOW CHECK SC-11: CREATE SELECTED:

STARTING WITH THE FIRST LINE, CHECK EACH CUMPROB AGAINST RChoiceRandom UNTIL RChoiceRandom IS LESS THAN OR EQUAL TO CUMPROB. DO THIS UNTIL THE CONDITION IS MET. WHEN RChoiceRandom IS LESS THAN OR EQUAL TO CUMPROB THEN THE LINE NUMBER SHOULD BE INSERTED INTO THE VARIABLE SELECTED.

SELECTED = 0

IF MAXRESIDENT = 1 AND ELIGIBLE[X] = 1 THEN

SELECTED = ELIGIBLE[1] {ONLY ONE ELIGIBLE PERSON IN HOUSEHOLD}
ELSEIF MAXRESIDENT > 1 THEN

IF (RChoiceRandom#CUMPROB[X]) AND (CUMPROB[X] > 0) THEN
 SELECTED = ELIGIBLE[X]

{IF RChoiceRandom>CUMPROB[1] THEN CONTINUE TO NEXT CUMPROB[X]

. . . . . .

SELECTED= ResHHL[X]

UNTIL A CUMPROB[ResHHL[X]] IS SELECTED AND CYCLED THROUGH
ALL CUMPROB[X]}

ELSE SELECTED = 0

FLOW CHECK SC-12: CREATE RNAME: RNAME = HHROster.HHPerson.[SELECTED].NAME

CREATE RSEX: RSEX = HHRoster.HHPerson.[SELECTED].SEX

CREATE RSCRNINF: RSCRNINF = 1 IF SELECTED = INFORMANT AND

ASK\_INFORMANT = 1, ELSE RSCRNINF = 5.

INFORMANT =HHRoster.HHPerson.[INFORMANT].NAME

FLOW CHECK SC-13: IF HHRoster.HHPerson[SELECTED].DORMRES=1 (YES) and WEBSCREEN=2 (FTF screener),

ASK EXITSCR1 SC-10.

ELSE GO TO FLOW CHECK SC-14.

{ ASKED IF SELECTED HH MEMBER IS A DORM RESIDENT

## EXITSCR1

SC-10. Thank you for your time. (RNAME) has been selected to provide additional information for this study. Is (RNAME) currently away at school or college?

Yes.....1 No.....5

UNDERLYING ATTRIBUTES: NODK, NORF

FLOW CHECK SC-14: CREATE RMinor

RMinor = 1 WHEN

([HHRoster.HHPerson[SELECTED].AGE <= 17] OR

[(HHRoster.HHPerson[SELECTED].AGE <= 18 AND (State=NEBRASKA OR ALABAMA)] OR

[(HHRoster.HHPerson[Selected].AGE X <= 20) AND UPPERCASE(State)

#### = 'MISSISSIPPI']

#### ELSE SET RMinor = 5

## IF WEBSCREEN=2, ASK SC-11 (all FTF go to SC-11) ELSE GO TO FLOW CHECK SC-15 (all web screeners go to SC-15)

{ ASKED IF FTF screener (WEBSCREEN=2) EXITSCR2 SC-11. IF RMINOR = 5 AND EXITSCR1 = EMPTY, ASK: Thank you for your time. (RNAME) has been selected to provide additional information for this study. May I speak to (RNAME) now? IF SELECTED R IS THE INFORMANT: Thank you for your time. You have been selected for the study. May we begin the interview now? IF RMINOR = 1 AND EXITSCR1 = EMPTY, ASK: Thank you for your time. (RNAME) has been selected to provide additional information for this study. May I speak to a parent or guardian of (RNAME) now? IF RMINOR = 5 AND EXITSCR1 = 5, ASK: May I speak to (RNAME) now? IF RMINOR = 1 AND EXITSCR1 = RESPONSE, ASK: May I speak to a parent or quardian of (RNAME) now? Yes.....1 No.....5 UNDERLYING ATTRIBUTES: NODK, NORF { ASKED IF FTF screener (WEBSCREEN=2) ST sPhone (Phone) SC-12. IF AGEINELIG=1, ASK: We may need to verify later that this screening survey was conducted by a household member for the correct address. For this reason, will you provide a phone number? ELSE: May I have a telephone number to contact you in case my supervisor needs to verify my work? ◆IF WEBSCREEN=2:IF YOU CANNOT GET A PHONE NUMBER AFTER PROMPTING, ENTER ALL 9s. UNDERLYING ATTRIBUTES: NODK, NORF { ASKED IF FTF screener (WEBSCREEN=2) LANG ☑ Interviewer Checkpoint: SC-13. Please code the likely interview language. English.....1 Spanish.....2

Other.....4
UNDERLYING ATTRIBUTES: NODK, NORF

FLOW CHECK SC-15: IF WEBSCREEN=1 or 2 and RSCRINF=1 (informant is selected R), ASK SC-14 WEXITSCRC.

ELSE IF WEBSCREEN=1 or 2 and RSCRNINF=5 (informant is not selected R) AND RMINOR=1 (other HH member selected is a minor), ASK SC-15 WEXITSCPG.

ELSE IF WEBSCREEN=1 or 2 and RSCRNINF=5 (informant is not selected R) and RMINOR=5 (other HH member selected who is NOT a minor), ASK SC-18 WEXITSCR2.

{ASKED IF INFORMANT SELECTED (WEBSCREEN=1 OR 2 AND RSCRINF=1) **WEXITSCRC** 

SC-14. Please confirm your contact information [IF WEBSCREEN=1, FILL: to reach you about the survey and provide your [TOAAMT\_FILL] token of appreciation/IF WEBSCREEN=2, FILL: in case we need to reach you by phone or email].

What is your phone number, so we can text or call?

♦ [IF SCREENING INFORMANT NUMBER GIVEN IN ST\_sPhone, PREFILL NUMBER IN ANSWER FIELD AND DISPLAY: You provided this number. Please verify./ELSE, DISPLAY: Enter your phone number (XXX-XXX-XXXX)

IF BLANK: DISPLAY PROMPT TEXT AND OFFER DK/PREFER NOT TO ANSWER OPTIONS: Please select a response.

DON'T KNOW

PREFER NOT TO ANSWER

What is your email address?

♦ Enter your email address (example@mail.com)

IF BLANK: DISPLAY PROMPT TEXT AND OFFER DK/PREFER NOT TO ANSWER OPTIONS: Please select a response.

\_\_ DON'T KNOW

\_\_ PREFER NOT TO ANSWER

FLOW CHECK: IF WEBSCREEN=2 (FTF), GO TO FLOW CHECK SC-17b.

ELSE, IF WEBSCREEN=1 (WEB) CONTINUE WITH WEXITSCRC2 (SC-14b).

{ ASKED IF WEB SCREENER AND INFORMANT SELECTED FOR MAIN INTVW} WEXITSCRC2

SC-14b. Just in case, below is your survey log-in information you will need for the NSFG survey (please write it down).

Web site:

Passcode:

Would you like to begin your NSFG survey now?

Yes..... (Launch Main)

{Continue to Main survey if WEXITSCRC2=1}

## LaunchMain

Please click "Next" to continue to the next survey.

#### FLOW CHECK SC-16: GO TO SC-19 WLANG

{ASKED IF MINOR HH MEMBER SELECTED (WEBSCREEN=1 OR 2 AND RSCRINF=5 AND RMINOR=1) **WEXITSCRPG** 

SC-15.

Since [Name of selected household member] is under [AGE OF MAJORITY"] years of age we need permission from their parent or legal guardian in order to proceed. Are you the parent or legal guardian of [Name of selected household member]?

Yes.....1 No.....5

FLOW CHECK SC-17: IF SC-15 WEXITSCRPG EQ 1 (YES), GO TO PARENT PERMISSION ITEM (PGPERMISSION, SC-15a)

ELSE (SC-15 WEXITSCRPG EQ 5 (NO), ASK SC-16 WEXITSCRPG2

{ASKED IF WEBSCREEN=1 OR 2 AND INFORMANT IS NOT THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R (WEXITSCRPG=1)

#### WEXITSCRPG2

SC-16.

Please indicate which household member is a parent or legal guardian of [Name of selected household member] who can be asked for permission for [Name of selected household member] to take part in this survey

(List of household members >= 18 is displayed for informant to choose from). Last option (#16) is: "Parent or legal guardian is not in household")

{IF INFORMANT IS NOT THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R WEXITSCRPG=5(no) AND option (#16) "Parent or legal guardian is not in household" is selected in WEXITSCRPG2, GO TO THANK3 IF WEBSCREEN=1, ELSE FLOW CHECK SC-17b IF WEBSCREEN=2}

{ASKED IF WEBSCREEN = 1 OR 2 AND INFORMANT IS NOT THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R (WEXITSCRPG=1) AND PARENT OR LEGAL GUARDIAN WAS SELECTED FROM HOUSEHOLD ROSTER IN WEXITSCRPG2 (SC-16)

#### WEXITSCRPG3

SC-17b. Is [household member named in WEXITSCRPG2] available now to give permission for [Name of selected youth household member] to participate in the survey?

{ASKED IF WEBSCREEN = 1 OR 2 AND INFORMANT IS NOT THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R (WEXITSCRPG=1 AND HOUSEHOLD MEMBER SELECTED IN WEXITSCRPG2 IS NOT AVAILABLE (WEXITSCRPG3=2 (NO))

## WSCRPGPE

SC-17.

Please provide contact information for us to reach [household member named in WEXITSCRPG2] to request permission for [Name of selected household member] to participate in this survey and receive (TOAAMT FILL).

What is [household member named in WEXITSCRPG2]'s phone number, so that we can text or call?

ullet Enter [household member named in WEXITSCRPG2]'s phone number (XXX-XXX-XXXX)

IF BLANK: DISPLAY PROMPT TEXT AND OFFER DK/PREFER NOT TO ANSWER
OPTIONS: Please select a response.
\_\_ Don't know
\_ Prefer not to answer

What is [household member named in WEXITSCRPG2]'s email address?

◆ Enter [household member named in WEXITSCRPG2]'s email address (example@mail.com)

IF BLANK: DISPLAY PROMPT TEXT AND OFFER DK/PREFER NOT TO ANSWER
OPTIONS: Please select a response.
\_\_ Don't know
\_ Prefer not to answer

{FTFEXIT HARD CHECK DISPLAYED IF WEBSCREEN=2 AND PARENT/GUARDIAN NOT AVAILABLE (WEXITSCRPTG=2): FI: PARENT/GUARDIAN PERMISSION IS NEEDED TO CONTINUE. BREAKOFF SCREENER. ARRANGE TIME TO RETURN, RESUME SCREENER, AND OBTAIN PERMISSION.

#### WEXITSCRPG4

SC-17c. Thank you for completing the screening survey. Please ask [household member who is named in WEXITSCRPG2] to complete the last question now to give permission for [Name of selected youth household member] to participate in the survey.

(GO TO PGPERMISSION)

{ASKED IF WEBSCREEN=1 OR 2 AND HH MEMBER SELECTED IS NOT A MINOR (WEBSCREEN=1 AND RSCRINF=5 AND RMINOR=5)

## WEXITSCR2

SC-18.

Thank you for your time. [Name of selected household member] has been selected to take part in this study. Please provide contact information for us to reach [Name of selected household member] [IF WEBSCREEN=1, FILL: about participating in the survey and receiving [TOAAMT\_FILL]/IF WEBSCREEN=2, FILL: by phone or email to follow-up about the survey if needed].

What is [selected household member]'s phone number, so that we can text or call?

♦ Enter [selected household member]'s phone number (XXX-XXX-XXXX)

IF BLANK: DISPLAY PROMPT TEXT AND OFFER DK/PREFER NOT TO ANSWER
OPTIONS: Please select a response.
\_\_\_ Don't know
 Prefer not to answer

What is [selected household member]'s email address?

◆ Enter [selected household member]'s email address (example@mail.com)

ΙF	BLANK:	DISPLAY	PROMPT	TEXT	AND	OFFER	DK/PREFER	NOT	TO	ANSWER
OP:	TIONS:	Please se	elect a	respo	onse.	•				
	Don't	know								
	Prefer	not to a	answer							

[IF WEBSCREEN=1, GO TO WLANG; IF WEBSCREEN=2, GO TO FLOW CHECK SC-17b]

{ASKED IF WEBSCREEN=1 OR 2 AND INFORMANT IS THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R (WEXITSCRPG=1) OR IF WEBSCREEN=1 OR 2 AND PARENT/LEGAL GUARDIAN IS IN THE HH AND AVAILABLE TO GIVE PERMISSION (WEXITSCRPG3(SC-17b)=1, YES)}
PGPERMISSION

SC-15a.

[IF WEBSCREEN=2 (FTF) AND WEXITSCRPG3=1, DISPLAY: FI: THANK SCREENING R FOR HIS/HER TIME. THEN COMPLETE PERMISSION WITH PARENT/GUARDIAN OF SELECTED TEEN.]

Your teenager has been selected to participate in the National Survey of Family Growth (NSFG). The survey has questions on a wide range of topics, including family life, marriage, family planning, sexual experience, pregnancy, health and health care. The information will be used to help understand health and health behaviors in the U.S.

The survey lasts about 45 minutes. Your teenager will receive **[TOAAMT\_FILL]** as a token of appreciation for their help in this survey. This monetary token of appreciation is not based on your teenager's time spent on the survey.

By federal law, your teenager's answers are confidential. Your teenager's answers will be used for statistical analyses only and will not be shared with you or other family members. [FILL IF FTF: This brochure, which you may have seen earlier, answers questions people sometimes ask about the survey.] [FILL IF WEB: The brochure you received in the mail with your survey log-in information answers questions people sometimes ask about the survey.]

Giving your permission does not mean that your teenager has to do the survey. Your teenager is free to decide to do the survey or not. Saying yes or no to taking part in the survey will not change any benefits you or your teenager gets now or in the future. Your teenager may choose not to answer any question for any reason and may stop the survey at any time.

[FILL IF WEB: If you would like to access the more detailed parental permission information, please click [?]. To print this page, select [Ctrl+P] or use your preferred mobile printing option.]]

Do we have your permission to ask your teenager to participate in the survey?

Yes,	you	may	ask	mу	teenager	to	take	part	in	the	survey	and
		rec	ceive	e [ <b>1</b>	COAAMT_FII	LL].						

 $\hfill\Box$  No, you may not ask my teenager to take part in the survey.

[IF WEBSCREEN=2 (FTF): FI: COLLECT PARENT/GUARDIAN SIGNATURE

Parent's/Guardian's Signature [SCRPGsign]

#### [ALL]:

[IF WEBSCREEN=1, DISPLAY ONSCREEN INSTRUCTION: TO CONFIRM YOUR PERMISSION ENTER YOUR NAME AND YOUR CHILD'S NAME.

We take your privacy very seriously! Information collected in the NSFG is used only for statistical purposes. Names and addresses are never on anything that NCHS releases or shares.

Parent's/Guardian's First Name
[WEXITSCRPGname]

Teenager's First Name
[WEXITSCRTNname]

Teenager's Last Name
[WEXITSCRTNlast]

[PROMPT WEB R IF MISSING PARENT/GUARDIAN FIRST OR LAST NAME OR TEEN FIRST OR LAST NAME: We must have both your printed <u>first and last name</u> and your <u>teen's</u> printed <u>first and last name</u> to indicate you give permission for survey participation.] IF PARENT/GUARDIAN STILL LEAVES NEEDED FIELDS BLANK, TREAT AS PERMISSION NOT GIVEN (PGPERMISSION=2 (no) AND GO TO THANK1 IF WEBSCREEN=1 ELSE TO FLOW CHECK SC-17b IF WEBSCREEN=2.]

[SHOW FULL PARENT/GUARDIAN PERMISSION UNDER [?] HELP BUTTON IF SELECTED]

{IF WEBSCREEN=1 OR 2 AND INFORMANT IS THE PARENT OR LEGAL GUARDIAN OF SELECTED MINOR R AND PGPERMISSION= 2(no), GO TO THANK1 IF WEBSCREEN=1 ELSE TO FLOW CHECK SC-17b IF WEBSCREEN=2; IF WEBSCREEN=1 OR 2 AND ADULT HOUSEHOLD MEMBER SELECTED AS PARENT OR LEGAL GUARDIAN IN SC-16 DOES NOT GIVE PERMISSION (PGPERMISSION=2(no)), GO TO THANK1 IF WEBSCREEN=1 ELSE TO FLOW CHECK SC-17b IF WEBSCREEN=2. ELSE, IF WEBSCREEN=1 OR 2 AND PARENT/GUARDIAN GIVES PERMISSION (WEXITSCRPT1=1(yes), GO TO WSCRPGPEO TO GET TEEN CONTACT INFO.}

#### WSCRPGPE0

SC-15f.

Please provide contact information for us to reach [Name of selected teenage household member] about participating in this survey and receiving [TOAAMT FILL].

What is [Name of selected teenage household]'s phone number, so that we can text or call?

◆ Enter [selected teenage household member]'s phone number (XXX-XXX-XXXX)

IF BLANK	: DISPLAY	PROMPT	TEXT	AND	OFFER	DK/PREFER	NOT	TO	ANSWER
OPTIONS:	Please se	elect a	respo	onse.					
Don't	know								
Prefer	not to a	answer							

What is [Name of selected teenage household]'s e-mail address?

◆ Enter [selected teenage household member]'s email address (example@mail.com)

IF BI	LANK:	DISPLAY	PROMPT	TEXT	AND	OFFER	DK/PREFER	NOT	TO	ANSWER
OPTIC	ONS: 1	Please se	elect a	respo	onse.					
Do	on't 1	know								
Pı	refer	not to a	answer							

{IF WEBSCREEN=1, GO TO WLANG; IF WEBSCREEN=2, GO TO FLOW CHECK SC-17b}

{ ASKED IF WEB SCREENER (WEBSCREEN=1), IF [WEXITSCRPG2=NO]

#### THANK1

Thank you very much for completing the household screening survey. We understand that you may have concerns about [Name of selected household member] participating in the National Survey of Family Growth. If there are any questions we can answer, please send us an email to [surveyhelpdesk@rti.org] or call us at [800-262-4494].

Please click "Submit" to save your answers.

{ ASKED IF WEB SCREENER (WEBSCREEN=1), ANOTHER HOUSEHOLD MEMBER IS SELECTED AND THAT PERSON IS UNDER AGE 18}

#### THANK2

Thank you very much for completing the household screening survey. [DISPLAY IF HH MEMBER WHO IS PARENT/GUARDIAN IS NOT AVAILABLE TO GIVE PARENT PERMISSION: Please let [Name of household member, number selected in WEXITSCRPG2] know that we will be contacting [her/him] to ask for permission.]

Please click "Submit" to save your answers.

{Asked if web screener (WEBSCREEN=1)

#### WLANG

SC-19.

Please enter (your/ selected household member NAME]'s) likely preferred language for the main interview [IF WEXITSCRCS=2 (NO), FILL: when it is started later]. English or Spanish are available.

{ ASKED IF SC-14b WEXITSCRC2 = 5 (no) }

#### WEBEXIT

Thank you very much for completing the household screening survey. You can log back in and complete your NSFG survey at any time using the Website and passcode we provided during this survey.

Please click "Submit" to save your answers.

{ ASKED IF WEBSCREEN=1 AND WEXITSCRPG2 = 16(no parent or legal guardian in household)}

#### THANK3

Thank you very much for completing the household screening survey.

Please click "Submit" to save your answers.

{ ASKED IF WEB SCREENER (ANOTHER HOUSEHOLD MEMBER SELECTED AND IS NOT A MINOR) OR (ANOTHER HOUSEHOLD MEMBER IS SELECTED AND THAT PERSON IS UNDER AGE 18 AND PARENT/LEGAL GUARDIAN GIVES PERMISSION FOR YOUTH (PGPERMISSION=1, yes)}

#### THANK4

Thank you very much for completing the household screening survey. Please let [Name of selected household member] know that we will be contacting [her/him] for the National Survey of Family Growth and that [he/she] will receive [TOAAMT\_FILL] for completing the survey.

Please click "Submit" to save your answers.

{ ASKED IF WEB SCREENER AFTER "SUBMIT" TO SAVE ANSWERS

## ThankYou

Thank you! Your answers have been saved.

Please contact us at <800-262-4494> or at <surveyhelpdesk@rti.org> if you have any questions.

You may now exit this screening survey.

## FLOW CHECK SC-17b:

Create Constructed Variable STLANG for harmonizing response options in LANG to list seen in IFMS:

IF LANG OR WLANG= English THEN
STLANG = English

ELSE IF LANG OR WLANG= Spanish THEN
STLANG = Spanish

ELSEIF LANG = Other THEN
STLANG = Other

ELSEIF LANG OR WLANG = Unknown THEN
STLANG = Unknown

ENDIF

{ Asked if FTF screener (WEBSCREEN=2)

## SCOBS 2

SC-21.

☑ Interviewer Checkpoint

Do you think the selected respondent is in a current sexual relationship with an opposite-sex partner?

Please press [?] for a list of factors that tend to increase the probability of the selected respondent being in a current sexual relationship with an opposite-sex partner.

#### [HELP AVAILABLE]

{ Asked if FTF screener (WEBSCREEN=2)

## SCOBS 3

SC-22. Interviewer checkpoint:

What is the probability of getting the main interview?

High .....1
Medium ....2
Low .....3

UNDERLYING ATTRIBUTES: NODK, NORF

{ Asked if FTF screener (WEBSCREEN=2)

#### SCCOMPLETE

SC-23. 
☑ Interviewer checkpoint:

You have reached the end of the NSFG Screener.

FI: Thank screening R for completing the survey.

IF PGPERMISSION=NO OR PARENT/GUARDIAN DID NOT PROVIDE REQUIRED FIRST AND LAST NAMES, DISPLAY: Parent/guardian permission was not given/completed for selected teen. Do not approach teen about survey.

## NSFG HOUSEHOLD SCREENER CRQ for Y1-Y2 (2022-2023)

OMB Number 0920-0314

ELSE DISPLAY: Try to proceed immediately with main survey for selected household member.

UNDERLYING RANGE = 1 TO 1

UNDERLYING ATTRIBUTES: NODK, NORF, NOEMPTY

# PARENT / LEGAL GUARDIAN PERMISSION [This full text is only shown if the above [?] link is clicked in PGPERMISSION, SC-15a]

Your teenager has been selected to participate in the National Survey of Family Growth (NSFG). This study is being done for the U.S. National Center for Health Statistics by RTI International (RTI), a nonprofit research organization. The survey has questions on a wide range of topics, including family life, marriage, family planning, sexual experience, pregnancy, health and health care. The survey will only ask questions that apply to your teenager. The information will be used to help understand health and health behaviors in the U.S. The survey lasts about 45 minutes. Answers to the questions will be entered [FILL IF WEB: online; IF FTF: into a tablet computer].

Your teenager has been scientifically selected to represent thousands of other teenagers across the country. Your teenager's participation is very important and helps the survey results to be accurate for all teenagers. Your teenager will receive \$[FILL AMOUNT] as a token of appreciation for their help in this survey. This monetary token of appreciation is not based on your teenager's time spent on the survey.

By Federal law, your teenager's answers are confidential\*. We take all possible steps to protect your teenager's and your family's privacy. Your teenager's answers will be used for statistical analyses only and will not be shared with you or other family members. Information is only presented in summary form. Individuals or families cannot be identified. To keep your teenager's answers confidential, it is important they do the survey in a private setting. [FILL IF FTF: This brochure, which you may have seen earlier, answers questions people sometimes ask about the survey.] [FILL IF WEB: The brochure you received in the mail with your survey log-in information answers questions people sometimes ask about the survey.]

Giving your permission does not mean that your teenager has to do the survey. It just means that we have your permission to ask your teenager to participate. Your teenager is free to decide to do the survey or not. Saying yes or no to taking part in the survey will not change any benefits you or your teenager gets now or in the future. For most people, the survey is interesting and enjoyable. Some of the questions in the survey may be sensitive for some people. Your teenager may choose not to answer any question for any reason and may stop the survey at any time.

You may have questions about your teenager's rights as a participant in this survey. If so, please call the office of the Ethics Review Board at the National Center for Health Statistics, toll-free, at 1-800-223-8118. Please leave a brief message with your name and phone number. Say that you are calling about Study Number 2021-07. Your call will be returned as soon as possible. If you have other questions about the NSFG, you may call Dr. Anjani Chandra or Dr. Gladys Martinez, toll-free, at NCHS: 1-866-227-8347, or visit the NSFG webpage: <a href="https://www.cdc.gov/nchs/nsfg.htm">www.cdc.gov/nchs/nsfg.htm</a>.

I have read the study letter and brochure. You may ask my teenager to take part in the study.

\*One important law that protects your confidentiality is Section 308(d) of the Public Health Service Act (42 U.S.C. 242m(d)). The other two laws are the Confidential Information Protection and Statistical Efficiency Act (CIPSEA, Title III of Public Law 115-435) and the Privacy Act of 1974 (5 U.S.C. 552a). Section 306 of the Public Health Service Act (42 U.S.C. 242k) allows us to carry out this survey. Transmissions across the internet into Federal information systems may be monitored for cybersecurity purposes in accordance with the Cybersecurity Enhancement Act of 2015 (6 U.S.C. §§ 151 and 151 note). In addition to the above cited laws, NCHS complies with the Federal Cybersecurity Enhancement Act of 2015 (6 U.S.C. §§ 151 and 151 note) which protects Federal information systems from cybersecurity risks by screening their networks.

\_\_\_\_\_\_

FLOW CHECK SC-18: RE-SORT NAMES IN TABLE SO THAT THE R SELECTED IS AT THE TOP OF THE LIST WITH THE FOLLOWING INFORMATION WITHIN EACH INDEX OF HHRos Sort.HHPerson[INDEX#]: NAME, SEX, AGE, HISP, RACE, AGEINDEX, SEXINDEX, AND RACEINDEX. THE RE-SORTING OF THIS INFORMATION ALLOWS FOR THE IN INFORMTION THAT IS READ INTO SECTION A ROSTER TO LIST THE RESPONDENT AT THE TOP OF THE LIST.

#### CREATE TABLE HHRos Sort:

HHRos Sort.HHPerson[1] = HHRoster.HHPerson[SELECTED] HHRos Sort.HHPerson[#+1] = HHRoster.HHPerson[I]

HHRos Sort.HHPerson[15] = HHRoster.HHPerson[15]

## FLOW CHECK SC-19: CREATE IWCOMPLETE & COMPLETE

IF (SCComplete <> EMPTY AND SCComplete = 1) (ExitAge <> EMPTY AND EXITAGE = 1) THEN

> IWCOMPLETE := 1 COMPLETE := 1

ELSE

IWCOMPLETE := EMPTY COMPLETE := EMPTY

ENDIF

#### CREATE VARIABLE TS ENDIW

Time stamp for ending of iw - Used for back-up timings in the event something should go wrong with the adt files.

### CREATE VARIABLE IWENDDATE

Interview end date - Used for back-up timings in the event something should go wrong with the adt files.

#### CREATE VARIABLE IWTOTAL

Time total of interview - Used for back-up timings in the event something should go wrong with the adt files.

#### CONDITIONS FOR SPAWNING A MAIN LINE IN IFMS:

WHEN AN R IS "NOT" ELIGIBLE FOR AN INTERVIEW, WE SHOULD NOT SPAWN: IF AGEINELG < 2 AND (EXITAGE = 1 OR (IWComplete = 1 AND IWComplete <> empty)) AND action = "Blaise complete"

#### WHEN AN R IS ELIGIBLE FOR AN INTERVIEW WE SHOULD SPAWN:

IF (AGEINELG > 1) AND (LANG <> EMPTY OR (IWComplete = 1 AND IWComplete <> empty))

## VARIABLES (ASKED OR DEFINED IN THIS SECTION) TO BE PASSED FORWARD

DateOfInterview: DATE WHEN SCREENER BEGAN MM/DD/YYYY (FC SC-1)

TimeOfInterview: TIME WHEN SCREENER BEGAN (FC SC-1)

PRELOAD DATAMODEL VERSION DATE FOR THIS CASE (FC SC-1)
PRELOAD DATAMODEL VERSION TIME FOR THIS CASE (FC SC-1) VERSIONDATE PRELOAD DATAMODEL VERSION TIME FOR THIS CASE (FC SC-1) VERSIONTIME NSFG\_CURSECS NSFG\_TOTSECS TOTAL NUMBER OF SECONDS FOR THIS SESSION (FC SC-1) TOTAL NUMBER OF SECONDS FOR THIS CASE (FC SC-1)

STATE 50 CHAR STRING State were interview was being conducted

AGEINELG: VAR USED FOR EXITAGE (FC SC-10)

INFNAME INFNAME=HHRoster.HHPerson[INFORMANT].NAME (FROM FC SC-9)

MAXRESIDENT: NUMBER OF ELIGIBLE HH MEMBERS (FC SC-12)
PERSPROB[X]: PERSONAL PROBABILITY FOR EACH PERSON IN HH (FC SC-12)
CUMPROB[X]: CUMULATIVE PROBABILITY IN HH (FC SC-12)

#### NSFG HOUSEHOLD SCREENER CRQ for Y1-Y2 (2022-2023)

OMB Number 0920-0314

RChoiceRandom: RANDOM NUMBER CREATED FOR SELECTION (FC SC-12)

SELECTED: USED TO RECORD LINE NUMBER OF SELECTED RESPONDENT (FC SC-13)

RNAME: HHRoster.HHPerson[SELECTED].NAME (FC SC-14)

ADD\_NUM ADDRESS NUMBER (STRING LENGTH 20)
STREET STREET NAME (STRING LENGTH 40)
APT APARTMENT NUMBER (STRING LENGTH 30)

CITY CITY (STRING LENGTH 30)

ZIP CODE (STRING LENGTH 10 [9 + MASK])
RSEX: HHRoster.HHPerson[SELECTED].SEX (FC SC-14)

RSCRNINF: IF SELECTED R=INFORMANT. (FC SC-14)

HHRos Sort.HHPerson.NAME[X] NAME[X]: HHRos Sort.HHPerson.SEX[X] SEX[X]: HHRos Sort.HHPerson.AGE[X] AGE[X]: RACE[X]: HHRos Sort.HHPerson.RACE[X] HISP[X]: HHRos Sort.HHPerson.HISP[X] HHRos Sort.HHPerson.USUALRES[X] USUALRES[X]: DORMRES[X]: HHRos Sort.HHPerson.DORMRES[X] HHRos Sort.HHPerson.AGEINDEX[X] AGEINDEX[X]: HHRos Sort.HHPerson.SEXINDEX[X] SEXINDEX[X]: HHRos Sort.HHPerson.RACEINDEX[X] RACEINDEX[X]:

STDORMRES IF SELECTED R IS LIVING AWAY AT SCHOOL

LANG: INTERVIEW LANGUAGE

IWCOMPLETE SCREENER COMPLETION STATUS (FC SC-19) FIELD USED FOR IFMS

SCOBS 2 SC-15 EXPORT THIS VARIABLE TO IFMS AND STORE WITH OTHER CONTACT

OBSERVATIONS (AT THE SAMPLE LINE LEVEL IN IFMS)

SCOBS 3 SC-16 EXPORT THIS VARIABLE TO IFMS AND STORE WITH OTHER CONTACT

OBSERVATIONS (AT THE SAMPLE LINE LEVEL IN IFMS)

CONTACTATTEMPTDATE EXPORT THIS VARIABLE TO IFMS FOR USE IN CALL WIZARD

CONTACTATTEMPTTIME EXPORT THIS VARIABLE TO IFMS FOR USE IN CALL WIZARD

TopAgeElig UPPER SCREENER AGE RANGE LIMIT OF R'S ELIGIBLE FOR NSFG

[NOTE: FOR WEB SCREENERS (FTFMODE=2) and WEB MAIN INTERVIEWS, THE FOLLOWING TIME OUT TEXT IS USED:

Your survey session has expired. Please do not refresh this page.

To get back in the survey, please use the website and login information provided in your invitation letter.]