

NATIONAL CENTER FOR HEALTH STATISTICS

Public-use Codebook

Round 6: Data collected February-March, 2025



Last revised July 2, 2025

Persons with disabilities experiencing problems accessing PDF files should contact nchsed@cdc.gov or call 301-458-4688.



| Variable: | HIS_GENERAL |
|------------|--|
| Label: | Self-reported health status |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Would you say your health in general is excellent, very good, good, fair, or poor? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Excellent | 1 | 576 | 7.3 | 21,912,320 | 8.4 |
| Very good | 2 | 2,830 | 35.7 | 100,689,714 | 38.7 |
| Good | 3 | 3,163 | 39.9 | 101,206,738 | 38.9 |
| Fair | 4 | 1,110 | 14.0 | 30,222,489 | 11.6 |
| Poor | 5 | 230 | 2.9 | 5,531,964 | 2.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 14 | 0.2 | 366,565 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_HYPEV |
|------------|---|
| Label: | Ever been told you had hypertension |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had hypertension, also called high blood pressure? If you take medication to control your high blood pressure, please answer yes. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,887 | 61.7 | 172,526,064 | 66.4 |
| Yes | 1 | 2,980 | 37.6 | 85,958,877 | 33.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 54 | 0.7 | 1,404,831 | 0.5 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 23,311 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 16,708 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_CHLEV |
|------------|--|
| Label: | Ever been told you had high cholesterol |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had high cholesterol? If you take medication to control your high cholesterol, please answer yes. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,898 | 61.8 | 180,910,426 | 69.6 |
| Yes | 1 | 2,896 | 36.6 | 75,034,475 | 28.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 126 | 1.6 | 3,930,598 | 1.5 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 23,311 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 30,980 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_ASEV |
|------------|--|
| Label: | Ever been told you had asthma |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had asthma? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,490 | 81.9 | 218,350,891 | 84.0 |
| Yes | 1 | 1,403 | 17.7 | 40,765,888 | 15.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 813,012 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_ASTILL |
|------------|--|
| Label: | Still have asthma |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you still have asthma? |
| Universe: | WHERE CHR_ASEV=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 513 | 6.5 | 16,229,870 | 6.2 |
| Yes | 1 | 881 | 11.1 | 24,301,151 | 9.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 142,872 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,520 | 82.3 | 219,163,903 | 84.3 |
| Don't know | -9 | 2 | 0.0 | 91,994 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_AS12M |
|------------|--|
| Label: | Past 12 months, asthma attack |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, have you had an episode of asthma or an asthma attack? |
| Universe: | WHERE CHR_ASTILL=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 402 | 5.1 | 11,621,852 | 4.5 |
| Yes | 1 | 476 | 6.0 | 12,554,465 | 4.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 124,835 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,042 | 88.9 | 235,628,640 | 90.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_CANEV |
|------------|--|
| Label: | Ever been told you had cancer |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had Cancer or a malignancy of any kind? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,973 | 88.0 | 231,007,551 | 88.9 |
| Yes | 1 | 934 | 11.8 | 28,515,189 | 11.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 383,741 | 0.1 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 23,311 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_CHDEV |
|------------|--|
| Label: | Ever been told you had coronary heart disease |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had Coronary heart disease? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,500 | 94.7 | 248,900,242 | 95.8 |
| Yes | 1 | 382 | 4.8 | 9,828,743 | 3.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 37 | 0.5 | 1,136,523 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 4 | 0.1 | 64,283 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_ANGEV |
|------------|--|
| Label: | Ever been told you had angina, also called angina pectoris |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had Angina, also called angina pectoris? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,714 | 97.4 | 254,874,171 | 98.1 |
| Yes | 1 | 159 | 2.0 | 3,493,579 | 1.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 46 | 0.6 | 1,461,660 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 4 | 0.1 | 100,381 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_MIEV |
|------------|--|
| Label: | Ever been told you had a heart attack, also called myocardial infarction |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had A heart attack, also called myocardial infarction? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,639 | 96.4 | 253,171,458 | 97.4 |
| Yes | 1 | 252 | 3.2 | 5,866,275 | 2.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 31 | 0.4 | 883,629 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 8,429 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | DIB_PREDIB |
|------------|--|
| Label: | Ever been told you had prediabetes |
| Question: | Has a doctor or other health professional ever told you that you had prediabetes or borderline diabetes? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,659 | 71.4 | 195,794,448 | 75.3 |
| Yes | 1 | 2,245 | 28.3 | 63,443,525 | 24.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 664,332 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 27,486 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | DIB_GESDIB |
|------------|---|
| Label: | Ever been told you had gestational diabetes |
| Question: | Has a doctor or other health professional ever told you that you had gestational diabetes, a type of diabetes that only occurs during pregnancy? Gestational diabetes is a diabetes that you did not have prior to being pregnant and goes away after you are pregnant. Pregnant women are usually screened for gestational diabetes during the 24th to 28th week of pregnancy. |
| Universe: | WHERE P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,708 | 46.8 | 122,513,085 | 47.1 |
| Yes | 1 | 374 | 4.7 | 10,461,537 | 4.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 437,583 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 3,828 | 48.3 | 126,517,586 | 48.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | DIB_DIBEV |
|------------|---|
| Label: | Ever been told you had diabetes |
| Question: | Not including prediabetes or gestational diabetes, has a doctor or other health professional ever told you that you had diabetes? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,844 | 86.4 | 229,823,742 | 88.4 |
| Yes | 1 | 1,011 | 12.8 | 27,802,313 | 10.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 68 | 0.9 | 2,303,736 | 0.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_DROOP |
|------------|---|
| Label: | Best action for sudden facial drooping |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Sudden drooping of the face, especially on one side |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 155 | 2.0 | 4,838,115 | 1.9 |
| Wait 1 hour, then decide | 2 | 239 | 3.0 | 6,818,441 | 2.6 |
| Call doctor's office immediately | 3 | 956 | 12.1 | 31,412,825 | 12.1 |
| Call 911 or another emergency number immediately | 4 | 6,488 | 81.9 | 214,564,559 | 82.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 74 | 0.9 | 2,023,694 | 0.8 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 53,346 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 9 | 0.1 | 218,811 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_NUMB |
|------------|--|
| Label: | Best action for sudden one-sided arm/leg numbness or weakness |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Sudden numbness or weakness of an arm or leg, especially on one side |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 355 | 4.5 | 12,028,567 | 4.6 |
| Wait 1 hour, then decide | 2 | 744 | 9.4 | 24,388,454 | 9.4 |
| Call doctor's office immediately | 3 | 1,201 | 15.2 | 39,584,142 | 15.2 |
| Call 911 or another emergency number immediately | 4 | 5,534 | 69.8 | 181,345,095 | 69.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 75 | 0.9 | 2,285,031 | 0.9 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 53,346 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 12 | 0.2 | 245,156 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_SPEECH |
|------------|--|
| Label: | Best action for sudden slurred or garbled speech |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Sudden slurred or garbled speech |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 177 | 2.2 | 5,279,133 | 2.0 |
| Wait 1 hour, then decide | 2 | 381 | 4.8 | 12,769,818 | 4.9 |
| Call doctor's office immediately | 3 | 887 | 11.2 | 28,163,766 | 10.8 |
| Call 911 or another emergency number immediately | 4 | 6,391 | 80.7 | 211,256,043 | 81.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 75 | 0.9 | 2,218,099 | 0.9 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 53,346 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 10 | 0.1 | 189,586 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_MUSCLES |
|------------|---|
| Label: | Best action for cramping or locking of muscles of hand or fingers |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Cramping or locking of muscles of hand or fingers |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 1,329 | 16.8 | 43,804,528 | 16.9 |
| Wait 1 hour, then decide | 2 | 2,242 | 28.3 | 74,010,139 | 28.5 |
| Call doctor's office immediately | 3 | 2,025 | 25.6 | 66,795,788 | 25.7 |
| Call 911 or another emergency number immediately | 4 | 2,223 | 28.1 | 72,476,515 | 27.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 76 | 1.0 | 2,254,925 | 0.9 |
| Explicit refusal/REF | -7 | 5 | 0.1 | 146,822 | 0.1 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 23 | 0.3 | 441,073 | 0.2 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_BALANCE |
|------------|---|
| Label: | Best action for sudden trouble walking, dizziness, or loss of balance |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Sudden trouble walking, dizziness, or loss of balance |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 524 | 6.6 | 17,331,159 | 6.7 |
| Wait 1 hour, then decide | 2 | 1,710 | 21.6 | 56,047,580 | 21.6 |
| Call doctor's office immediately | 3 | 2,285 | 28.8 | 73,165,141 | 28.1 |
| Call 911 or another emergency number immediately | 4 | 3,325 | 42.0 | 110,857,290 | 42.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 68 | 0.9 | 2,254,984 | 0.9 |
| Explicit refusal/REF | -7 | 3 | 0.0 | 72,902 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 8 | 0.1 | 200,735 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_SIGHT |
|------------|---|
| Label: | Best action for sudden trouble seeing in one or both eyes |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Sudden trouble seeing in one or both eyes |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 428 | 5.4 | 13,301,931 | 5.1 |
| Wait 1 hour, then decide | 2 | 1,084 | 13.7 | 36,509,562 | 14.0 |
| Call doctor's office immediately | 3 | 2,945 | 37.2 | 96,209,882 | 37.0 |
| Call 911 or another emergency number immediately | 4 | 3,381 | 42.7 | 111,238,781 | 42.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 71 | 0.9 | 2,391,819 | 0.9 |
| Explicit refusal/REF | -7 | 3 | 0.0 | 72,902 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 11 | 0.1 | 204,914 | 0.1 |
| Total | | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_URINE |
|------------|---|
| Label: | Best action for burning feeling during urination and cloudy urine |
| Question: | If any of the following happened to you or a friend or relative, what do you think would be the best thing to do? Burning feeling during urination and cloudy urine |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait 1 day, then decide | 1 | 1,743 | 22.0 | 59,433,720 | 22.9 |
| Wait 1 hour, then decide | 2 | 799 | 10.1 | 24,653,778 | 9.5 |
| Call doctor's office immediately | 3 | 4,675 | 59.0 | 154,402,771 | 59.4 |
| Call 911 or another emergency number immediately | 4 | 619 | 7.8 | 18,733,687 | 7.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 75 | 0.9 | 2,426,733 | 0.9 |
| Explicit refusal/REF | -7 | 3 | 0.0 | 72,902 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 9 | 0.1 | 206,200 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_STRKACT |
|------------|--|
| Label: | Best action for observing a stroke |
| Question: | If you thought someone was having a stroke, what do you think would be the best thing to do? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Wait and monitor their symptoms | 1 | 73 | 0.9 | 1,857,725 | 0.7 |
| Call 911 or another emergency number | 2 | 6,465 | 81.6 | 214,546,647 | 82.5 |
| Call their doctor or health professional | 3 | 143 | 1.8 | 4,130,273 | 1.6 |
| You or someone else drive them to the hospital | 4 | 1,145 | 14.5 | 37,392,598 | 14.4 |
| Have them drive themselves to the hospital | 5 | 57 | 0.7 | 779,797 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 37 | 0.5 | 1,144,758 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 3 | 0.0 | 77,993 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CHR_STREV |
|------------|--|
| Label: | Ever been told you had a stroke |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever been told by a doctor or other health professional that you had a stroke? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,635 | 96.4 | 253,706,846 | 97.6 |
| Yes | 1 | 268 | 3.4 | 5,654,837 | 2.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 19 | 0.2 | 559,313 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 8,795 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_SEENSTR |
|------------|--|
| Label: | Seen another person having a stroke |
| Question: | Have you ever seen another person having a stroke? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,427 | 81.1 | 216,864,000 | 83.4 |
| Yes | 1 | 1,417 | 17.9 | 40,535,379 | 15.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 76 | 1.0 | 2,460,070 | 0.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 3 | 0.0 | 70,343 | 0.0 |
| Total | | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_RELSTR |
|------------|---|
| Label: | Have close friends or relatives who have had a stroke |
| Question: | Do you have any close friends or relatives who have had a stroke? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,591 | 32.7 | 91,747,878 | 35.3 |
| Yes | 1 | 4,338 | 54.8 | 135,402,698 | 52.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 25 | 0.3 | 717,804 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 969 | 12.2 | 32,061,411 | 12.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSA |
|------------|--|
| Label: | Had job: First responder, including as a firefighter, paramedic, or EMT |
| Question: | Do you now or have you ever held any of the following jobs or titles? First responder, including as a firefighter, paramedic, or EMT |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 7,452 | 94.1 | 244,852,103 | 94.2 |
| Selected | 1 | 429 | 5.4 | 13,574,731 | 5.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSB |
|------------|--|
| Label: | Had job: Medical doctor |
| Question: | Do you now or have you ever held any of the following jobs or titles? Medical doctor |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 7,709 | 97.3 | 253,451,196 | 97.5 |
| Selected | 1 | 172 | 2.2 | 4,975,638 | 1.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSC |
|------------|--|
| Label: | Had job: Nurse, including as a registered nurse or nurse practitioner |
| Question: | Do you now or have you ever held any of the following jobs or titles? Nurse, including as a registered nurse or nurse practitioner |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 7,487 | 94.5 | 246,693,325 | 94.9 |
| Selected | 1 | 394 | 5.0 | 11,733,509 | 4.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSD |
|------------|---|
| Label: | Had job: Aide in a hospital, assisted living facility, or other nursing facility |
| Question: | Do you now or have you ever held any of the following jobs or titles? Aide in a hospital, assisted living facility, or other nursing facility |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 7,346 | 92.7 | 243,870,789 | 93.8 |
| Selected | 1 | 535 | 6.8 | 14,556,045 | 5.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSE |
|------------|---|
| Label: | Had job: Other healthcare professional |
| Question: | Do you now or have you ever held any of the following jobs or titles? Other healthcare professional |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 7,165 | 90.4 | 237,863,524 | 91.5 |
| Selected | 1 | 716 | 9.0 | 20,563,310 | 7.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_HTLTHJOBSF |
|------------|---|
| Label: | Had job: None of these |
| Question: | Do you now or have you ever held any of the following jobs or titles? None of these |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not selected | 0 | 1,725 | 21.8 | 49,334,346 | 19.0 |
| Selected | 1 | 6,156 | 77.7 | 209,092,488 | 80.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 779,991 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 25 | 0.3 | 722,966 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SSS_FAST |
|------------|---|
| Label: | Heard of the FAST acronym for recognizing stroke symptoms |
| Question: | Have you heard of the FAST acronym for recognizing stroke symptoms? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,276 | 54.0 | 146,646,805 | 56.4 |
| Yes | 1 | 3,618 | 45.7 | 112,594,475 | 43.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 22 | 0.3 | 493,021 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 7 | 0.1 | 195,490 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_SMKEV |
|------------|--|
| Label: | Ever smoked at least 100 cigarettes in entire life |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you smoked at least 100 cigarettes in your entire life? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,959 | 62.6 | 171,522,611 | 66.0 |
| Yes | 1 | 2,875 | 36.3 | 85,479,551 | 32.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 89 | 1.1 | 2,927,629 | 1.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_SMKNOW |
|------------|--|
| Label: | How often now smoke cigarettes |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you now smoke cigarettes every day, some days, or not at all? |
| Universe: | WHERE CIG_SMKEV=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Every day | 1 | 582 | 7.3 | 16,597,654 | 6.4 |
| Some days | 2 | 280 | 3.5 | 6,998,481 | 2.7 |
| Not at all | 3 | 2,000 | 25.2 | 61,382,633 | 23.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 500,784 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,048 | 63.7 | 174,450,240 | 67.1 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_ECIGEV |
|------------|--|
| Label: | Ever used an e-cigarette even once in entire life |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever used an e-cigarette or other electronic vaping product, even just one time, in your entire life? Electronic cigarettes, e-cigarettes, and other electronic vaping products include JUULs, vape pens, e-cigars, and others. These products are battery-powered and usually contain nicotine and flavors such as fruit, mint, or candy. These questions concern electronic vaping products for nicotine use. Do not include marijuana use. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,206 | 78.3 | 207,211,173 | 79.7 |
| Yes | 1 | 1,696 | 21.4 | 52,067,005 | 20.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 21 | 0.3 | 651,613 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_ECIGNOW |
|------------|---|
| Label: | How often now use e-cigarettes |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you now use e-cigarettes or other electronic vaping products every day, some days, or not at all? These questions concern electronic vaping products for nicotine use. Do not include marijuana use. |
| Universe: | WHERE CIG_ECIGEV=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Every day | 1 | 340 | 4.3 | 9,696,378 | 3.7 |
| Some days | 2 | 291 | 3.7 | 8,498,149 | 3.3 |
| Not at all | 3 | 1,062 | 13.4 | 33,776,996 | 13.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 55,240 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,227 | 78.6 | 207,862,786 | 80.0 |
| Don't know | -9 | 2 | 0.0 | 40,243 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_CIGAREV |
|------------|--|
| Label: | Ever smoked a regular cigar, cigarillo, or a little filtered cigar even one time |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar even one time? "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and Winchester. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,095 | 64.3 | 172,992,539 | 66.6 |
| Yes | 1 | 2,757 | 34.8 | 84,643,042 | 32.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 71 | 0.9 | 2,294,210 | 0.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_CIGARCUR |
|------------|--|
| Label: | How often now smoke regular cigars, cigarillos, or little filtered cigars |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you now smoke regular cigars, cigarillos, or little filtered cigars every day, some days, or not at all? |
| Universe: | WHERE CIG_CIGAREV =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Every day | 1 | 81 | 1.0 | 1,770,094 | 0.7 |
| Some days | 2 | 292 | 3.7 | 8,933,810 | 3.4 |
| Not at all | 3 | 2,374 | 30.0 | 73,724,225 | 28.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 10 | 0.1 | 214,913 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,166 | 65.2 | 175,286,749 | 67.4 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_CIGAR30D |
|------------|--|
| Label: | Past 30 days, number of cigar smoking days |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | On how many of the past 30 days have you smoked a regular cigar, cigarillo, or little filtered cigar? |
| Universe: | WHERE CIG_CIGARCUR IN (1, 2); |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|-------|
| N | 357.0 |
| Min | 0.0 |
| Mean | 9.8 |
| Median | 4.0 |
| Max | 30.0 |
| SD | 11.3 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 7,566

| Variable: | CIG_SMOKELSEV1 |
|------------|--|
| Label: | Ever used smokeless tobacco products even one time |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus, nicotine pouches, or dissolvable tobacco. Have you ever used smokeless tobacco products even one time? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,710 | 84.7 | 224,490,323 | 86.4 |
| Yes | 1 | 1,181 | 14.9 | 34,338,533 | 13.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 32 | 0.4 | 1,100,935 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIG_SMOKELSCR1 |
|------------|--|
| Label: | How often now use smokeless tobacco products |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you now use smokeless tobacco products every day, some days, or not at all? |
| Universe: | WHERE CIG_SMOKELSEV1=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Every day | 1 | 110 | 1.4 | 3,098,540 | 1.2 |
| Some days | 2 | 108 | 1.4 | 2,974,642 | 1.1 |
| Not at all | 3 | 960 | 12.1 | 28,204,059 | 10.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 61,291 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,742 | 85.1 | 225,591,258 | 86.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_HLTHCARE |
|------------|---|
| Label: | Past 12 months, received any health care |
| Question: | In the past 12 months, have you received any health care? Include any health care received at a health center, urgent care, clinic including one in a drug store or grocery store, mobile or worksite clinic, doctor's office, outpatient clinic, hospital, or hospital emergency room. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,808 | 22.8 | 54,761,869 | 21.1 |
| Yes | 1 | 6,076 | 76.7 | 203,649,910 | 78.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 38 | 0.5 | 1,490,800 | 0.6 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 27,212 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_HLTHFOOD |
|------------|--|
| Label: | During health care visits, asked if family could afford enough food |
| Question: | At any of those health care visits, were you asked if you/your family could afford enough food to eat? The questions could have been on a paper or online form you completed before the visit or during a conversation with clinical staff at the visit. |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,574 | 57.7 | 154,689,861 | 59.5 |
| Yes | 1 | 1,451 | 18.3 | 47,582,714 | 18.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 48 | 0.6 | 1,218,221 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 3 | 0.0 | 159,114 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_RUNOUT |
|------------|--|
| Label: | Ever answered worried food would run out |
| Question: | Did you ever answer that you worried whether your food would run out before you had money to buy more? |
| Universe: | WHERE PPP_HLTHFOOD =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,135 | 14.3 | 40,402,843 | 15.5 |
| Yes | 1 | 313 | 4.0 | 7,067,486 | 2.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 112,385 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,472 | 81.7 | 212,347,077 | 81.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_NOTLAST |
|------------|--|
| Label: | Ever answered purchased food didn't last and didn't have money for more |
| Question: | Did you ever answer that the food you bought just didn't last and you didn't have money to get more? |
| Universe: | WHERE PPP_HLTHFOOD =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,148 | 14.5 | 40,633,289 | 15.6 |
| Yes | 1 | 282 | 3.6 | 6,303,174 | 2.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 20 | 0.3 | 559,689 | 0.2 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 86,561 | 0.0 |
| Question not asked | -8 | 6,472 | 81.7 | 212,347,077 | 81.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_BANKINFO |
|------------|--|
| Label: | During health care visits, provided information on food pantry, food bank and other places that provides free food |
| Question: | At any of those health care visits did someone give you information on where you can get food from a food pantry, food bank, church, or other place that helps with free food? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,522 | 69.7 | 188,708,942 | 72.6 |
| Yes | 1 | 534 | 6.7 | 14,156,805 | 5.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 17 | 0.2 | 719,538 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 3 | 0.0 | 64,626 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_WHELINFO |
|------------|--|
| Label: | During health care visits, provided information on home-delivered free meals |
| Question: | At any of those health care visits did someone give you information on how to get home-delivered meal services like Meals on Wheels or another service that delivers free meals? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,688 | 71.8 | 193,538,174 | 74.5 |
| Yes | 1 | 363 | 4.6 | 9,468,290 | 3.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 23 | 0.3 | 613,181 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 2 | 0.0 | 30,266 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_WICINFO |
|------------|--|
| Label: | During health care visits, provided information on a food assistance program |
| Question: | At any of those health care visits did someone give you information about a food assistance program you could contact to help get additional food for you and your family? This information could include websites, addresses or phone numbers for Women, Infants, and Children or WIC, Supplemental Nutrition Assistance Program or SNAP, or food stamps. |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,444 | 68.7 | 186,765,837 | 71.9 |
| Yes | 1 | 605 | 7.6 | 16,152,823 | 6.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 25 | 0.3 | 700,984 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 2 | 0.0 | 30,266 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_COMPINFO |
|------------|---|
| Label: | DERIVED: Received information on food services or assistance |
| Notes: | This variable is based on PPP_BANK INFO, PPP_WHELINFO, and PPP_WICINFO. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------------------|---------|-----------|---------|-----------------------|---------------------|
| Did not receive information | 0 | 5,254 | 66.3 | 181,221,304 | 69.7 |
| Received information | 1 | 778 | 9.8 | 21,091,901 | 8.1 |
| No response | Missing | 1,891 | 23.9 | 57,616,586 | 22.2 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_BANKHELP |
|------------|---|
| Label: | During or after health care visits, was assisted in signing up for food pantry, food bank or other places that provide free food |
| Question: | During or after any of those health care visits did someone sign you up, help you sign up, or call to connect you with a location where you can get food from a food pantry, food bank, church, or other place that helps with free food? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,813 | 73.4 | 197,651,883 | 76.0 |
| Yes | 1 | 232 | 2.9 | 5,021,619 | 1.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 31 | 0.4 | 976,409 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_WHELHELP |
|------------|--|
| Label: | During or after health care visits, was assisted in signing up for home-delivered free meals service |
| Question: | During or after any of those health care visits did someone sign you up, help you sign up, or call to connect you with a church, shelter, home-delivered meal service like Meals on Wheels, or other place that helps with free meals? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,846 | 73.8 | 198,095,995 | 76.2 |
| Yes | 1 | 191 | 2.4 | 4,401,734 | 1.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 39 | 0.5 | 1,152,180 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_WICHELP |
|------------|---|
| Label: | During or after health care visits, was assisted in signing up for a food assistance program |
| Question: | During or after any of those health care visits did someone sign you up, help you sign up, or call to sign you up for Women, Infants, and Children or WIC, Supplemental Nutrition Assistance Program or SNAP, or food stamps? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,781 | 73.0 | 196,099,246 | 75.4 |
| Yes | 1 | 258 | 3.3 | 6,308,939 | 2.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 36 | 0.5 | 1,147,868 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 1 | 0.0 | 93,857 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_COMPHELP |
|------------|--|
| Label: | DERIVED: Received help initiating food services or assistance |
| Notes: | This variable is based on PPP_BANKHELP, PPP_WHELHELP, and PPP_WICHELP. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------------|---------|-----------|---------|-----------------------|---------------------|
| Did not received help | 0 | 5,611 | 70.8 | 191,493,913 | 73.7 |
| Received help | 1 | 390 | 4.9 | 9,715,828 | 3.7 |
| No response | Missing | 1,922 | 24.3 | 58,720,049 | 22.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_PRODHELP |
|------------|---|
| Label: | During or after health care visits, was assisted in signing up for a fruit and vegetable prescription program |
| Question: | During or after any of those health care visits did someone sign you up, help you sign up, or call to sign you up for a fruit and vegetable prescription program that provides coupons, "bucks," or a gift card to get a box or bag of produce to pick up or have delivered to your home? |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,887 | 74.3 | 199,013,991 | 76.6 |
| Yes | 1 | 146 | 1.8 | 3,171,568 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 42 | 0.5 | 1,377,790 | 0.5 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 86,561 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_PRODUSE |
|------------|--|
| Label: | Used the coupons/gift card from a fruit and vegetable prescription program |
| Question: | Have you used the coupons, "bucks," or gift card to get a box or bag of produce from the fruit and vegetable prescription program? |
| Universe: | WHERE PPP_PRODHELP =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 62 | 0.8 | 1,503,442 | 0.6 |
| Yes | 1 | 84 | 1.1 | 1,668,125 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 0 | 0.0 | 0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,777 | 98.2 | 256,758,223 | 98.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_MEDHELP |
|------------|---|
| Label: | During or after health care visits, was assisted in signing up for medically tailored meals/groceries |
| Question: | During or after any of those health care visits, did someone sign you up, help you sign up, or call to sign you up for meals or groceries specifically prepared to help manage a medical condition you have? These meals and groceries are tailored for people with diet-related conditions. For example, someone with high blood pressure or hypertension may receive low sodium meals or groceries tailored to treat their disease. |
| Universe: | WHERE PPP_HLTHCARE =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,898 | 74.4 | 199,455,189 | 76.7 |
| Yes | 1 | 143 | 1.8 | 2,932,272 | 1.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 34 | 0.4 | 1,249,875 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 1,847 | 23.3 | 56,279,881 | 21.7 |
| Don't know | -9 | 1 | 0.0 | 12,574 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PPP_MEDUSE |
|------------|--|
| Label: | Used medically tailored meals or groceries offered to you |
| Question: | Did you use the meals or groceries related to your medical condition that were offered to you? |
| Universe: | WHERE PPP_MEDHELP=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 48 | 0.6 | 998,616 | 0.4 |
| Yes | 1 | 94 | 1.2 | 1,925,293 | 0.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 8,363 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,780 | 98.2 | 256,997,519 | 98.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HTHLAST |
|------------|--|
| Label: | Time since you last saw doctor about your health |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | About how long has it been since you last saw a doctor or other health professional about your health? Include doctors seen while a patient in a hospital. Do not include dental care. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Never | 0 | 193 | 2.4 | 4,662,320 | 1.8 |
| Less than 12 months ago | 1 | 6,294 | 79.4 | 220,889,995 | 85.0 |
| More than 1 year but less than 2 years ago | 2 | 649 | 8.2 | 15,499,732 | 6.0 |
| More than 2 years but less than 3 years ago | 3 | 272 | 3.4 | 5,925,295 | 2.3 |
| More than 3 years but less than 5 years ago | 4 | 214 | 2.7 | 4,522,777 | 1.7 |
| More than 5 years but less than 10 years ago | 5 | 149 | 1.9 | 4,112,361 | 1.6 |
| 10 years ago or more | 6 | 123 | 1.6 | 3,124,910 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 1,192,402 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |

NCHS Rapid Surveys System – Public-use Codebook

Page | 59

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------------|-------|-----------|---------|-----------------------|---------------------|
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | OOCVIS_P12M | | | |
|------------|--|--|--|--|
| Label: | RECODE: Doctor visit in past 12 months | | | |
| Notes: | nis variable is based on ACC_HTHLAST. | | | |
| Question: | NA - Recode | | | |
| Data Type: | Numeric | | | |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| Yes | 1 | 6,294 | 79.4 | 220,889,995 | 85.0 |
| No | 2 | 1,600 | 20.2 | 37,847,394 | 14.6 |
| Not ascertained | -8 | 29 | 0.4 | 1,192,402 | 0.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_VISITTYP |
|------------|---|
| Label: | Was this a wellness visit, physical, or general purpose check-up |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Was this a wellness visit, physical, or general purpose check-up? This type of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or injured. If a wellness exam was combined with a sick care visit, include this visit. An obstetrician/gynecologist (OB/GYN) may perform this visit. |
| Universe: | WHERE ACC_HTHLAST IN (1, 2, 3, 4, 5, 6); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,707 | 21.5 | 54,108,136 | 20.8 |
| Yes | 1 | 5,964 | 75.3 | 199,167,988 | 76.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 28 | 0.4 | 781,102 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 222 | 2.8 | 5,854,722 | 2.3 |
| Don't know | -9 | 2 | 0.0 | 17,843 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HTHLASTB |
|------------|--|
| Label: | Time since last wellness visit |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | About how long has it been since you last saw a doctor or other health professional for a wellness visit, physical, or general purpose check-up? This kind of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or injured. If a wellness exam was combined with a sick care visit, include this visit. An obstetrician/gynecologist (OB/GYN) may perform this visit. |
| Universe: | WHERE ACC_VISITTYP IN (0, -6, -7, -9); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Never | 0 | 96 | 1.2 | 3,379,318 | 1.3 |
| Less than 12 months ago | 1 | 666 | 8.4 | 22,330,383 | 8.6 |
| More than 1 year but less than 2 years ago | 2 | 374 | 4.7 | 12,637,717 | 4.9 |
| More than 2 years but less than 3 years ago | 3 | 172 | 2.2 | 4,908,852 | 1.9 |
| More than 3 years but less than 5 years ago | 4 | 135 | 1.7 | 3,681,316 | 1.4 |
| More than 5 years but less than 10 years ago | 5 | 140 | 1.8 | 3,649,136 | 1.4 |
| 10 years ago or more | 6 | 142 | 1.8 | 3,956,388 | 1.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------------------|-------|-----------|---------|-----------------------|---------------------|
| Skipped/Implied refusal | -6 | 10 | 0.1 | 322,400 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,186 | 78.1 | 205,022,710 | 78.9 |
| Don't know | -9 | 2 | 0.0 | 41,571 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HTHUSUAL |
|------------|--|
| Label: | Have a usual place you go to for health care |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Is there a place that you usually go to if you are sick and need health care? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Yes, there is a single place | 1 | 4,599 | 58.0 | 158,521,946 | 61.0 |
| No, there is no place | 2 | 837 | 10.6 | 23,511,343 | 9.0 |
| Yes, there is more than one place | 3 | 2,445 | 30.9 | 76,479,592 | 29.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 41 | 0.5 | 1,397,355 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 19,556 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HTHTYPE |
|------------|--|
| Label: | Type of place for usual care |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | What kind of place do you go to most often? A doctor's office or health center is a place where you see the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where your medical records are on file. Urgent care centers and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and usually do not see the same health care provider at each visit. |
| Universe: | WHERE ACC_HTHUSUAL IN (1, 3, -6, -7, -9); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| I do not go to one place most often | 0 | 83 | 1.0 | 2,750,045 | 1.1 |
| A doctor's office or health center | 1 | 5,712 | 72.1 | 197,317,852 | 75.9 |
| Urgent care center or clinic in a drug store or grocery store | 2 | 796 | 10.0 | 23,103,380 | 8.9 |
| Hospital emergency room | 3 | 217 | 2.7 | 5,716,942 | 2.2 |
| A VA medical center or VA outpatient clinic | 4 | 181 | 2.3 | 4,982,050 | 1.9 |
| Some other place | 5 | 69 | 0.9 | 1,679,680 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 26 | 0.3 | 850,774 | 0.3 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 17,728 | 0.0 |

NCHS Rapid Surveys System – Public-use Codebook

| | | | \sim | \sim |
|---|--------|--------|-------------------|--------|
| - | \sim | \sim | $\overline{}$ | _ |
| | | | | |
| | м | _ | • | ${}$ |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------------|-------|-----------|---------|-----------------------|---------------------|
| Question not asked | -8 | 837 | 10.6 | 23,511,343 | 9.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_RETAIL_R |
|------------|--|
| Label: | RECODE: Past 12 months, number of retail health clinic visits - topcoded |
| Notes: | This variable is based on ACC_RETAIL and topcoded to 12+. This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Retail health clinics are located in a pharmacy, grocery store, or supercenter. During the past 12 months, how many times have you gone to a retail health clinic about your health? Common examples of retail health clinics include places like CVS Minute Clinic, Walgreens Health Clinic, or clinics in a Walmart or Kroger supermarket. These clinics can provide common services such as certain vaccinations, as well as testing for or treatment of minor uncomplicated illnesses. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| 0 | 0 | 5,265 | 66.5 | 174,605,810 | 67.2 |
| 1 | 1 | 1,114 | 14.1 | 37,665,173 | 14.5 |
| 2 | 2 | 663 | 8.4 | 21,703,444 | 8.3 |
| 3 | 3 | 219 | 2.8 | 6,039,796 | 2.3 |
| 4 | 4 | 91 | 1.1 | 2,828,154 | 1.1 |
| 5 | 5 | 72 | 0.9 | 1,685,841 | 0.6 |
| 6 | 6 | 39 | 0.5 | 1,324,864 | 0.5 |
| 7 | 7 | 7 | 0.1 | 244,462 | 0.1 |
| 8 | 8 | 15 | 0.2 | 543,444 | 0.2 |
| 9 | 9 | 4 | 0.1 | 103,225 | 0.0 |
| 10 | 10 | 20 | 0.3 | 339,954 | 0.1 |
| 11 | 11 | 2 | 0.0 | 81,924 | 0.0 |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------------------|-------|-----------|---------|-----------------------|---------------------|
| 12+ | 12 | 65 | 0.8 | 1,551,095 | 0.6 |
| Skipped/Implied refusal | -6 | 342 | 4.3 | 11,126,158 | 4.3 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 12,300 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 4 | 0.1 | 74,145 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_URGENT_R |
|------------|--|
| Label: | RECODE: Past 12 months, number of urgent care visits - topcoded |
| Notes: | This variable is based on ACC_URGENT and topcoded to 8+. This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | An urgent care center is located in its own building or space. These centers can provide services such as x-rays and stitches. During the past 12 months, how many times have you gone to an urgent care center about your health? An urgent care center can provide common vaccinations, testing for or treatment of illnesses. They can also treat illnesses or injuries that require immediate care but are not serious enough to require a visit to a hospital emergency room. This is different from a hospital emergency room. These centers provide care during business hours, evenings, and weekends. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------------------|-------|-----------|---------|-----------------------|---------------------|
| 0 | 0 | 5,025 | 63.4 | 182,361,606 | 70.2 |
| 1 | 1 | 1,487 | 18.8 | 40,057,067 | 15.4 |
| 2 | 2 | 617 | 7.8 | 15,645,272 | 6.0 |
| 3 | 3 | 213 | 2.7 | 5,295,818 | 2.0 |
| 4 | 4 | 87 | 1.1 | 2,555,962 | 1.0 |
| 5 | 5 | 62 | 0.8 | 1,494,613 | 0.6 |
| 6 | 6 | 27 | 0.3 | 794,756 | 0.3 |
| 7 | 7 | 8 | 0.1 | 166,523 | 0.1 |
| 8+ | 8 | 51 | 0.6 | 1,020,316 | 0.4 |
| Skipped/Implied refusal | -6 | 343 | 4.3 | 10,474,260 | 4.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |

NCHS Rapid Surveys System – Public-use Codebook

| _ | | | _ |
|--------|---------------|----|---|
| \Box | ~ ~ | 17 | റ |
| -2 | $\cap \omega$ | | u |
| ıa | u C | | v |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------------|-------|-----------|---------|-----------------------|---------------------|
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 3 | 0.0 | 63,596 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | URGCARE_P12M |
|------------|--|
| Label: | RECODE: Urgent care center visit in past 12 months |
| Notes: | This variable is based on ACC_URGENT. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| Yes | 1 | 2,552 | 32.2 | 67,030,328 | 25.8 |
| No | 2 | 5,025 | 63.4 | 182,361,606 | 70.2 |
| Not ascertained | -8 | 346 | 4.4 | 10,537,856 | 4.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HOSP_R |
|------------|---|
| Label: | RECODE: Past 12 months, number of hospital emergency room visits - topcoded |
| Notes: | This variable is based on ACC_HOSP and topcoded to 7+. This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, how many times have you gone to a hospital emergency room about your health? This includes emergency room visits that resulted in a hospital admission. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------------------|-------|-----------|---------|-----------------------|---------------------|
| 0 | 0 | 6,030 | 76.1 | 207,040,379 | 79.7 |
| 1 | 1 | 1,040 | 13.1 | 29,931,569 | 11.5 |
| 2 | 2 | 341 | 4.3 | 9,659,860 | 3.7 |
| 3 | 3 | 95 | 1.2 | 2,133,457 | 0.8 |
| 4 | 4 | 56 | 0.7 | 1,238,239 | 0.5 |
| 5 | 5 | 37 | 0.5 | 876,056 | 0.3 |
| 6 | 6 | 20 | 0.3 | 519,693 | 0.2 |
| 7+ | 7 | 47 | 0.6 | 962,064 | 0.4 |
| Skipped/Implied refusal | -6 | 255 | 3.2 | 7,518,522 | 2.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 49,952 | 0.0 |
| Total | | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_HOSP12M |
|------------|--|
| Label: | Past 12 months, hospitalized overnight |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, have you been hospitalized overnight? Do not include an overnight stay in the emergency room. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,170 | 90.5 | 239,053,910 | 92.0 |
| Yes | 1 | 669 | 8.4 | 18,141,044 | 7.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 84 | 1.1 | 2,734,837 | 1.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ACC_VIDPHN |
|------------|--|
| Label: | Past 12 months, had a telehealth appointment |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, have you had an appointment with a doctor, nurse, or other health professional by video or by phone? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,510 | 69.5 | 186,571,638 | 71.8 |
| Yes | 1 | 2,346 | 29.6 | 71,454,821 | 27.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 67 | 0.8 | 1,903,332 | 0.7 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HCA_DLYCOST |
|------------|--|
| Label: | Past 12 months, delayed medical care due to cost |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, have you delayed getting medical care because of the cost? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,561 | 82.8 | 230,013,480 | 88.5 |
| Yes | 1 | 1,264 | 16.0 | 27,229,225 | 10.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 98 | 1.2 | 2,687,086 | 1.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HCA_DNTCOST |
|------------|--|
| Label: | Past 12 months, did not get medical care due to cost |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During the past 12 months, was there any time when you needed medical care, but did not get it because of the cost? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,709 | 84.7 | 237,229,235 | 91.3 |
| Yes | 1 | 1,099 | 13.9 | 18,951,401 | 7.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 115 | 1.5 | 3,749,155 | 1.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | NOCARE_COST |
|------------|--|
| Label: | RECODE: Did not receive care due to cost in past 12 months |
| Notes: | This variable is based on HCA_DNTCOST. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| Yes | 1 | 1,099 | 13.9 | 18,951,401 | 7.3 |
| No | 2 | 6,709 | 84.7 | 237,229,235 | 91.3 |
| Not ascertained | -8 | 115 | 1.5 | 3,749,155 | 1.4 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | IMM_SHTFLU12 |
|------------|--|
| Label: | Past 12 months, had flu vaccine |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | There are two types of flu vaccinations. One is a shot, and the other is a spray, mist, or drop in the nose. During the past 12 months, have you had a flu vaccination? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4,170 | 52.6 | 136,160,151 | 52.4 |
| Yes | 1 | 3,711 | 46.8 | 122,352,361 | 47.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 40 | 0.5 | 1,346,551 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 70,728 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | IMM_FLUMNTH |
|------------------|--|
| Label: | Month of last flu vaccine |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During what month and year did you receive your most recent flu vaccine? |
| Universe: | WHERE IMM_SHTFLU12 =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| January | 1 | 195 | 2.5 | 6,883,487 | 2.6 |
| February | 2 | 73 | 0.9 | 2,208,240 | 0.8 |
| March | 3 | 37 | 0.5 | 1,094,554 | 0.4 |
| April | 4 | 33 | 0.4 | 766,670 | 0.3 |
| May | 5 | 29 | 0.4 | 610,745 | 0.2 |
| June | 6 | 17 | 0.2 | 630,775 | 0.2 |
| July | 7 | 26 | 0.3 | 779,919 | 0.3 |
| August | 8 | 120 | 1.5 | 3,837,500 | 1.5 |
| September | 9 | 769 | 9.7 | 23,835,607 | 9.2 |
| October | 10 | 1,481 | 18.7 | 51,196,912 | 19.7 |
| November | 11 | 625 | 7.9 | 20,576,619 | 7.9 |
| December | 12 | 227 | 2.9 | 7,479,552 | 2.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 64 | 0.8 | 2,080,611 | 0.8 |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|----------------------|-------|-----------|---------|-----------------------|---------------------|
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 4,212 | 53.2 | 137,577,430 | 52.9 |
| Don't know | -9 | 15 | 0.2 | 371,170 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | IMM_FLUYR |
|------------|--|
| Label: | Year of last flu vaccine |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | During what month and year did you receive your most recent flu vaccine? |
| Universe: | WHERE IMM_SHTFLU12 =1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| 2024 | 1 | 3,421 | 43.2 | 112,084,782 | 43.1 |
| 2025 | 2 | 215 | 2.7 | 7,500,195 | 2.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 74 | 0.9 | 2,758,792 | 1.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 4,212 | 53.2 | 137,577,430 | 52.9 |
| Don't know | -9 | 1 | 0.0 | 8,593 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | IMM_SHTPNUEV |
|------------|--|
| Label: | Ever had pneumonia shot |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | A pneumonia shot is also known as a pneumococcal vaccine. Have you ever had a pneumonia shot? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,142 | 64.9 | 172,824,748 | 66.5 |
| Yes | 1 | 2,681 | 33.8 | 83,729,995 | 32.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 88 | 1.1 | 3,138,087 | 1.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 12 | 0.2 | 236,960 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LASTPAP |
|------------|---|
| Label: | How long since last pap smear |
| Question: | About how long has it been since you last had a Pap test or Pap smear, where a doctor or nurse put an instrument in your vagina and took a sample to check for abnormal cells that could turn into cervical cancer? |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| I have never had a Pap test | 0 | 216 | 2.7 | 7,970,600 | 3.1 |
| Less than 12 months ago | 1 | 1,049 | 13.2 | 36,785,002 | 14.2 |
| More than 1 year but less than 2 years ago | 2 | 770 | 9.7 | 25,538,816 | 9.8 |
| More than 2 years but less than 3 years ago | 3 | 490 | 6.2 | 14,121,238 | 5.4 |
| More than 3 years but less than 5 years ago | 4 | 420 | 5.3 | 12,270,152 | 4.7 |
| More than 5 years but less than 10 years ago | 5 | 414 | 5.2 | 12,398,847 | 4.8 |
| 10 years ago or more | 6 | 578 | 7.3 | 16,431,182 | 6.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 29 | 0.4 | 1,051,057 | 0.4 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 12,475 | 0.0 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 4 | 0.1 | 77,253 | 0.0 |

NCHS Rapid Surveys System – Public-use Codebook

Page | 84

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_SWABEV |
|------------|---|
| Label: | Ever had an HPV test |
| Question: | Have you ever had an HPV test, where a doctor or nurse put a swab in your vagina and took a sample to test for the HPV virus? This test may have been done on its own, or at the same time as a Pap test. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,191 | 15.0 | 37,229,900 | 14.3 |
| Yes | 1 | 1,787 | 22.6 | 57,911,619 | 22.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 19 | 0.2 | 649,127 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 975 | 12.3 | 30,865,976 | 11.9 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_PREFTEST | | | | | | |
|------------|--|--|--|--|--|--|--|
| Label: | Preference for self-administered HPV test | | | | | | |
| Question: | There is a new option to use a simple kit to test for HPV infection yourself: • To use, you insert a swab about an inch into your vagina and rotate it for about 30 seconds. • The kit is designed to be easy to use, and the results are accurate. • You can do this test yourself in clinics and doctor's offices, and in the future, you may also be able to do the test at home. If available, would you prefer to do this test yourself rather than having an HPV test done by a doctor or nurse? | | | | | | |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; | | | | | | |
| Data Type: | Numeric | | | | | | |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Yes, prefer testing myself | 1 | 1,178 | 14.9 | 33,891,164 | 13.0 |
| No, prefer doctor or nurse testing me | 2 | 1,522 | 19.2 | 51,564,568 | 19.8 |
| Have no preference | 3 | 1,210 | 15.3 | 39,246,917 | 15.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 53 | 0.7 | 1,670,149 | 0.6 |
| Explicit refusal/REF | -7 | 7 | 0.1 | 249,116 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 2 | 0.0 | 34,708 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_PRIVACY |
|------------|--|
| Label: | Benefit of doing a self-administered HPV test: privacy |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? I would have more privacy. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 644 | 8.1 | 21,255,942 | 8.2 |
| Yes | 1 | 3,220 | 40.6 | 101,640,039 | 39.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 93 | 1.2 | 3,361,517 | 1.3 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 209,015 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 7 | 0.1 | 190,108 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_EMBARRASS |
|------------|--|
| Label: | Benefit of doing a self-administered HPV test: less embarrassing |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? It would be less embarrassing. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,185 | 15.0 | 38,777,758 | 14.9 |
| Yes | 1 | 2,651 | 33.5 | 83,866,059 | 32.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 116 | 1.5 | 3,531,680 | 1.4 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 209,015 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 12 | 0.2 | 272,109 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_PAIN |
|------------|---|
| Label: | Benefit of doing a self-administered HPV test: less painful |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? It would be less painful. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,930 | 24.4 | 63,095,571 | 24.3 |
| Yes | 1 | 1,857 | 23.4 | 57,833,539 | 22.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 136 | 1.7 | 4,647,450 | 1.8 |
| Explicit refusal/REF | -7 | 9 | 0.1 | 217,696 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 40 | 0.5 | 862,366 | 0.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_STRESS |
|------------|---|
| Label: | Benefit of doing a self-administered HPV test: less stressful |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? It would be less stressful. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,322 | 16.7 | 44,201,532 | 17.0 |
| Yes | 1 | 2,517 | 31.8 | 77,864,243 | 30.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 112 | 1.4 | 4,123,663 | 1.6 |
| Explicit refusal/REF | -7 | 9 | 0.1 | 217,696 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 12 | 0.2 | 249,488 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_CONVEN |
|------------|--|
| Label: | Benefit of doing a self-administered HPV test: more convenient |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? It would be more convenient. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 633 | 8.0 | 21,130,744 | 8.1 |
| Yes | 1 | 3,221 | 40.7 | 101,370,424 | 39.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 103 | 1.3 | 3,787,629 | 1.5 |
| Explicit refusal/REF | -7 | 7 | 0.1 | 181,082 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 8 | 0.1 | 186,742 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_CONTROL |
|------------|---|
| Label: | Benefit of doing a self-administered HPV test: more in control |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? I would feel more in control. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,124 | 14.2 | 37,442,953 | 14.4 |
| Yes | 1 | 2,683 | 33.9 | 83,844,769 | 32.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 144 | 1.8 | 4,895,933 | 1.9 |
| Explicit refusal/REF | -7 | 7 | 0.1 | 181,082 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 14 | 0.2 | 291,886 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_DOCRN |
|------------|--|
| Label: | Benefit of doing a self-administered HPV test: don't like physical exams by doctors or nurses |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? I do not like physical exams by doctors or nurses. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,042 | 25.8 | 67,508,506 | 26.0 |
| Yes | 1 | 1,729 | 21.8 | 52,915,649 | 20.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 178 | 2.2 | 5,791,478 | 2.2 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 203,613 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 15 | 0.2 | 237,377 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_OTHBEN |
|------------|--|
| Label: | Benefit of doing a self-administered HPV test: another benefit |
| Question: | Even if you prefer to have the HPV test done by a doctor or nurse, which of the following, if any, do you think would be a benefit of doing an HPV test yourself? Another benefit. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,624 | 33.1 | 85,048,337 | 32.7 |
| Yes | 1 | 998 | 12.6 | 30,914,602 | 11.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 324 | 4.1 | 10,157,311 | 3.9 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 151,560 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 18 | 0.2 | 384,811 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_TESTERR |
|------------|---|
| Label: | Concern about self-administered HPV test: might do it wrong |
| Question: | Even if you prefer to do the HPV test yourself, which of the following, if any, would concern you? I might do the test wrong. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,282 | 16.2 | 37,300,308 | 14.4 |
| Yes | 1 | 2,580 | 32.6 | 85,898,076 | 33.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 97 | 1.2 | 3,181,614 | 1.2 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 183,776 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 5 | 0.1 | 92,848 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_SELFEMB |
|------------|--|
| Label: | Concern about self-administered HPV test: embarrassed doing it myself |
| Question: | Even if you prefer to do the HPV test yourself, which of the following, if any, would concern you? I would feel embarrassed doing the test myself. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,447 | 43.5 | 110,364,390 | 42.5 |
| Yes | 1 | 380 | 4.8 | 11,628,898 | 4.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 132 | 1.7 | 4,323,053 | 1.7 |
| Explicit refusal/REF | -7 | 9 | 0.1 | 200,955 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 4 | 0.1 | 139,326 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_PAININJ |
|------------|--|
| Label: | Concern about self-administered HPV test: pain or injury |
| Question: | Even if you prefer to do the HPV test yourself, which of the following, if any, would concern you? I am worried that it could be painful or I could injure myself. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,484 | 31.4 | 75,755,699 | 29.1 |
| Yes | 1 | 1,362 | 17.2 | 47,084,773 | 18.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 111 | 1.4 | 3,473,834 | 1.3 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 183,776 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 7 | 0.1 | 158,539 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_ACCURACY |
|------------|---|
| Label: | Concern about self-administered HPV test: less accurate results |
| Question: | Even if you prefer to do the HPV test yourself, which of the following, if any, would concern you? I am worried the results would be less accurate than a test done by a doctor or nurse. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,285 | 16.2 | 37,710,350 | 14.5 |
| Yes | 1 | 2,576 | 32.5 | 85,555,648 | 32.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 94 | 1.2 | 3,003,512 | 1.2 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 183,776 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 9 | 0.1 | 203,335 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_OTHCONC |
|------------|---|
| Label: | Concern about self-administered HPV test: another concern |
| Question: | Even if you prefer to do the HPV test yourself, which of the following, if any, would concern you? Another concern. |
| Universe: | WHERE P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,402 | 42.9 | 108,500,884 | 41.7 |
| Yes | 1 | 310 | 3.9 | 10,157,135 | 3.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 248 | 3.1 | 7,774,065 | 3.0 |
| Explicit refusal/REF | -7 | 8 | 0.1 | 183,776 | 0.1 |
| Question not asked | -8 | 3,951 | 49.9 | 133,273,169 | 51.3 |
| Don't know | -9 | 4 | 0.1 | 40,761 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCATION |
|------------|---|
| Label: | Location preference for self-administered HPV test |
| Question: | Right now, you can do the HPV test yourself in places like clinics and doctor's offices, but in the future, you may also be able to do the test at home and return the kit using the mail. If you were going to do an HPV test yourself, would you prefer to do this HPV test at home or to test yourself in a clinic or doctor's office? |
| Universe: | WHERE HPV_PREFTEST IN (1, 3) AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Home | 1 | 1,335 | 16.8 | 39,320,290 | 15.1 |
| Clinic or doctor's office | 2 | 350 | 4.4 | 11,147,088 | 4.3 |
| Have no preference | 3 | 682 | 8.6 | 21,938,944 | 8.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 662,887 | 0.3 |
| Explicit refusal/REF | -7 | 3 | 0.0 | 30,501 | 0.0 |
| Question not asked | -8 | 5,535 | 69.9 | 186,791,710 | 71.9 |
| Don't know | -9 | 3 | 0.0 | 38,371 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCCONV |
|------------|--|
| Label: | Prefer at home HPV test: more convenient |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? It would be more convenient to test myself at home. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 22 | 0.3 | 404,939 | 0.2 |
| Yes | 1 | 1,301 | 16.4 | 38,659,575 | 14.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 12 | 0.2 | 255,775 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCPRIV |
|------------|--|
| Label: | Prefer at home HPV test: privacy |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? I prefer the privacy of testing myself at home. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 84 | 1.1 | 2,489,606 | 1.0 |
| Yes | 1 | 1,243 | 15.7 | 36,516,176 | 14.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 8 | 0.1 | 314,508 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCTIME |
|------------|--|
| Label: | Prefer at home HPV test: take it on own time |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? I could take the test on my own time. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 30 | 0.4 | 665,650 | 0.3 |
| Yes | 1 | 1,294 | 16.3 | 38,309,117 | 14.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 11 | 0.1 | 345,523 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCTRAV |
|------------|---|
| Label: | Prefer at home HPV test: hard to get to a clinic or doctor's office |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? It is hard for me to get to a clinic or doctor's office. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 862 | 10.9 | 26,629,866 | 10.2 |
| Yes | 1 | 453 | 5.7 | 12,154,499 | 4.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 20 | 0.3 | 535,926 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCCOMF |
|------------|--|
| Label: | Prefer at home HPV test: more comfortable at home |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? I would be more comfortable in my home. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 55 | 0.7 | 1,507,477 | 0.6 |
| Yes | 1 | 1,267 | 16.0 | 37,431,624 | 14.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 381,189 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCDOC |
|------------|---|
| Label: | Prefer at home HPV test: don't like going to the doctor |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? I do not like going to the doctor. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 512 | 6.5 | 15,249,619 | 5.9 |
| Yes | 1 | 799 | 10.1 | 23,360,590 | 9.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 24 | 0.3 | 710,081 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCOTHA |
|------------|--|
| Label: | Prefer at home HPV test: another reason |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at home? Another reason. |
| Universe: | WHERE HPV_LOCATION = 1 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,059 | 13.4 | 31,579,104 | 12.1 |
| Yes | 1 | 186 | 2.3 | 5,275,166 | 2.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 89 | 1.1 | 2,423,757 | 0.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,588 | 83.2 | 220,609,501 | 84.9 |
| Don't know | -9 | 1 | 0.0 | 42,262 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCMAIL |
|------------|---|
| Label: | Prefer in-clinic HPV test: do not want to use mail for medical tests |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? I would not want to use the mail for at-home medical tests. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 150 | 1.9 | 4,703,935 | 1.8 |
| Yes | 1 | 190 | 2.4 | 6,124,215 | 2.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 245,697 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 3 | 0.0 | 73,242 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCKNOW |
|------------|--|
| Label: | Prefer in-clinic HPV test: other people I live with may find out |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? I would not want other people I live with to know I am taking an HPV test. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 278 | 3.5 | 8,834,728 | 3.4 |
| Yes | 1 | 59 | 0.7 | 1,965,440 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 9 | 0.1 | 284,897 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 4 | 0.1 | 62,023 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCCLEAN |
|------------|--|
| Label: | Prefer in-clinic HPV test: doctor's office would be a cleaner place |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? A clinic or doctor's office would be a cleaner place to test myself. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 135 | 1.7 | 4,066,926 | 1.6 |
| Yes | 1 | 209 | 2.6 | 6,868,665 | 2.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 5 | 0.1 | 166,853 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 1 | 0.0 | 44,645 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCHELP |
|------------|---|
| Label: | Prefer in-clinic HPV test: staff would be available to help me or answer questions |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? At a clinic or doctor's office, staff would be available to help me or answer my questions. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 33 | 0.4 | 745,375 | 0.3 |
| Yes | 1 | 311 | 3.9 | 10,197,538 | 3.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 204,176 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCNEED |
|------------|--|
| Label: | Prefer in-clinic HPV test: have to go to the doctor anyway |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? I have to go to the doctor anyway. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 56 | 0.7 | 1,360,278 | 0.5 |
| Yes | 1 | 285 | 3.6 | 9,385,847 | 3.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 9 | 0.1 | 400,964 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | T - | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | HPV_LOCOTHB |
|------------|---|
| Label: | Prefer in-clinic HPV test: another reason |
| Question: | Which of the following, if any, are reasons you would prefer doing an HPV test yourself at a clinic or doctor's office? Another reason. |
| Universe: | WHERE HPV_LOCATION = 2 AND P_AGE >= 21 AND P_SEX = 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 278 | 3.5 | 8,700,799 | 3.3 |
| Yes | 1 | 52 | 0.7 | 1,670,765 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 18 | 0.2 | 724,027 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,573 | 95.6 | 248,782,703 | 95.7 |
| Don't know | -9 | 2 | 0.0 | 51,496 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SOC_ERRANDS |
|------------|--|
| Label: | Difficulty doing errands alone due to physical, mental, or emotional condition |
| Question: | Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone, such as visiting a doctor's office or shopping? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No difficulty | 1 | 6,328 | 79.9 | 219,598,522 | 84.5 |
| Some difficulty | 2 | 1,105 | 13.9 | 28,666,735 | 11.0 |
| A lot of difficulty | 3 | 322 | 4.1 | 6,943,051 | 2.7 |
| Cannot do this at all | 4 | 130 | 1.6 | 3,129,311 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 37 | 0.5 | 1,560,765 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 31,407 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SOC_PARACTIV |
|------------|--|
| Label: | Difficulty participating in social activities due to physical, mental, or emotional condition |
| Question: | Because of a physical, mental, or emotional condition, do you have difficulty participating in social activities, such as visiting friends, attending clubs and meetings, or going to parties? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No difficulty | 1 | 5,830 | 73.6 | 204,414,851 | 78.6 |
| Some difficulty | 2 | 1,375 | 17.4 | 40,413,346 | 15.5 |
| A lot of difficulty | 3 | 475 | 6.0 | 8,774,174 | 3.4 |
| Cannot do this at all | 4 | 152 | 1.9 | 3,063,575 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 90 | 1.1 | 3,256,297 | 1.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 7,548 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SOC_PARACTIV_R |
|------------|---|
| Label: | RECODE: Difficulty participating in social activities due to physical, mental, or emotional condition |
| Notes: | This variable is based on SOC_PARACTIV. This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No difficulty/some difficulty | 1 | 7,205 | 90.9 | 244,828,197 | 94.2 |
| A lot of difficulty/cannot do this at all | 2 | 627 | 7.9 | 11,837,749 | 4.6 |
| Unknown | -8 | 91 | 1.1 | 3,263,844 | 1.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SOC_SCWRKLIM |
|------------|---|
| Label: | Work limited due to physical, mental, or emotional problem |
| Question: | Are you limited in the kind or amount of work you can do because of a physical, mental, or emotional problem? Work includes paid work, volunteer work, school work, and homework. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,137 | 77.5 | 212,120,268 | 81.6 |
| Yes | 1 | 1,723 | 21.7 | 45,690,774 | 17.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 60 | 0.8 | 2,002,021 | 0.8 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 63,889 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 52,839 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | SOCWRKLMT |
|------------|---|
| Label: | DERIVED: Any social/work limitation |
| Notes: | This variable is based on SOC_ERRANDS, SOC_PARACTIV, or SOC_SCWRKLIM. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,017 | 63.3 | 179,555,528 | 69.1 |
| Yes | 1 | 2,812 | 35.5 | 76,537,523 | 29.4 |
| Not ascertained | -8 | 94 | 1.2 | 3,836,740 | 1.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PAY_BILL12M |
|------------|--|
| Label: | Past 12 months, you or family have problems paying medical bills |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the past 12 months, did you or anyone in your family have problems paying or were unable to pay medical bills? Include bills from doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,395 | 80.7 | 222,149,106 | 85.5 |
| Yes | 1 | 1,471 | 18.6 | 35,977,307 | 13.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 55 | 0.7 | 1,784,788 | 0.7 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 18,590 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PAY_MEDBILL |
|------------|--|
| Label: | Inability to pay current medical bills |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Do you or anyone in your family currently have any medical bills that you are unable to pay at all? |
| Universe: | WHERE PAY_BILL12M IN (1, -6, -7, -9); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 583 | 7.4 | 15,496,255 | 6.0 |
| Yes | 1 | 909 | 11.5 | 21,345,050 | 8.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 35 | 0.4 | 927,080 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,395 | 80.7 | 222,149,106 | 85.5 |
| Don't know | -9 | 1 | 0.0 | 12,300 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | PAY_PAYWORRY |
|------------|--|
| Label: | If get sick or have accident, how worried about ability to pay medical bills |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | If you get sick or have an accident, how worried are you that you will be able to pay your medical bills? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Very worried | 1 | 1,102 | 13.9 | 27,910,436 | 10.7 |
| Somewhat worried | 2 | 2,985 | 37.7 | 95,476,798 | 36.7 |
| Not at all worried | 3 | 3,791 | 47.8 | 134,965,336 | 51.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 45 | 0.6 | 1,577,220 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_EVEATEN |
|------------|---------------------------------------|
| Label: | Ever eaten deer or elk meat |
| Question: | Have you ever eaten deer or elk meat? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,456 | 43.6 | 120,164,970 | 46.2 |
| Yes | 1 | 4,431 | 55.9 | 138,653,791 | 53.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 32 | 0.4 | 1,063,999 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 4 | 0.1 | 47,030 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_EVHUNT |
|------------|---|
| Label: | Ever gone hunting for deer or elk |
| Question: | Have you ever gone hunting for deer or elk? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,591 | 83.2 | 218,711,183 | 84.1 |
| Yes | 1 | 1,257 | 15.9 | 38,306,349 | 14.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 75 | 0.9 | 2,912,260 | 1.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTAGE_R |
|------------|---|
| Label: | RECODE: Age when first time hunting for deer or elk - topcoded and bottomcoded |
| Notes: | This variable is based on CWD_HUNTAGE and is top and bottom coded from 6 - 45. |
| Question: | Approximately how old were you the first time you went hunting for deer or elk? |
| Universe: | WHERE CWD_EVHUNT = 1; |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|---------|
| N | 1,230.0 |
| Min | 6.0 |
| Mean | 16.9 |
| Median | 14.0 |
| Max | 45.0 |
| SD | 9.2 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 6,693

| Variable: | CWD_OFTHUNT |
|------------|---|
| Label: | Frequency of deer or elk hunting since first time |
| Question: | Since your first time hunting, about how often have you gone deer or elk hunting? |
| Universe: | WHERE CWD_EVHUNT = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Every year | 1 | 165 | 2.1 | 6,181,706 | 2.4 |
| Most years | 2 | 194 | 2.4 | 5,705,150 | 2.2 |
| Some years | 3 | 285 | 3.6 | 8,763,928 | 3.4 |
| Hardly ever | 4 | 608 | 7.7 | 17,568,529 | 6.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 72,697 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,666 | 84.1 | 221,623,442 | 85.3 |
| Don't know | -9 | 1 | 0.0 | 14,338 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_COWYNE |
|------------|---|
| Label: | Since 2000, hunted deer or elk in CO, WY, or NE |
| Question: | Just to confirm, since 2000, have you hunted deer or elk in Colorado, Wyoming, or Nebraska? |
| Universe: | WHERE CWD_EVHUNT = 1 AND (CWD_HUNTST00 NOT IN ('COLORADO', 'NEBRASKA', 'WYOMING') OR CWD_HUNTST00 IN (-6,-7,-9)); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,138 | 14.4 | 35,215,622 | 13.5 |
| Yes | 1 | 41 | 0.5 | 877,395 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 146,065 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,739 | 85.1 | 223,676,413 | 86.1 |
| Don't know | -9 | 1 | 0.0 | 14,296 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST00 |
|------------|---|
| Label: | Since 2000, harvested any deer or elk while hunting in CO, WY, or NE |
| Question: | Since 2000, have you harvested any deer or elk while hunting in Colorado, Wyoming, or Nebraska? |
| Universe: | WHERE CWD_HUNTST00 IN ('COLORADO', 'WYOMING', 'NEBRASKA') OR CWD_COWYNE = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 57 | 0.7 | 1,384,824 | 0.5 |
| Yes | 1 | 56 | 0.7 | 1,520,452 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 25,090 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,809 | 98.6 | 256,999,425 | 98.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTST05 |
|------------|---|
| Label: | Since 2005, hunted for deer or elk in SD, WI, IL, UT, NM, KS, WV, or NY |
| Question: | Since 2005, have you hunted for deer or elk in South Dakota, Wisconsin, Illinois, Utah, New Mexico, Kansas, West Virginia, or New York? |
| Universe: | WHERE CWD_HUNTST00 IN ('SOUTH DAKOTA', 'WISCONSIN', 'ILLINOIS', 'UTAH', 'NEW MEXICO', 'KANSAS', 'WEST VIRGINIA', 'NEW YORK'); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 58 | 0.7 | 1,380,765 | 0.5 |
| Yes | 1 | 138 | 1.7 | 5,463,468 | 2.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 110,632 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,724 | 97.5 | 252,974,926 | 97.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST05 |
|------------|--|
| Label: | Since 2005, harvested any deer or elk while hunting in SD, WI, IL, UT, NM, KS, WV, or NY |
| Question: | Since 2005, have you harvested any deer or elk while hunting in South Dakota, Wisconsin, Illinois, Utah, New Mexico, Kansas, West Virginia, or New York? |
| Universe: | WHERE CWD_HUNTST05=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 32 | 0.4 | 1,137,882 | 0.4 |
| Yes | 1 | 103 | 1.3 | 4,202,089 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 123,497 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,785 | 98.3 | 254,466,323 | 97.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTST10 |
|------------|--|
| Label: | Since 2010, hunted for deer or elk in VA or ND |
| Question: | Since 2010, have you hunted for deer or elk in Virginia or North Dakota? |
| Universe: | WHERE CWD_HUNTST00 IN ('VIRGINIA', 'NORTH DAKOTA'); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 10 | 0.1 | 237,094 | 0.1 |
| Yes | 1 | 20 | 0.3 | 758,779 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 0 | 0.0 | 0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,893 | 99.6 | 258,933,918 | 99.6 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST10 |
|------------|---|
| Label: | Since 2010, harvested any deer or elk while hunting in VA or ND |
| Question: | Since 2010, have you harvested any deer or elk while hunting in Virginia or North Dakota? |
| Universe: | WHERE CWD_HUNTST10=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 4 | 0.1 | 141,379 | 0.1 |
| Yes | 1 | 15 | 0.2 | 610,652 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 6,747 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,903 | 99.7 | 259,171,012 | 99.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTST15 |
|------------|---|
| Label: | Since 2015, hunted for deer or elk in MN, MD, MO, PA, TX, IA, or MI |
| Question: | Since 2015, have you hunted for deer or elk in Minnesota, Maryland, Missouri, Pennsylvania, Texas, Iowa, or Michigan? |
| Universe: | WHERE CWD_HUNTST00 IN ('MINNESOTA', 'MARYLAND', 'MISSOURI', 'PENNSYLVANIA', 'TEXAS', 'IOWA', 'MICHIGAN'); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 119 | 1.5 | 3,324,417 | 1.3 |
| Yes | 1 | 163 | 2.1 | 4,825,394 | 1.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 34,227 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,639 | 96.4 | 251,745,753 | 96.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST15 |
|------------|--|
| Label: | Since 2015, harvested any deer or elk while hunting in MN, MD, MO, PA, TX, IA, or MI |
| Question: | Since 2015, have you harvested any deer or elk while hunting in Minnesota, Maryland, Missouri, Pennsylvania, Texas, Iowa, or Michigan? |
| Universe: | WHERE CWD_HUNTST15=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 48 | 0.6 | 1,468,800 | 0.6 |
| Yes | 1 | 113 | 1.4 | 3,304,983 | 1.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 37,272 | 0.0 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 14,338 | 0.0 |
| Question not asked | -8 | 7,760 | 97.9 | 255,104,397 | 98.1 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTST20 |
|------------|--|
| Label: | Since 2020, hunted for deer or elk in AR, MT, MS, TN, or OH |
| Question: | Since 2020, have you hunted for deer or elk in Arkansas, Montana, Mississippi, Tennessee, or Ohio? |
| Universe: | WHERE CWD_HUNTST00 IN ('ARKANSAS', 'MONTANA', 'MISSISSIPPI', 'TENNESSEE', 'OHIO'); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 74 | 0.9 | 2,345,020 | 0.9 |
| Yes | 1 | 65 | 0.8 | 2,185,041 | 0.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 0 | 0.0 | 0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,784 | 98.2 | 255,399,731 | 98.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST20 |
|------------|---|
| Label: | Since 2020, harvested any deer or elk while hunting in AR, MT, MS, TN, or OH |
| Question: | Since 2020, have you harvested any deer or elk while hunting in Arkansas, Montana, Mississippi, Tennessee, or Ohio? |
| Universe: | WHERE CWD_HUNTST20=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 17 | 0.2 | 525,979 | 0.2 |
| Yes | 1 | 48 | 0.6 | 1,659,061 | 0.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 0 | 0.0 | 0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,858 | 99.2 | 257,744,750 | 99.2 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HUNTST12M |
|------------|---|
| Label: | Past 12 months, hunted for deer or elk in ID, AL, LA, NC, OK, FL, KY, IN, or CA |
| Question: | In the past 12 months, have you hunted for deer or elk in Idaho, Alabama, Louisiana, North Carolina, Oklahoma, Florida, Kentucky, Indiana, or California? |
| Universe: | WHERE CWD_HUNTST00 IN ('IDAHO', 'ALABAMA', 'LOUISIANA', 'NORTH CAROLINA', 'OKLAHOMA', 'FLORIDA', 'KENTUCKY', 'INDIANA', 'CALIFORNIA'); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 121 | 1.5 | 3,535,256 | 1.4 |
| Yes | 1 | 73 | 0.9 | 2,259,032 | 0.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 4 | 0.1 | 72,258 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,725 | 97.5 | 254,063,244 | 97.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_HRVEST12M |
|------------|--|
| Label: | Past 12 months, harvested any deer or elk while hunting in ID, AL, LA, NC, OK, FL, KY, IN, or CA |
| Question: | In the past 12 months, have you harvested any deer or elk while hunting in Idaho, Alabama, Louisiana, North Carolina, Oklahoma, Florida, Kentucky, Indiana, or California? |
| Universe: | WHERE CWD_HUNTST12M=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 35 | 0.4 | 1,062,893 | 0.4 |
| Yes | 1 | 36 | 0.5 | 1,153,205 | 0.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 2 | 0.0 | 42,934 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,850 | 99.1 | 257,670,759 | 99.1 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_ANYHUNT |
|------------|---|
| Label: | DERIVED: Hunted a deer or elk in a state where chronic wasting disease was identified |
| Notes: | This variable is based on CWD_HNTST_CO, CWD_HNTST_NE, CWD_HNTST_WY, CWD_COWYNE, CWD_HUNTST05, CWD_HUNTST10, CWD_HUNTST15, CWD_HUNTST20, and CWD_HUNTST12M. If participants indicated that they have hunted since 2000 in states where CWD was not identified or that they have not hunted in any of the states (including DC) since 2000, these participants are considered to have not hunted in a state where CWD was identified. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--|---------|-----------|---------|-----------------------|---------------------|
| Did not hunt in a state where CWD was identified | 0 | 745 | 9.4 | 21,593,277 | 8.3 |
| Hunted in a state where CWD was identified | 1 | 489 | 6.2 | 15,991,760 | 6.2 |
| No response | Missing | 6,689 | 84.4 | 222,344,754 | 85.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_ANYHRVEST |
|------------|---|
| Label: | DERIVED: Harvested a deer or elk in a state where chronic wasting disease was identified |
| Notes: | This variable is based on CWD_EVHUNT, CWD_ANYHUNT, CWD_HRVEST00, CWD_HRVEST05, CWD_HRVEST10, CWD_HRVEST15, CWD_HRVEST20, and CWD_HRVEST12M. If participants indicated that they have hunted since 2000 in states where CWD was not identified or that they have not hunted in any of the states (including DC) since 2000, these participants are considered to have not harvested in a state where CWD was identified. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|---------|-----------|---------|-----------------------|---------------------|
| Did not harvest a deer or elk in a state where CWD was identified | 0 | 913 | 11.5 | 26,564,489 | 10.2 |
| Harvested a deer or elk in a state where CWD was identified | 1 | 316 | 4.0 | 10,873,324 | 4.2 |
| No response | Missing | 6,694 | 84.5 | 222,491,977 | 85.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_PROCESSA |
|------------|--|
| Label: | Since 2000, processed deer or elk meat myself |
| Question: | Since 2000, have you processed deer or elk you harvested in any of the following ways? I processed my own meat. |
| Universe: | WHERE CWD_HRVEST00=1 OR CWD_HRVEST05=1 OR CWD_HRVEST10=1 OR CWD_HRVEST15=1 OR CWD_HRVEST20=1 OR CWD_HRVEST12M = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 113 | 1.4 | 4,146,852 | 1.6 |
| Yes | 1 | 200 | 2.5 | 6,583,134 | 2.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 3 | 0.0 | 143,338 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,607 | 96.0 | 249,056,467 | 95.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_PROCESSB |
|------------|---|
| Label: | Since 2000, someone I know processed the deer or elk meat |
| Question: | Since 2000, have you processed deer or elk you harvested in any of the following ways? Someone I know processed the meat, such as a family member, friend, neighbor, or another hunter. |
| Universe: | WHERE CWD_HRVEST00=1 OR CWD_HRVEST05=1 OR CWD_HRVEST10=1 OR CWD_HRVEST15=1 OR CWD_HRVEST20=1 OR CWD_HRVEST12M = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 181 | 2.3 | 6,283,322 | 2.4 |
| Yes | 1 | 123 | 1.6 | 4,209,977 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 12 | 0.2 | 380,025 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,607 | 96.0 | 249,056,467 | 95.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_PROCESSC |
|------------|--|
| Label: | Since 2000, took the meat to a commercial meat processor |
| Question: | Since 2000, have you processed deer or elk you harvested in any of the following ways? I took it to a commercial meat processor. |
| Universe: | WHERE CWD_HRVEST00=1 OR CWD_HRVEST05=1 OR CWD_HRVEST10=1 OR CWD_HRVEST15=1 OR CWD_HRVEST20=1 OR CWD_HRVEST12M = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 152 | 1.9 | 5,572,209 | 2.1 |
| Yes | 1 | 158 | 2.0 | 5,198,434 | 2.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 102,681 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,607 | 96.0 | 249,056,467 | 95.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_PROCESSD |
|------------|--|
| Label: | Since 2000, donated the whole animal to a charity |
| Question: | Since 2000, have you processed deer or elk you harvested in any of the following ways? I donated the whole animal to a charity like a food bank or Hunters for the Hungry. |
| Universe: | WHERE CWD_HRVEST00=1 OR CWD_HRVEST05=1 OR CWD_HRVEST10=1 OR CWD_HRVEST15=1 OR CWD_HRVEST20=1 OR CWD_HRVEST12M = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 261 | 3.3 | 9,193,389 | 3.5 |
| Yes | 1 | 42 | 0.5 | 1,294,945 | 0.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 384,991 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,607 | 96.0 | 249,056,467 | 95.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_PROCESSE |
|------------|--|
| Label: | Since 2000, did something else |
| Question: | Since 2000, have you processed deer or elk you harvested in any of the following ways? I did something else. |
| Universe: | WHERE CWD_HRVEST00=1 OR CWD_HRVEST05=1 OR CWD_HRVEST10=1 OR CWD_HRVEST15=1 OR CWD_HRVEST20=1 OR CWD_HRVEST12M = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 271 | 3.4 | 9,772,712 | 3.8 |
| Yes | 1 | 29 | 0.4 | 622,188 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 16 | 0.2 | 478,425 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,607 | 96.0 | 249,056,467 | 95.8 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_EVHEARD |
|------------|--|
| Label: | Ever heard of chronic wasting disease, also called zombie deer disease |
| Question: | Chronic wasting disease or CWD is an illness affecting deer and elk in parts of the United States. Prior to this survey, had you ever heard of chronic wasting disease, also known as zombie deer disease? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,047 | 63.7 | 168,727,597 | 64.9 |
| Yes | 1 | 2,829 | 35.7 | 89,248,211 | 34.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 47 | 0.6 | 1,953,982 | 0.8 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_KNWMUCH |
|------------|--|
| Label: | Prior knowledge about chronic wasting disease |
| Question: | Prior to this survey, how much did you know about chronic wasting disease? |
| Universe: | WHERE CWD_EVHEARD = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Hardly anything | 1 | 649 | 8.2 | 21,279,979 | 8.2 |
| A little bit | 2 | 1,371 | 17.3 | 43,074,918 | 16.6 |
| A fair amount | 3 | 642 | 8.1 | 20,319,883 | 7.8 |
| A lot | 4 | 159 | 2.0 | 4,409,995 | 1.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 8 | 0.1 | 163,437 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,094 | 64.3 | 170,681,580 | 65.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_CONTEST |
|------------|---|
| Label: | Concern about eating untested deer/elk meat from a chronic wasting disease area |
| Question: | How concerned would you be about eating deer or elk meat that was not tested for chronic wasting disease when it was from an area where chronic wasting disease was detected? |
| Universe: | WHERE CWD_EVHEARD = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not at all concerned | 1 | 395 | 5.0 | 12,346,279 | 4.7 |
| Slightly concerned | 2 | 544 | 6.9 | 17,216,206 | 6.6 |
| Moderately concerned | 3 | 642 | 8.1 | 20,185,927 | 7.8 |
| Very concerned | 4 | 1,048 | 13.2 | 32,619,514 | 12.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 266,816 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,094 | 64.3 | 170,681,580 | 65.7 |
| Don't know | -9 | 194 | 2.4 | 6,613,468 | 2.5 |
| Total | | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_CONPOS |
|------------|--|
| Label: | Concern about eating deer/elk meat that tested positive for chronic wasting disease |
| Question: | How concerned would you be about eating deer or elk meat that tested positive for chronic wasting disease? |
| Universe: | WHERE CWD_EVHEARD = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not at all concerned | 1 | 153 | 1.9 | 5,217,628 | 2.0 |
| Slightly concerned | 2 | 176 | 2.2 | 4,821,130 | 1.9 |
| Moderately concerned | 3 | 335 | 4.2 | 10,242,168 | 3.9 |
| Very concerned | 4 | 1,977 | 25.0 | 62,585,822 | 24.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 15 | 0.2 | 472,879 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,094 | 64.3 | 170,681,580 | 65.7 |
| Don't know | -9 | 173 | 2.2 | 5,908,585 | 2.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CWD_CONHLTH |
|------------|---|
| Label: | Concern about chronic wasting disease affecting human health |
| Question: | How concerned are you about chronic wasting disease affecting human health? |
| Universe: | WHERE CWD_EVHEARD = 1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Not at all concerned | 1 | 362 | 4.6 | 11,549,235 | 4.4 |
| Slightly concerned | 2 | 928 | 11.7 | 29,612,612 | 11.4 |
| Moderately concerned | 3 | 827 | 10.4 | 26,832,472 | 10.3 |
| Very concerned | 4 | 675 | 8.5 | 19,724,557 | 7.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 33 | 0.4 | 1,374,646 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,094 | 64.3 | 170,681,580 | 65.7 |
| Don't know | -9 | 4 | 0.1 | 154,690 | 0.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_EMPLOY |
|------------|---|
| Label: | Last week worked for pay at job or business |
| Question: | Last week, did you work for pay at a job or business? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,539 | 44.7 | 111,507,862 | 42.9 |
| Yes | 1 | 4,338 | 54.8 | 146,968,986 | 56.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 46 | 0.6 | 1,452,943 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_ABSENTWK |
|------------|--|
| Label: | Had a job/business last week but temporarily absent |
| Question: | Did you have a job or business last week, but were temporarily absent due to illness, vacation, family or maternity leave, or some other reason? |
| Universe: | WHERE EMP_EMPLOY IN (0, -6, -7, -9); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,394 | 42.8 | 107,727,555 | 41.4 |
| Yes | 1 | 149 | 1.9 | 4,044,711 | 1.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 42 | 0.5 | 1,188,539 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 4,338 | 54.8 | 146,968,986 | 56.5 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_WHYNOWRK |
|------------|--|
| Label: | Main reason not working for pay last week |
| Question: | What is the main reason you were not working for pay at a job or business last week? |
| Universe: | WHERE EMP_EMPLOY=0 AND EMP_ABSENTWK=0; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Unemployed, laid off, looking for work | 0 | 289 | 3.6 | 9,378,478 | 3.6 |
| Seasonal/contract work | 1 | 57 | 0.7 | 1,649,511 | 0.6 |
| Retired | 2 | 1,787 | 22.6 | 55,735,667 | 21.4 |
| Unable to work for health reasons/disabled | 3 | 512 | 6.5 | 13,219,985 | 5.1 |
| Taking care of house or family | 4 | 285 | 3.6 | 9,647,543 | 3.7 |
| Going to school | 5 | 138 | 1.7 | 7,089,698 | 2.7 |
| Working at a family-owned job or business, but not for pay | 6 | 33 | 0.4 | 868,433 | 0.3 |
| Other | 7 | 235 | 3.0 | 8,337,743 | 3.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 32 | 0.4 | 1,005,428 | 0.4 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 10,809 | 0.0 |
| Question not asked | -8 | 4,554 | 57.5 | 152,986,496 | 58.9 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |

NCHS Rapid Surveys System – Public-use Codebook

Page | 153

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMPWRKLSWK |
|------------|---|
| Label: | DERIVED: Worked last week |
| Notes: | This variable is based on EMP_EMPLOY, EMP_ABSENTWK, and EMP_WHYNOWRK. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Did not work | 0 | 3,279 | 41.4 | 104,425,351 | 40.2 |
| Worked, Temp Absent, Seasonal, Family Job-no pay | 1 | 4,577 | 57.8 | 153,531,641 | 59.1 |
| Unknown | -8 | 67 | 0.8 | 1,972,800 | 0.8 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSA |
|------------|--|
| Label: | Insurance coverage: Self/family member employer, union |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Insurance through a current or former employer or union of your own or another family member |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,482 | 43.9 | 103,458,184 | 39.8 |
| Yes | 1 | 4,193 | 52.9 | 148,040,739 | 57.0 |
| Upcoded: Yes | 2 | 10 | 0.1 | 408,356 | 0.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 237 | 3.0 | 8,005,332 | 3.1 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSB |
|------------|--|
| Label: | Insurance coverage: Self/family member purchased directly |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Insurance purchased directly from an insurance company by you or another family member |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,158 | 77.7 | 201,936,908 | 77.7 |
| Yes | 1 | 1,240 | 15.7 | 41,066,049 | 15.8 |
| Upcoded: Yes | 2 | 160 | 2.0 | 4,621,622 | 1.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 358 | 4.5 | 12,189,148 | 4.7 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 27,246 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 5 | 0.1 | 88,818 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSC |
|------------|--|
| Label: | Insurance coverage: Medicare |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Medicare, for people 65 and older or people with certain disabilities |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,442 | 68.7 | 185,504,878 | 71.4 |
| Yes | 1 | 2,192 | 27.7 | 64,389,524 | 24.8 |
| Upcoded: Yes | 2 | 11 | 0.1 | 321,148 | 0.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 276 | 3.5 | 9,573,963 | 3.7 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 123,099 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSD |
|------------|--|
| Label: | Insurance coverage: Medicaid or government assistance plan |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,141 | 77.5 | 205,854,283 | 79.2 |
| Yes | 1 | 1,384 | 17.5 | 40,492,352 | 15.6 |
| Upcoded: Yes | 2 | 6 | 0.1 | 124,922 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 389 | 4.9 | 13,416,460 | 5.2 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 24,595 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSE |
|------------|--|
| Label: | Insurance coverage: TRICARE or other military |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? TRICARE or other military health care |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,200 | 90.9 | 236,822,666 | 91.1 |
| Yes | 1 | 331 | 4.2 | 9,598,178 | 3.7 |
| Upcoded: Yes | 2 | 0 | 0.0 | 0 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 391 | 4.9 | 13,491,769 | 5.2 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSF |
|------------|--|
| Label: | Insurance coverage: VA health care |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? VA (enrolled for VA health care) |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,139 | 90.1 | 236,504,816 | 91.0 |
| Yes | 1 | 397 | 5.0 | 10,682,023 | 4.1 |
| Upcoded: Yes | 2 | 1 | 0.0 | 34,354 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 385 | 4.9 | 12,691,419 | 4.9 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSG |
|------------|--|
| Label: | Insurance coverage: Indian Health Service |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Indian Health Service |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 7,419 | 93.6 | 243,712,697 | 93.8 |
| Yes | 1 | 115 | 1.5 | 2,964,178 | 1.1 |
| Upcoded: Yes | 2 | 0 | 0.0 | 0 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 387 | 4.9 | 13,217,824 | 5.1 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 17,914 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSH |
|------------|--|
| Label: | Insurance coverage: Any other |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | Are you covered by any of the following types of health insurance or health coverage plans? Any other type of health insurance or health coverage plan (please specify) [TEXTBOX] |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,966 | 87.9 | 227,197,283 | 87.4 |
| Yes | 1 | 444 | 5.6 | 14,169,491 | 5.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 511 | 6.4 | 18,536,064 | 7.1 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 17,179 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 9,775 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSH_UNK |
|------------|---|
| Label: | Private insurance, Other/Unknown Source |
| Notes: | This is an upcoded variable based on the open-ended text response from EMP_INSH. This variable identifies responses that indicated private health insurance coverage but did not specify the source of the coverage (e.g., employer provided, purchased directly). This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 347 | 4.4 | 10,548,964 | 4.1 |
| Upcoded: Yes | 2 | 97 | 1.2 | 3,620,527 | 1.4 |
| Not ascertained | -8 | 7,479 | 94.4 | 245,760,300 | 94.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | EMP_INSH_OTH |
|------------|---|
| Label: | Other health insurance reported |
| Notes: | This is an upcoded variable based on the open-ended text response from EMP_INSH. This variable identifies responses that did not match one of the preexisting categories (EMP_INSA - EMP_INSG) or EMP_INSH_UNK. These variables were included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 389 | 4.9 | 12,470,043 | 4.8 |
| Upcoded: Yes | 2 | 55 | 0.7 | 1,699,448 | 0.7 |
| Not ascertained | -8 | 7,479 | 94.4 | 245,760,300 | 94.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INSURED |
|------------|---|
| Label: | DERIVED: Health Insurance Status |
| Notes: | This variable is based on EMP_INSA – EMP_INSH and EMP_INSH_UNK. These variables were included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------|-------|-----------|---------|-----------------------|---------------------|
| Not insured | 0 | 659 | 8.3 | 19,149,691 | 7.4 |
| Insured | 1 | 7,193 | 90.8 | 238,409,961 | 91.7 |
| Not ascertained | -8 | 71 | 0.9 | 2,370,139 | 0.9 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MAR_MARITAL |
|------------|--|
| Label: | Now married, living with a partner, or neither |
| Question: | Are you now: [Married, Living with a partner together as an unmarried couple, Neither] |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Married | 1 | 4,063 | 51.3 | 132,500,401 | 51.0 |
| Living with a partner together as an unmarried couple | 2 | 901 | 11.4 | 28,267,852 | 10.9 |
| Neither | 3 | 2,929 | 37.0 | 98,184,123 | 37.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 30 | 0.4 | 977,414 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MAR_EVMARRY |
|------------|--|
| Label: | Ever been married |
| Question: | Have you ever been married? |
| Universe: | WHERE MAR_MARITAL IN (2, 3, -6, -7, -9); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,341 | 29.5 | 84,189,689 | 32.4 |
| Yes | 1 | 1,494 | 18.9 | 42,357,162 | 16.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 23 | 0.3 | 872,491 | 0.3 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 10,048 | 0.0 |
| Question not asked | -8 | 4,063 | 51.3 | 132,500,401 | 51.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MAR_LEGAL |
|------------|--|
| Label: | Current legal marital status |
| Question: | What is your current legal marital status? |
| Universe: | WHERE MAR_MARITAL = 2 AND MAR_EVMARRY=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Married | 1 | 18 | 0.2 | 501,542 | 0.2 |
| Widowed | 2 | 29 | 0.4 | 874,508 | 0.3 |
| Divorced | 3 | 227 | 2.9 | 6,662,602 | 2.6 |
| Separated | 4 | 23 | 0.3 | 870,135 | 0.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 1 | 0.0 | 48,712 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,625 | 96.2 | 250,972,293 | 96.6 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MAR_WIDIVSEP |
|------------|--|
| Label: | Widowed, divorced or separated |
| Question: | Are you [Widowed, Divorced, Separated] |
| Universe: | WHERE MAR_MARTIAL = 3 AND MAR_EVMARRY=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Widowed | 1 | 406 | 5.1 | 12,868,679 | 5.0 |
| Divorced | 2 | 699 | 8.8 | 17,724,175 | 6.8 |
| Separated | 3 | 77 | 1.0 | 2,271,569 | 0.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 7 | 0.1 | 262,870 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,734 | 85.0 | 226,802,498 | 87.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MARITAL |
|------------------|---|
| Label: | DERIVED: Current Marriage Status - 2 levels |
| Notes: | This variable is based on MAR_MARITAL, MAR_EVMARRY, and MAR_WIDIVSEP. This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. |
| Question: | NA - Recode |
| Universe: | WHERE MAR_MARITAL IN (1,2) OR (MAR_MARITAL = 3 AND MAR_EVMARRY = 0) OR (MAR_MARITAL = 3 AND MAR_EVMARRY = 1 AND MAR_WIDIVSEP IN (1,2,3)); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Married | 1 | 4,063 | 51.3 | 132,500,401 | 51.0 |
| Not married | 2 | 3,813 | 48.1 | 125,765,444 | 48.4 |
| Unknown | -8 | 47 | 0.6 | 1,663,946 | 0.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | MARSTAT |
|------------|---|
| Label: | DERIVED: Current marital status |
| Notes: | This variable is based on MAR_MARITAL, MAR_WIDIVSEP, and MAR_EVMARRY. This is based on the NHIS variable: MARSTAT_A. |
| Question: | NA - Recode |
| Universe: | WHERE MAR_MARITAL IN (1,2) OR (MAR_MARITAL = 3 AND MAR_WIDIVSEP IN (1,2,3))) OR (MAR_MARITAL = 3 AND MAR_EVMARRY = 0)); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---------------------|-------|-----------|---------|-----------------------|---------------------|
| Married | 1 | 4,063 | 51.3 | 132,500,401 | 51.0 |
| Widowed | 2 | 406 | 5.1 | 12,868,679 | 5.0 |
| Divorced | 3 | 699 | 8.8 | 17,724,175 | 6.8 |
| Separated | 4 | 77 | 1.0 | 2,271,569 | 0.9 |
| Never Married | 5 | 1,730 | 21.8 | 64,633,169 | 24.9 |
| Living with partner | 6 | 901 | 11.4 | 28,267,852 | 10.9 |
| Unknown | -8 | 47 | 0.6 | 1,663,946 | 0.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | LEGMSTAT |
|------------|--|
| Label: | DERIVED: Legal marital status |
| Notes: | This variable is based on MAR_MARITAL, MAR_WIDIVSEP, MAR_EVMARRY, and MAR_LEGAL. This is based on the NHIS variable: LEGMSTAT_A. |
| Question: | NA - Recode |
| Universe: | WHERE MARSTAT IN (1,2,3,4,5,6) OR MAR_LEGAL IN (1,2,3,4); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|----------------------|-------|-----------|---------|-----------------------|---------------------|
| Separated | 1 | 100 | 1.3 | 3,141,704 | 1.2 |
| Divorced | 2 | 926 | 11.7 | 24,386,777 | 9.4 |
| Married | 3 | 4,081 | 51.5 | 133,001,943 | 51.2 |
| Single/Never Married | 4 | 2,334 | 29.5 | 83,992,235 | 32.3 |
| Widowed | 5 | 435 | 5.5 | 13,743,187 | 5.3 |
| Unknown | -8 | 47 | 0.6 | 1,663,946 | 0.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIV_VOL12M |
|------------|---|
| Label: | Past 12 months, volunteer activities |
| Question: | During the past 12 months, did you spend any time volunteering for any organization or association? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,483 | 69.2 | 180,247,515 | 69.3 |
| Yes | 1 | 2,405 | 30.4 | 78,639,575 | 30.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 35 | 0.4 | 1,042,701 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIV_VOLOTH |
|------------|---|
| Label: | Past 12 months, activities at schools or youth organizations |
| Question: | Some people don't think of activities they do infrequently or for children's schools or youth organizations as volunteer activities. During the past 12 months, have you done any of these types of activities? |
| Universe: | WHERE CIV_VOL12M=0; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,142 | 64.9 | 168,961,041 | 65.0 |
| Yes | 1 | 308 | 3.9 | 10,180,335 | 3.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 33 | 0.4 | 1,106,139 | 0.4 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 2,440 | 30.8 | 79,682,276 | 30.7 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIV_MEET |
|------------|---|
| Label: | Past 12 months, attend local public meeting |
| Question: | During the past 12 months, did you attend a public meeting, such as a zoning or school board meeting, that discussed a local issue? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,885 | 86.9 | 227,312,027 | 87.5 |
| Yes | 1 | 944 | 11.9 | 29,229,880 | 11.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 93 | 1.2 | 3,345,622 | 1.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 42,262 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIV_VOTELOCL |
|------------|---|
| Label: | Vote in last local elections |
| Question: | Did you vote in the last local elections, such as for mayor, councilmembers, or school board? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,977 | 37.6 | 101,140,970 | 38.9 |
| Yes | 1 | 4,848 | 61.2 | 155,551,925 | 59.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 95 | 1.2 | 3,200,396 | 1.2 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 29,680 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 6,820 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CIVIC_ENGAGE |
|------------|--|
| Label: | DERIVED: Civic engagement including volunteering |
| Notes: | This variable is based on CIV_VOL12M, CIV_VOLOTH, CIV_MEET, and CIV_VOTELOC. This variable was included in the questionnaire for calibration weighting purposes. The population total for this variable was derived from the National Health Interview Survey. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Yes | 1 | 5,485 | 69.2 | 175,798,940 | 67.6 |
| No | 2 | 2,319 | 29.3 | 79,977,608 | 30.8 |
| Unknown | -8 | 119 | 1.5 | 4,153,243 | 1.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_WORRY |
|------------|--|
| Label: | Worried food would run out before got money to buy more |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | How often were the following true for you in the last 30 days? I was worried whether my food would run out before I got money to buy more. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Often true | 1 | 492 | 6.2 | 11,695,708 | 4.5 |
| Sometimes true | 2 | 1,420 | 17.9 | 39,408,198 | 15.2 |
| Never true | 3 | 5,946 | 75.0 | 206,844,490 | 79.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 61 | 0.8 | 1,918,337 | 0.7 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 44,129 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 2 | 0.0 | 18,929 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_NOTLAST |
|------------|--|
| Label: | Food bought did not last, no money to buy more |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | How often were the following true for you in the last 30 days? The food I bought just didn't last, and I didn't have money to get more. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Often true | 1 | 476 | 6.0 | 11,549,694 | 4.4 |
| Sometimes true | 2 | 1,162 | 14.7 | 31,796,110 | 12.2 |
| Never true | 3 | 6,211 | 78.4 | 214,445,225 | 82.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 71 | 0.9 | 2,081,911 | 0.8 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 40,490 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 16,362 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_AFFORD |
|------------|--|
| Label: | Couldn't afford to eat balanced meals |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | How often were the following true for you in the last 30 days? I couldn't afford to eat balanced meals. |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Often true | 1 | 652 | 8.2 | 15,910,366 | 6.1 |
| Sometimes true | 2 | 1,307 | 16.5 | 36,496,532 | 14.0 |
| Never true | 3 | 5,887 | 74.3 | 205,200,862 | 78.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 75 | 0.9 | 2,281,542 | 0.9 |
| Explicit refusal/REF | -7 | 2 | 0.0 | 40,490 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_SKIP |
|------------|--|
| Label: | Last 30 days, cut meal size or skipped meals |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, did you or other adults in your family ever cut the size of your meals or skip meals because there wasn't enough money for food? |
| Universe: | WHERE FSC_WORRY IN (1, 2) OR FSC_NOTLAST IN (1, 2) OR FSC_AFFORD IN (1, 2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,276 | 16.1 | 36,875,263 | 14.2 |
| Yes | 1 | 1,056 | 13.3 | 26,258,423 | 10.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 34 | 0.4 | 1,197,229 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,557 | 70.1 | 195,598,876 | 75.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_SKIPNUM |
|------------|--|
| Label: | Last 30 days, number of days cut meal size or skipped meals |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, how many days did you or other adults in your family cut the size of your meals or skip meals because there wasn't enough money for food? |
| Universe: | WHERE FSC_SKIP = 1; |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|---------|
| N | 1,023.0 |
| Min | 1.0 |
| Mean | 9.4 |
| Median | 7.0 |
| Max | 30.0 |
| SD | 8.1 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 6,900

| Variable: | FSC_EATLESS |
|------------|--|
| Label: | Last 30 days, ate less than felt should |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, did you or other adults in your family ever eat less than you felt you should because there wasn't enough money for food? |
| Universe: | WHERE FSC_WORRY IN (1, 2) OR FSC_NOTLAST IN (1, 2) OR FSC_AFFORD IN (1, 2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,252 | 15.8 | 36,605,655 | 14.1 |
| Yes | 1 | 1,058 | 13.4 | 26,233,669 | 10.1 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 55 | 0.7 | 1,488,897 | 0.6 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2,694 | 0.0 |
| Question not asked | -8 | 5,557 | 70.1 | 195,598,876 | 75.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_NOTEAT |
|------------|--|
| Label: | Last 30 days, hungry but didn't eat |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, were you or other adults in your family ever hungry but didn't eat because there wasn't enough money for food? |
| Universe: | WHERE FSC_WORRY IN (1, 2) OR FSC_NOTLAST IN (1, 2) OR FSC_AFFORD IN (1, 2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,545 | 19.5 | 44,147,046 | 17.0 |
| Yes | 1 | 756 | 9.5 | 18,234,051 | 7.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 64 | 0.8 | 1,947,123 | 0.7 |
| Explicit refusal/REF | -7 | 1 | 0.0 | 2,694 | 0.0 |
| Question not asked | -8 | 5,557 | 70.1 | 195,598,876 | 75.3 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_LOSEWT |
|------------|--|
| Label: | Last 30 days, lost weight because not enough food |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, did you or other adults in your family lose weight because there wasn't enough money for food? |
| Universe: | WHERE FSC_WORRY IN (1, 2) OR FSC_NOTLAST IN (1, 2) OR FSC_AFFORD IN (1, 2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,779 | 22.5 | 50,705,740 | 19.5 |
| Yes | 1 | 526 | 6.6 | 12,228,236 | 4.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 60 | 0.8 | 1,377,854 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,557 | 70.1 | 195,598,876 | 75.3 |
| Don't know | -9 | 1 | 0.0 | 19,085 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_NOEATDAY |
|------------|--|
| Label: | Last 30 days, didn't eat for a whole day |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, did you or other adults in your family ever not eat for a whole day because there wasn't enough money for food? |
| Universe: | WHERE FSC_WORRY IN (1, 2) OR FSC_NOTLAST IN (1, 2) OR FSC_AFFORD IN (1, 2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,927 | 24.3 | 54,075,045 | 20.8 |
| Yes | 1 | 387 | 4.9 | 8,904,015 | 3.4 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 50 | 0.6 | 1,341,734 | 0.5 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 5,557 | 70.1 | 195,598,876 | 75.3 |
| Don't know | -9 | 2 | 0.0 | 10,121 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | FSC_NOEATNUM |
|------------|--|
| Label: | Last 30 days, number of days didn't eat whole day |
| Notes: | This variable was included in the questionnaire for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | In the last 30 days, how many days did you or other adults in your family not eat for a whole day because there wasn't enough money for food? |
| Universe: | WHERE FSC_NOEATDAY=1; |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|-------|
| N | 364.0 |
| Min | 1.0 |
| Mean | 6.9 |
| Median | 4.0 |
| Max | 30.0 |
| SD | 7.3 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 7,559

| Variable: | FSSTATD |
|------------|---|
| Label: | DERIVED: Food Security Scale 4 category recode |
| Notes: | This variable is based on FSC_WORRY, FSC_NOTLAST, FSC_AFFORD, FSC_SKIP, FSC_SKIPNUM, FSC_EATLESS, FSC_NOTEAT, FSC_NOEATNUM, and FSC_LOSEWT. This variable was included for benchmarking purposes as gold standard sources of this measure exist elsewhere. Caution using this variable as an outcome of interest. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------------|-------|-----------|---------|-----------------------|---------------------|
| High food security | 1 | 5,507 | 69.5 | 194,026,743 | 74.6 |
| Marginal food security | 2 | 747 | 9.4 | 22,129,775 | 8.5 |
| Low food security | 3 | 731 | 9.2 | 20,544,114 | 7.9 |
| Very Low food security | 4 | 888 | 11.2 | 21,657,026 | 8.3 |
| Not ascertained | -8 | 50 | 0.6 | 1,572,133 | 0.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | LAN_OTHERLAN |
|------------|---|
| Label: | Speak language other than English at home |
| Notes: | Respondents who selected 'Spanish' for the questionnaire's language (QUEX_LANG=2) were not asked this question and instead had their response coded as 'Yes.' |
| Question: | Do you speak a language other than English at home? |
| Universe: | WHERE QUEX_LANG=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 6,486 | 81.9 | 204,273,401 | 78.6 |
| Yes | 1 | 1,381 | 17.4 | 54,131,676 | 20.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 56 | 0.7 | 1,524,714 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | LAN_MEDIA |
|------------|--|
| Label: | Language used most often when watching television, reading news, or listening to radio |
| Question: | When you watch television, read news online or in print, or listen to the radio, which language do you use most often? |
| Universe: | WHERE LAN_OTHERLAN=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| English | 1 | 725 | 9.2 | 28,784,501 | 11.1 |
| Spanish | 2 | 498 | 6.3 | 18,269,495 | 7.0 |
| Another language | 3 | 150 | 1.9 | 6,806,942 | 2.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 8 | 0.1 | 270,737 | 0.1 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,542 | 82.6 | 205,798,115 | 79.2 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | LAN_DOCTOR |
|------------|--|
| Label: | Language used most often when seeing a doctor |
| Question: | When you see a doctor or other health care professional, which language do you use most often? |
| Universe: | WHERE LAN_OTHERLAN=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| English | 1 | 1,082 | 13.7 | 42,202,147 | 16.2 |
| Spanish | 2 | 242 | 3.1 | 9,844,258 | 3.8 |
| Another language | 3 | 36 | 0.5 | 1,405,172 | 0.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 21 | 0.3 | 680,100 | 0.3 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,542 | 82.6 | 205,798,115 | 79.2 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | LAN_SOCIAL |
|------------|---|
| Label: | Language used most often when participating in social activities |
| Question: | When you participate in social activities, such as visiting friends, attending clubs and meetings, or going to parties, which language do you use most often? |
| Universe: | WHERE LAN_OTHERLAN=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| English | 1 | 955 | 12.1 | 37,168,844 | 14.3 |
| Spanish | 2 | 342 | 4.3 | 13,527,988 | 5.2 |
| Another language | 3 | 71 | 0.9 | 3,031,597 | 1.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 13 | 0.2 | 403,248 | 0.2 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 6,542 | 82.6 | 205,798,115 | 79.2 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | DEM_RACEETH |
|------------|--|
| Label: | DERIVED: Race/ethnicity |
| Notes: | This variable is based on DEM_RACEA - DEM_RACEG. Race and ethnicity categories are mutually exclusive. |
| Question: | NA - Recode |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|---------|-----------|---------|-----------------------|---------------------|
| American Indian or Alaska Native alone | 1 | 46 | 0.6 | 1,742,710 | 0.7 |
| Asian alone | 2 | 299 | 3.8 | 13,173,514 | 5.1 |
| Black alone | 3 | 916 | 11.6 | 31,287,949 | 12.0 |
| Hispanic or Latino alone | 4 | 914 | 11.5 | 32,572,516 | 12.5 |
| Middle Eastern alone | 5 | 23 | 0.3 | 817,338 | 0.3 |
| Native Hawaiian or Pacific Islander alone | 6 | 12 | 0.2 | 616,320 | 0.2 |
| White alone | 7 | 5,023 | 63.4 | 160,387,853 | 61.7 |
| Multiracial and/or Multiethnic | 8 | 596 | 7.5 | 16,646,905 | 6.4 |
| No response | Missing | 94 | 1.2 | 2,684,685 | 1.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INT_ACCESS |
|------------|-------------------------------------|
| Label: | Access to internet |
| Question: | Do you have access to the Internet? |
| Universe: | WHERE P_MODE IN (1,2); |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 107 | 1.4 | 2,784,230 | 1.1 |
| Yes | 1 | 7,815 | 98.6 | 257,040,942 | 98.9 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 0 | 0.0 | 0 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 1 | 0.0 | 104,619 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INT_HOMEACC |
|------------|--|
| Label: | Access to internet from home |
| Question: | Do you have access to the Internet from your home? Include Internet and data use through a computer, tablet, smartphone, or other electronic device. |
| Universe: | WHERE INT_ACCESS=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 286 | 3.6 | 8,242,399 | 3.2 |
| Yes | 1 | 7,476 | 94.4 | 247,026,859 | 95.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 53 | 0.7 | 1,771,684 | 0.7 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 108 | 1.4 | 2,888,849 | 1.1 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INT_USEMED |
|------------|---|
| Label: | Past 12 months, use internet to look for health or medical information |
| Question: | During the past 12 months, have you used the Internet for any of the following reasons? Include Internet and data use through a computer, tablet, smartphone, or other electronic device To look for health or medical information. |
| Universe: | WHERE INT_ACCESS=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 1,785 | 22.5 | 60,703,411 | 23.4 |
| Yes | 1 | 5,969 | 75.3 | 194,516,671 | 74.8 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 60 | 0.8 | 1,799,114 | 0.7 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 108 | 1.4 | 2,888,849 | 1.1 |
| Don't know | -9 | 1 | 0.0 | 21,745 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INT_USEDOC |
|------------|---|
| Label: | Past 12 months, use internet to communicate with doctor/doctor's office |
| Question: | During the past 12 months, have you used the Internet for any of the following reasons? Include Internet and data use through a computer, tablet, smartphone, or other electronic device To communicate with a doctor or doctor's office. |
| Universe: | WHERE INT_ACCESS=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 3,039 | 38.4 | 100,606,693 | 38.7 |
| Yes | 1 | 4,701 | 59.3 | 154,118,284 | 59.3 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 72 | 0.9 | 2,231,350 | 0.9 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 108 | 1.4 | 2,888,849 | 1.1 |
| Don't know | -9 | 3 | 0.0 | 84,615 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | INT_USETEST |
|------------|---|
| Label: | Past 12 months, use internet to look up medical test results |
| Question: | During the past 12 months, have you used the Internet for any of the following reasons? Include Internet and data use through a computer, tablet, smartphone, or other electronic device To look up medical test results. |
| Universe: | WHERE INT_ACCESS=1; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 2,644 | 33.4 | 87,074,204 | 33.5 |
| Yes | 1 | 5,108 | 64.5 | 168,161,732 | 64.7 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 60 | 0.8 | 1,766,954 | 0.7 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 108 | 1.4 | 2,888,849 | 1.1 |
| Don't know | -9 | 3 | 0.0 | 38,053 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | TEL_NONCELL |
|------------|---|
| Label: | At least one telephone inside home, not cell phone |
| Question: | Is there at least one telephone inside your home that is currently working and is not a cell phone? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 5,739 | 72.4 | 189,213,305 | 72.8 |
| Yes | 1 | 2,136 | 27.0 | 69,048,929 | 26.6 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 48 | 0.6 | 1,667,557 | 0.6 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | TEL_CELL |
|------------|-----------------------------------|
| Label: | Have a working cell phone |
| Question: | Do you have a working cell phone? |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 353 | 4.5 | 10,425,875 | 4.0 |
| Yes | 1 | 7,503 | 94.7 | 247,445,268 | 95.2 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 67 | 0.8 | 2,058,648 | 0.8 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 0 | 0.0 | 0 | 0.0 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | TEL_HHCELL |
|------------|--|
| Label: | Live with anyone with a working cell phone |
| Question: | Do you live with anyone at your home who has a working cell phone? |
| Universe: | WHERE TEL_CELL=0 AND P_HHSIZE_R >= 2; |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| No | 0 | 151 | 1.9 | 4,713,538 | 1.8 |
| Yes | 1 | 122 | 1.5 | 4,021,326 | 1.5 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Skipped/Implied refusal | -6 | 6 | 0.1 | 72,048 | 0.0 |
| Explicit refusal/REF | -7 | 0 | 0.0 | 0 | 0.0 |
| Question not asked | -8 | 7,644 | 96.5 | 251,122,879 | 96.6 |
| Don't know | -9 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | START_DATE_R |
|------------|--|
| Label: | Paradata: Date the survey was started |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. The date values are stored as character strings in the format of "MMMYY". |
| Question: | NA - Paradata |
| Data Type: | Character |

| Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------|-----------|---------|-----------------------|---------------------|
| FEB25 | 7,838 | 98.9 | 257,234,601 | 99.0 |
| MAR25 | 85 | 1.1 | 2,695,190 | 1.0 |
| Total | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | END_DATE_R |
|------------|--|
| Label: | Paradata: Date the survey was completed |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. The date values are stored as character strings in the format of "MMMYY". |
| Question: | NA - Paradata |
| Data Type: | Character |

| Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------|-----------|---------|-----------------------|---------------------|
| FEB25 | 7,819 | 98.7 | 256,611,771 | 98.7 |
| MAR25 | 104 | 1.3 | 3,318,020 | 1.3 |
| Total | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | ID_R |
|------------|--|
| Label: | Respondent Survey ID |
| Notes: | This is the unique respondent ID displayed on the Public Use File. |
| Question: | NA - Recode |
| Universe: | ALL |
| Data Type: | Numeric |

| Variable: | SOURCE |
|------------|---|
| Label: | Paradata: Panel Provider |
| Notes: | Variables with the prefix "P1_" indicate variables unique to panel provider 1 and the prefix "P2_" indicate variables unique to panel provider 2. Variables with the prefix "P_" are shared across panel providers. |
| Question: | NA - Paradata |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------|-------|-----------|---------|-----------------------|---------------------|
| Panel Provider 1 | 1 | 4,884 | 61.6 | 126,707,846 | 48.7 |
| Panel Provider 2 | 2 | 3,039 | 38.4 | 133,221,945 | 51.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | QUEX_LANG | | | |
|------------|---|--|--|--|
| Label: | Paradata: Language of interview | | | |
| Notes: | Based on language selected in instrument. | | | |
| Question: | NA - Paradata | | | |
| Universe: | ALL | | | |
| Data Type: | Numeric | | | |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| English | 1 | 7,650 | 96.6 | 248,609,949 | 95.6 |
| Spanish | 2 | 273 | 3.4 | 11,319,842 | 4.4 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_OUTCOME |
|------------|---|
| Label: | Paradata: Outcome code |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Never accessed the instrument | 1 | 0 | 0.0 | 0 | 0.0 |
| Accessed instrument but dropped off (did not reach last question of the survey) | 2 | 0 | 0.0 | 0 | 0.0 |
| Complete (reached last question) | 3 | 7,923 | 100.0 | 259,929,791 | 100.0 |
| Completed interview but case dropped due to quality concerns (e.g., speeding, excessive item nonresponse) | 4 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_HHSIZE_R |
|------------|---|
| Label: | Panel Profile: Numeric Household Size Recode, capped at 6+ |
| Notes: | This variable is based on P_HHSIZE and topcoded to 6+. For Panel Provider 1, P_HHSIZE_R is based on a separate variable from P_HHSIZE, discrepancies between the two variables may occur. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| 1 | 1 | 1,413 | 17.8 | 38,240,167 | 14.7 |
| 2 | 2 | 2,767 | 34.9 | 86,256,297 | 33.2 |
| 3 | 3 | 1,512 | 19.1 | 50,861,379 | 19.6 |
| 4 | 4 | 1,115 | 14.1 | 41,089,982 | 15.8 |
| 5 | 5 | 606 | 7.6 | 23,048,926 | 8.9 |
| 6+ | 6 | 510 | 6.4 | 20,433,040 | 7.9 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_AGE5YRS_R |
|------------|--|
| Label: | Panel Profile: Age Recode - 12 levels |
| Notes: | This variable is based on P_AGE. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| 18-19 | 1 | 175 | 2.2 | 11,689,988 | 4.5 |
| 20-24 | 2 | 427 | 5.4 | 20,889,998 | 8.0 |
| 25-29 | 3 | 583 | 7.4 | 21,058,109 | 8.1 |
| 30-34 | 4 | 830 | 10.5 | 20,884,460 | 8.0 |
| 35-39 | 5 | 674 | 8.5 | 21,209,047 | 8.2 |
| 40-44 | 6 | 738 | 9.3 | 25,554,169 | 9.8 |
| 45-49 | 7 | 545 | 6.9 | 17,391,147 | 6.7 |
| 50-54 | 8 | 587 | 7.4 | 19,105,500 | 7.4 |
| 55-59 | 9 | 675 | 8.5 | 21,387,108 | 8.2 |
| 60-64 | 10 | 764 | 9.6 | 20,869,204 | 8.0 |
| 65-69 | 11 | 620 | 7.8 | 19,491,100 | 7.5 |
| 70+ | 12 | 1,305 | 16.5 | 40,399,960 | 15.5 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_SEX |
|------------|---|
| Label: | Panel Profile: Respondent's sex |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Universe: | ALL |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Male | 1 | 3,828 | 48.3 | 126,517,586 | 48.7 |
| Female | 2 | 4,095 | 51.7 | 133,412,205 | 51.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_EDUCATION_I_R |
|------------|--|
| Label: | Panel Profile: Education recode - 3 levels |
| Notes: | This variable is based on P_EDUCATION_I. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This variable contains imputed values. The variable P_EDUCATION_I_R_IFLG reports which values were imputed. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------------------|-------|-----------|---------|-----------------------|---------------------|
| High school graduate or less | 1 | 2,311 | 29.2 | 98,043,630 | 37.7 |
| Some college | 2 | 2,657 | 33.5 | 68,544,765 | 26.4 |
| Bachelor's degree or above | 3 | 2,955 | 37.3 | 93,341,396 | 35.9 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_EDUCATION_I_R_IFLG |
|------------|---|
| Label: | Imputation flag for panel profile variable: <p_education_i_r></p_education_i_r> |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------------|-------|-----------|---------|-----------------------|---------------------|
| No imputation | 0 | 7,908 | 99.8 | 258,969,076 | 99.6 |
| Logical assignment | 1 | 0 | 0.0 | 0 | 0.0 |
| Statistical imputation | 2 | 15 | 0.2 | 960,715 | 0.4 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_ONEVISIT |
|------------|---|
| Label: | Paradata: Whether the survey was completed in a single session |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------------------------------|-------|-----------|---------|-----------------------|---------------------|
| Multiple session or did not complete | 0 | 980 | 12.4 | 27,929,700 | 10.7 |
| Completed survey in single session | 1 | 6,943 | 87.6 | 232,000,091 | 89.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_REMIND |
|------------|---|
| Label: | Paradata: Number of reminders sent |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| 0 | 0 | 4,779 | 60.3 | 162,772,466 | 62.6 |
| 1 | 1 | 1,216 | 15.3 | 41,173,361 | 15.8 |
| 2 | 2 | 724 | 9.1 | 22,063,237 | 8.5 |
| 3 | 3 | 464 | 5.9 | 14,065,816 | 5.4 |
| 4 | 4 | 348 | 4.4 | 9,166,746 | 3.5 |
| 5 | 5 | 194 | 2.4 | 5,126,002 | 2.0 |
| 6 | 6 | 135 | 1.7 | 3,465,499 | 1.3 |
| 7 | 7 | 60 | 0.8 | 2,012,965 | 0.8 |
| 8 | 8 | 3 | 0.0 | 83,699 | 0.0 |
| Edited response due to invalid logic, out of range responses, or identified outlier | -5 | 0 | 0.0 | 0 | 0.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_DEVICE |
|------------|---|
| Label: | Paradata: Device used to complete survey (web only) |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--|-------|-----------|---------|-----------------------|---------------------|
| Desktop/Laptop/netbook | 1 | 2,821 | 35.6 | 95,654,835 | 36.8 |
| Smartphone | 2 | 4,533 | 57.2 | 147,736,602 | 56.8 |
| Tablet | 3 | 141 | 1.8 | 5,832,210 | 2.2 |
| Other device (book reader, game console, etc.) | 4 | 0 | 0.0 | 0 | 0.0 |
| Phone interview (not online) | 5 | 428 | 5.4 | 10,706,143 | 4.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_MODE |
|------------|---|
| Label: | Paradata: Mode of interview |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Web | 1 | 7,495 | 94.6 | 249,223,648 | 95.9 |
| CATI | 2 | 428 | 5.4 | 10,706,143 | 4.1 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_VISIT |
|------------|---|
| Label: | Paradata: Number of times the questionnaire was accessed/login attempts (web) |
| Notes: | This information is paradata that was collected from Rapid Surveys System survey. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------|-----------|---------|-----------------------|---------------------|
| 1 | 6,987 | 88.2 | 233,055,811 | 89.7 |
| 2 | 623 | 7.9 | 18,645,297 | 7.2 |
| 3 | 182 | 2.3 | 5,209,861 | 2.0 |
| 4 | 77 | 1.0 | 1,911,341 | 0.7 |
| 5 | 31 | 0.4 | 763,918 | 0.3 |
| 6 | 11 | 0.1 | 114,102 | 0.0 |
| 7 | 2 | 0.0 | 36,922 | 0.0 |
| 8 | 2 | 0.0 | 21,120 | 0.0 |
| 9 | 2 | 0.0 | 33,213 | 0.0 |
| 10 | 3 | 0.0 | 49,109 | 0.0 |
| 12 | 1 | 0.0 | 46,646 | 0.0 |
| 15 | 1 | 0.0 | 38,154 | 0.0 |
| 18 | 1 | 0.0 | 4,297 | 0.0 |
| Total | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_POVERTY3_R |
|------------|--|
| Label: | Panel Profile: Poverty Status Recode (ratio of household income to the federal poverty level) - 3 levels |
| Notes: | This variable is based on P_POVERTY. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------|-------|-----------|---------|-----------------------|---------------------|
| 0 - <1.00 | 1 | 1,121 | 14.1 | 25,811,518 | 9.9 |
| 1.00 - <2.00 | 2 | 1,441 | 18.2 | 43,935,384 | 16.9 |
| 2.00+ | 3 | 5,361 | 67.7 | 190,182,889 | 73.2 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_POVERTY4_R |
|------------|--|
| Label: | Panel Profile: Poverty Status Recode (ratio of household income to the federal poverty level) - 4 levels |
| Notes: | This variable is based on P_POVERTY. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---------------|-------|-----------|---------|-----------------------|---------------------|
| 0 - < 1.00 | 1 | 1,121 | 14.1 | 25,811,518 | 9.9 |
| 1.00 - < 2.00 | 2 | 1,441 | 18.2 | 43,935,384 | 16.9 |
| 2.00 - < 4.00 | 3 | 2,371 | 29.9 | 69,937,577 | 26.9 |
| 4.00 + | 4 | 2,990 | 37.7 | 120,245,312 | 46.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_EMPLOY |
|------------|---|
| Label: | Panel Profile: Current Employment Status |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---|-------|-----------|---------|-----------------------|---------------------|
| Working | 1 | 4,917 | 62.1 | 164,100,285 | 63.1 |
| Not workingunable to work for health reasons/disabled | 2 | 578 | 7.3 | 16,089,788 | 6.2 |
| Not workingretired | 3 | 1,623 | 20.5 | 50,333,931 | 19.4 |
| Not workingother | 4 | 805 | 10.2 | 29,405,787 | 11.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_EMPLOY_R |
|------------|---|
| Label: | Panel Profile: Employment Status Recode - 2 Levels |
| Notes: | This variable is based on P_EMPLOY. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------|-------|-----------|---------|-----------------------|---------------------|
| Employed | 1 | 4,917 | 62.1 | 164,100,285 | 63.1 |
| Not Employed | 2 | 3,006 | 37.9 | 95,829,506 | 36.9 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CAL_METRO_I |
|------------|--|
| Label: | Calibration Variable: IMPUTED: Panel Metropolitan Status derived from FIPS |
| Notes: | This variable was used in calibration. Coding is based on P_URB2013 which is a 6-level NCHS urbanization scheme using FIPS codes. Contains imputed values if missing values were present. The variable CAL_METRO_I_IFLG reports which values were imputed. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------|-------|-----------|---------|-----------------------|---------------------|
| Metropolitan | 1 | 6,767 | 85.4 | 224,308,724 | 86.3 |
| Non-Metropolitan | 2 | 1,156 | 14.6 | 35,621,067 | 13.7 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | CAL_METRO_I_IFLG |
|------------|---|
| Label: | Imputation flag for profile variable: <cal_metro_i></cal_metro_i> |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------------|-------|-----------|---------|-----------------------|---------------------|
| No imputation | 0 | 7,885 | 99.5 | 258,421,941 | 99.4 |
| Logical assignment | 1 | 0 | 0.0 | 0 | 0.0 |
| Statistical imputation | 2 | 38 | 0.5 | 1,507,850 | 0.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_REGION |
|------------|---|
| Label: | Panel Profile: 4-level region |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|-------|-----------|---------|-----------------------|---------------------|
| Northeast | 1 | 1,197 | 15.1 | 45,312,776 | 17.4 |
| Midwest | 2 | 1,881 | 23.7 | 54,681,011 | 21.0 |
| South | 3 | 2,840 | 35.8 | 99,079,859 | 38.1 |
| West | 4 | 2,005 | 25.3 | 60,856,145 | 23.4 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_HOMEOWN_R |
|------------|--|
| Label: | Panel Profile: Home Ownership Recode - 2 levels |
| Notes: | This variable is based on P_HOMEOWN. This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|------------------------|-------|-----------|---------|-----------------------|---------------------|
| Own or being bought | 1 | 5,374 | 67.8 | 188,520,048 | 72.5 |
| Rent/other arrangement | 2 | 2,549 | 32.2 | 71,409,743 | 27.5 |
| Total | — | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_CITIZEN |
|------------|--|
| Label: | Panel Profile: Are you a US citizen |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This item had higher than typical missingness from one of the panel providers. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|--------------------|---------|-----------|---------|-----------------------|---------------------|
| Not a U.S. citizen | 0 | 261 | 3.3 | 10,499,870 | 4.0 |
| U.S. citizen | 1 | 7,338 | 92.6 | 238,339,535 | 91.7 |
| No response | Missing | 324 | 4.1 | 11,090,387 | 4.3 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_VETERAN |
|------------------|---|
| Label: | Panel Profile: Have you ever served on active duty in the U.S. Armed Forces, military Reserves, or National Guard |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|---------------|---------|-----------|---------|-----------------------|---------------------|
| Not a veteran | 0 | 7,012 | 88.5 | 227,353,173 | 87.5 |
| Veteran | 1 | 663 | 8.4 | 19,565,528 | 7.5 |
| No response | Missing | 248 | 3.1 | 13,011,090 | 5.0 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_USBORN |
|------------|--|
| Label: | Panel Profile: Is respondent US born |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. This item had higher than typical missingness from one of the panel providers. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-------------|---------|-----------|---------|-----------------------|---------------------|
| No | 0 | 613 | 7.7 | 22,012,761 | 8.5 |
| Yes | 1 | 6,916 | 87.3 | 220,757,881 | 84.9 |
| No response | Missing | 394 | 5.0 | 17,159,150 | 6.6 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P_ORIENT |
|------------|---|
| Label: | Panel Profile: Sexual Orientation |
| Notes: | This information was not collected as a part of the Rapid Surveys System survey, but from the panel's profile data. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Value Label | Value | Frequency | Percent | Weighted Frequency | Weighted Percent |
|-----------------------------------|---------|-----------|---------|-----------------------|---------------------|
| Gay or lesbian | 1 | 257 | 3.2 | 8,071,276 | 3.1 |
| Straight, that is not lesbian/gay | 2 | 6,702 | 84.6 | 222,613,209 | 85.6 |
| Bisexual | 3 | 368 | 4.6 | 10,939,601 | 4.2 |
| Something else | 4 | 135 | 1.7 | 3,463,459 | 1.3 |
| No response | Missing | 461 | 5.8 | 14,842,246 | 5.7 |
| Total | _ | 7,923 | 100.0 | 259,929,791 | 100.0 |

| Variable: | P1_CALWT |
|------------|---|
| Label: | Panel Variable: Panel provider 1 weight calibrated to NHIS control totals |
| Notes: | Use this weight when analyzing data from panel provider 1 only. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|-----------|
| N | 4,884.0 |
| Min | 831.3 |
| Mean | 53,220.7 |
| Median | 36,641.3 |
| Max | 704,965.6 |
| SD | 55,553.2 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 3,039

| Variable: | P2_CALWT |
|------------|---|
| Label: | Panel Variable: Panel provider 2 weight calibrated to NHIS control totals |
| Notes: | Use this weight when analyzing data from panel provider 2 only. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|-----------|
| N | 3,039.0 |
| Min | 7,637.2 |
| Mean | 85,531.4 |
| Median | 76,548.2 |
| Max | 329,963.9 |
| SD | 41,601.9 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 4,884

| Variable: | WEIGHT |
|------------|---|
| Label: | Final combined weight calibrated to NHIS control totals |
| Notes: | This variable is the combined survey designed variable for analysis including the entire dataset. Use this variable for analysis of the combined Panel Provider 1 and Panel Provider 2 dataset. |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Summary Statistic | Value |
|-------------------|-----------|
| N | 7,923.0 |
| Min | 405.2 |
| Mean | 32,807.0 |
| Median | 28,088.4 |
| Max | 343,649.2 |
| SD | 26,497.1 |

Frequency Missing (values excluded: -9, -8, -7, -6, -5): 0

| Variable: | P_STRATA_R |
|------------|--------------------------------|
| Label: | Panel Sample Strata |
| Notes: | Strata for variance estimation |
| Question: | NA - Panel variable |
| Data Type: | Numeric |

| Variable: | P_PSU_R |
|------------|-----------------------------|
| Label: | Panel PSU |
| Notes: | PSU for variance estimation |
| Question: | NA - Panel variable |
| Data Type: | Numeric |