

# **National Immunization Survey -- Child**

**A Codebook for the  
2019 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**Presented by:  
NORC at the University of Chicago**

**December 2020**

## TABLE OF CONTENTS

<a href="#">Section Index of Variables</a> .....	1
<a href="#">Section 1: ID, Weight, and Flag Variables</a> .....	18
<a href="#">Section 2: Household-Reported Vaccination and Health Information</a> .....	22
<a href="#">Section 3: Demographic and Socio-Economic Variables</a> .....	23
<a href="#">Section 4: Geographic Variables</a> .....	39
<a href="#">Section 5: Number of Providers Identified and Consent Variables</a> .....	45
<a href="#">Section 6: Number of Responding Provider Variables</a> .....	46
<a href="#">Section 7: Characteristics of Provider Variables</a> .....	47
<a href="#">Section 8: Provider-Reported Up-to-Date Vaccination Variables</a> .....	49
<a href="#">Section 9: Provider-Reported Age-at-Vaccination Variables</a> .....	93
<a href="#">Section 10: Health Insurance Module Variables</a> .....	231
<a href="#">Alphabetic Index of Variables</a> .....	233

## NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_C	13	32	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	33	52	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_C	53	71	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	72	90	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	91	94	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
YEAR	95	98	1	YEAR OF INTERVIEW
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	103	110	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD: IMPUTED
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD: IMPUTED
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	159	174	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
INCPOV1	175	175	3	POVERTY STATUS
INCQ298A	176	177	3	FAMILY INCOME CATEGORIES (RECODE)
LANGUAGE	178	178	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	179	179	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
MARITAL2	180	180	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MOBIL_I	181	181	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
NUM_PHONE	182	183	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	184	185	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	186	187	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	188	188	3	RACE OF CHILD: IMPUTED (RECODE)
RACEETHK	189	189	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RENT_OWN	190	191	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	192	192	3	SEX OF CHILD: IMPUTED
ESTIAP19	193	195	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	196	197	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	198	199	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	200	200	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	201	201	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	202	202	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	203	203	7	PROVIDER FACILITY TYPES: IMPUTED
REGISTRY	204	204	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	205	205	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	206	206	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	207	207	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	208	208	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	209	209	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUHPHB	210	210	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	211	211	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	212	212	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	213	213	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	214	214	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	215	215	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	217	217	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	218	218	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	219	219	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	220	220	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	222	222	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	223	223	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHHY	224	224	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	225	225	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	226	226	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	227	227	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	228	228	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	229	229	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	230	230	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	232	232	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	233	233	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	234	234	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	235	235	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	236	236	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	237	237	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	238	238	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMSM	239	239	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	240	240	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	241	241	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	242	242	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	243	243	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	244	244	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	289	289	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	292	295	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	296	299	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DDTP3	300	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	304	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	308	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	312	315	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	316	318	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	319	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	320	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	321	324	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	325	328	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	329	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	333	336	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	337	340	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	341	344	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	345	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	348	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	349	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	350	353	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	354	357	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	358	361	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	362	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	365	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	369	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	370	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	374	377	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	378	381	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	382	385	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	386	389	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	390	392	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	393	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	396	396	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	397	397	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	402	405	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	406	409	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DHIB4	410	413	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	414	417	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	418	420	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	421	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	424	424	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	425	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	426	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	430	433	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	434	437	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	438	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	442	442	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	443	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	444	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	445	445	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	446	446	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	447	447	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	448	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	451	451	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	455	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	460	460	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	466	469	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	470	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPCV5	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	494	494	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	495	495	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	496	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	500	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	512	514	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	515	517	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	518	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	521	521	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	522	522	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	523	523	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	524	524	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	525	525	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	532	534	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	535	537	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	538	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	542	544	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	545	545	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	546	546	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	547	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	550	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	554	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	558	560	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	561	561	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	562	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC6	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	582	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	603	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEP1_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR2_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	680	681	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	706	706	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	717	718	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
ROT3_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	725	725	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	730	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	732	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	734	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	736	736	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	737	737	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	738	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	742	743	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	744	745	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	746	747	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	748	749	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	750	751	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	752	753	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	754	755	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	756	756	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	757	757	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	758	759	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	760	761	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	762	763	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	764	765	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	766	767	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	768	769	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	770	771	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	772	772	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	773	773	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	774	775	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	776	777	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	778	779	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY4	780	781	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	782	783	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	784	785	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	786	787	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	788	788	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	789	789	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	790	791	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	792	793	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	794	795	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	796	797	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	798	799	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	800	801	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	802	803	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	804	804	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	805	805	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	806	807	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	808	809	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	810	811	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	812	813	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	814	814	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	815	815	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	816	816	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	817	817	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	818	818	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	819	820	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	821	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	833	833	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	834	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	835	836	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	837	838	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	839	840	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	841	842	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY5	843	844	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	845	846	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	847	848	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	849	849	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	850	850	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	851	852	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	853	854	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	855	856	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	857	858	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	859	859	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	860	860	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	861	861	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	862	862	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	864	865	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	866	867	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	868	869	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	870	870	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	871	871	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	872	872	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	873	873	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	874	874	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	875	875	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT2_I	876	876	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
INS_BREAK_I	877	877	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33799	100.0%	100.0%	16562	100.0%	100.0%
RESERVED CODES:							
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33799	100.0%	100.0%	16562	100.0%	100.0%
RESERVED CODES:							
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	16562	49.0%	49.0%	16562	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	17237	51.0%	51.0%	0	0.0%	0.0%
SUBTOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%
RESERVED CODES:							
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT\_C Type: Numeric Position: 13-32

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16365	48.4%	100.0%	16365	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17434	51.6%	n/a	197	1.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: PROVWT\_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	344.6	157.9	1.1	13396.2	690.6
Adequate Provider Data	344.6	157.9	1.1	13396.2	690.6

Variable: PROVWT\_C\_TERR Type: Numeric Position: 33-52

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1), including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: PROVWT\_C\_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	342.4	157.3	1.1	13396.2	686.9
Adequate Provider Data	342.4	157.3	1.1	13396.2	686.9

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT\_C Type: Numeric Position: 53-71

Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33137	98.0%	100.0%	16365	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	662	2.0%	n/a	197	1.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: RDDWT\_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	170.2	89.3	1.0	5375.8	313.8
Adequate Provider Data	155.7	82.0	1.0	5354.9	285.8

Variable: RDDWT\_C\_TERR Type: Numeric Position: 72-90

Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES

Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews, including territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: RDDWT\_C\_TERR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	167.8	86.7	1.0	5375.8	311.2
Adequate Provider Data	154.5	80.7	1.0	5354.9	284.4

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 91-94

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33799	100.0%	100.0%	16562	100.0%	100.0%
RESERVED CODES:							
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 95-98

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2019	2019	33799	100.0%	100.0%	16562	100.0%	100.0%
SUBTOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%
RESERVED CODES:							
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 99-99

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	99	0.3%	26.5%	31	0.2%	24.0%
7 TO 12 MONTHS OLD	2	115	0.3%	30.7%	46	0.3%	35.7%
13 TO 18 MONTHS OLD	3	78	0.2%	20.9%	23	0.1%	17.8%
19+ MONTHS OLD	4	82	0.2%	21.9%	29	0.2%	22.5%
<b>SUBTOTALS:</b>		374	1.1%	100.0%	129	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33425	98.9%	n/a	16433	99.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HAD\_CPOX Type: Numeric Position: 100-101

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	390	1.2%	1.2%	131	0.8%	0.8%
NO	2	33313	98.6%	98.8%	16397	99.0%	99.2%
<b>SUBTOTALS:</b>		33703	99.7%	100.0%	16528	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	95	0.3%	n/a	34	0.2%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 102-102

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	10277	30.4%	30.4%	5127	31.0%	31.0%
24 - 29 MONTHS	2	10310	30.5%	30.5%	5115	30.9%	30.9%
30 - 35 MONTHS	3	13212	39.1%	39.1%	6320	38.2%	38.2%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric Position: 103-110

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		26972	79.8%	100.0%	13595	82.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	6827	20.2%	n/a	2967	17.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	289.8	273.9	1.0	730.5	192.9
Adequate Provider Data	289.1	273.9	1.0	730.5	192.7

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BF\_EXCLR06** Type: Numeric Position: 111-118Label: **DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		27990	82.8%	100.0%	14175	85.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5809	17.2%	n/a	2387	14.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: **BF\_EXCLR06** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	176.6	182.6	1.0	273.9	62.5
Adequate Provider Data	173.8	182.6	1.0	273.9	60.0

Variable: **BF\_FORMR08** Type: Numeric Position: 119-126Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)**Notes: **BF\_FORMR08** replaces **BF\_FORMR06** and includes a code of 888 for children never fed formula. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17752	52.5%	100.0%	8857	53.5%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	7661	22.7%	n/a	3930	23.7%	n/a
MISSING	.	8386	24.8%	n/a	3775	22.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: **BF\_FORMR08** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	132.9	91.3	1.0	730.5	124.8
Adequate Provider Data	123.7	91.3	1.0	730.5	116.5

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 127-127Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	1	0.0%	100.0%	0	0.0%	n/a
<b>SUBTOTALS:</b>		1	0.0%	100.0%	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	n/a

Variable: **BFFORMFL06** Type: Numeric Position: 128-128Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 129-129Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	856	2.5%	2.5%	399	2.4%	2.4%
3	3	7792	23.1%	23.1%	3910	23.6%	23.6%
4	4	11930	35.3%	35.3%	6035	36.4%	36.4%
5	5	6922	20.5%	20.5%	3397	20.5%	20.5%
6	6	3382	10.0%	10.0%	1595	9.6%	9.6%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 129-129

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1420	4.2%	4.2%	654	3.9%	3.9%
8+	8	1497	4.4%	4.4%	572	3.5%	3.5%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: C5R Type: Numeric Position: 130-131

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	21790	64.5%	64.5%	11862	71.6%	71.6%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	10214	30.2%	30.2%	4248	25.6%	25.7%
GRANDPARENT	3	1297	3.8%	3.8%	377	2.3%	2.3%
OTHER FAMILY MEMBER/FRIEND	4	481	1.4%	1.4%	72	0.4%	0.4%
<b>SUBTOTALS:</b>		33782	99.9%	100.0%	16559	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	8	0.0%	n/a	3	0.0%	n/a
REFUSED	99	9	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF\_01 Type: Numeric Position: 132-133

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	29217	86.4%	86.8%	14669	88.6%	88.8%
NO	2	4454	13.2%	13.2%	1854	11.2%	11.2%
<b>SUBTOTALS:</b>		33671	99.6%	100.0%	16523	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	121	0.4%	n/a	37	0.2%	n/a
REFUSED	99	7	0.0%	n/a	2	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: CEN\_REG Type: Numeric Position: 134-134

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	5810	17.2%	17.5%	2748	16.6%	16.8%
MIDWEST	2	6505	19.2%	19.6%	3397	20.5%	20.8%
SOUTH	3	13736	40.6%	41.5%	6563	39.6%	40.1%
WEST	4	7086	21.0%	21.4%	3657	22.1%	22.3%
<b>SUBTOTALS:</b>		33137	98.0%	100.0%	16365	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	662	2.0%	n/a	197	1.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **135-135**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	9345	27.6%	27.6%	4570	27.6%	27.6%
TWO OR THREE	2	19856	58.7%	58.7%	9934	60.0%	60.0%
FOUR OR MORE	3	4598	13.6%	13.6%	2058	12.4%	12.4%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: **CWIC\_01** Type: **Numeric** Position: **136-137**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	13457	39.8%	40.0%	6478	39.1%	39.2%
NO	2	20098	59.5%	59.8%	10015	60.5%	60.6%
NEVER HEARD OF WIC	3	74	0.2%	0.2%	20	0.1%	0.1%
<b>SUBTOTALS:</b>		33629	99.5%	100.0%	16513	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	152	0.4%	n/a	48	0.3%	n/a
REFUSED	99	18	0.1%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC\_02 Type: Numeric Position: 138-139

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	7206	21.3%	53.9%	3519	21.2%	54.5%
NO	2	6166	18.2%	46.1%	2939	17.7%	45.5%
<b>SUBTOTALS:</b>		13372	39.6%	100.0%	6458	39.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	84	0.2%	n/a	20	0.1%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
MISSING	.	20342	60.2%	n/a	10084	60.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 140-140

Label: EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	3186	9.4%	9.4%	1434	8.7%	8.7%
12 YEARS	2	5788	17.1%	17.1%	2575	15.5%	15.5%
> 12 YEARS, NON-COLLEGE GRAD	3	8755	25.9%	25.9%	4269	25.8%	25.8%
COLLEGE GRAD	4	16070	47.5%	47.5%	8284	50.0%	50.0%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 141-141

Label: FIRST BORN STATUS OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	20678	61.2%	61.2%	10135	61.2%	61.2%
YES	2	13121	38.8%	38.8%	6427	38.8%	38.8%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: I\_HISP\_K Type: Numeric Position: 142-142

Label: HISPANIC ORIGIN OF CHILD: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7939	23.5%	23.5%	3508	21.2%	21.2%
NON-HISPANIC	2	25860	76.5%	76.5%	13054	78.8%	78.8%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 143-158

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		31109	92.0%	100.0%	15789	95.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2690	8.0%	n/a	773	4.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: INCPORAR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.7	0.5	3.0	1.0
Adequate Provider Data	2.2	2.8	0.5	3.0	1.0

**Variable: INCPORAR\_I** Type: Numeric Position: 159-174**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)****Notes: Variable contains some imputed values. Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: INCPORAR\_I** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.6	0.5	3.0	1.0
Adequate Provider Data	2.2	2.7	0.5	3.0	1.0

**Variable: INCPOV1** Type: Numeric Position: 175-175**Label: POVERTY STATUS****Notes: Based on 2018 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	14587	43.2%	45.9%	7678	46.4%	48.0%
ABOVE POVERTY, <= \$75K	2	10417	30.8%	32.8%	5084	30.7%	31.8%
BELOW POVERTY	3	6796	20.1%	21.4%	3250	19.6%	20.3%
<b>SUBTOTALS:</b>		31800	94.1%	100.0%	16012	96.7%	100.0%
<b>RESERVED CODES:</b>							
UNKNOWN	4	1999	5.9%	n/a	550	3.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 176-177

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2018.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1058	3.1%	3.4%	482	2.9%	3.1%
\$7501 - \$10000	4	1005	3.0%	3.2%	504	3.0%	3.2%
\$10001 - \$17500	5	1337	4.0%	4.3%	660	4.0%	4.2%
\$17501 - \$20000	6	1355	4.0%	4.4%	644	3.9%	4.1%
\$20001 - \$25000	7	1210	3.6%	3.9%	631	3.8%	4.0%
\$25001 - \$30000	8	1552	4.6%	5.0%	784	4.7%	5.0%
\$30001 - \$35000	9	959	2.8%	3.1%	455	2.7%	2.9%
\$35001 - \$40000	10	1438	4.3%	4.6%	699	4.2%	4.4%
\$40001 - \$50000	11	2165	6.4%	7.0%	1063	6.4%	6.7%
\$50001 - \$60000	12	1869	5.5%	6.0%	897	5.4%	5.7%
\$60001 - \$75000	13	2574	7.6%	8.3%	1292	7.8%	8.2%
\$75001+	14	14587	43.2%	46.9%	7678	46.4%	48.6%
<b>SUBTOTALS:</b>		31109	92.0%	100.0%	15789	95.3%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1373	4.1%	n/a	493	3.0%	n/a
REFUSED	99	1317	3.9%	n/a	280	1.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 178-178

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	29992	88.7%	88.7%	14923	90.1%	90.1%
SPANISH	2	3349	9.9%	9.9%	1424	8.6%	8.6%
OTHER	3	458	1.4%	1.4%	215	1.3%	1.3%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: LANGUAGE** Type: Numeric Position: 178-178

**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**

**Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: M\_AGEGRP2** Type: Numeric Position: 179-179

**Label: AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	11063	32.7%	32.7%	5121	30.9%	30.9%
>= 30 YEARS	2	22736	67.3%	67.3%	11441	69.1%	69.1%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 180-180

Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	23636	69.9%	69.9%	12066	72.9%	72.9%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	10163	30.1%	30.1%	4496	27.1%	27.1%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: MOBIL\_I Type: Numeric Position: 181-181

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS  
CURRENT STATE: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	4004	11.8%	11.8%	1776	10.7%	10.7%
DID NOT MOVE FROM DIFFERENT STATE	2	29795	88.2%	88.2%	14786	89.3%	89.3%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_PHONE Type: Numeric Position: 182-183

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	4901	14.5%	94.7%	2271	13.7%	95.7%
TWO	2	134	0.4%	2.6%	53	0.3%	2.2%
THREE OR MORE	3	45	0.1%	0.9%	13	0.1%	0.5%
NONE	4	97	0.3%	1.9%	36	0.2%	1.5%
<b>SUBTOTALS:</b>		5177	15.3%	100.0%	2373	14.3%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	25	0.1%	n/a	8	0.0%	n/a
REFUSED	99	8	0.0%	n/a	1	0.0%	n/a
MISSING	.	28589	84.6%	n/a	14180	85.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: NUM\_CELLS\_HH Type: Numeric Position: 184-185

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3500	10.4%	10.4%	1510	9.1%	9.1%
TWO	2	21672	64.1%	64.7%	11233	67.8%	67.9%
THREE OR MORE	3	8349	24.7%	24.9%	3790	22.9%	22.9%
<b>SUBTOTALS:</b>		33521	99.2%	100.0%	16533	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	33	0.1%	n/a	6	0.0%	n/a
REFUSED	99	245	0.7%	n/a	23	0.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_CELLS\_PARENTS Type: Numeric Position: 186-187

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5948	17.6%	17.9%	2595	15.7%	15.8%
TWO	2	25408	75.2%	76.3%	13086	79.0%	79.4%
THREE OR MORE	3	1940	5.7%	5.8%	793	4.8%	4.8%
NONE	4	2	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		33298	98.5%	100.0%	16475	99.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	75	0.2%	n/a	16	0.1%	n/a
REFUSED	99	266	0.8%	n/a	25	0.2%	n/a
MISSING	.	160	0.5%	n/a	46	0.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: RACE\_K Type: Numeric Position: 188-188

Label: RACE OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	24834	73.5%	73.5%	12657	76.4%	76.4%
BLACK ONLY	2	3644	10.8%	10.8%	1392	8.4%	8.4%
OTHER + MULTIPLE RACE	3	5321	15.7%	15.7%	2513	15.2%	15.2%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 189-189

Label: RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	7939	23.5%	23.5%	3508	21.2%	21.2%
NON-HISPANIC WHITE ONLY	2	18528	54.8%	54.8%	9803	59.2%	59.2%
NON-HISPANIC BLACK ONLY	3	2995	8.9%	8.9%	1144	6.9%	6.9%
NON-HISPANIC OTHER + MULTIPLE RACE	4	4337	12.8%	12.8%	2107	12.7%	12.7%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: RENT\_OWN Type: Numeric Position: 190-191

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	20223	59.8%	60.4%	10307	62.2%	62.4%
RENTED	2	11975	35.4%	35.7%	5605	33.8%	33.9%
OTHER ARRANGMENT	3	1305	3.9%	3.9%	606	3.7%	3.7%
<b>SUBTOTALS:</b>		33503	99.1%	100.0%	16518	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	59	0.2%	n/a	21	0.1%	n/a
REFUSED	99	237	0.7%	n/a	23	0.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 192-192

Label: SEX OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	17680	52.3%	52.3%	8690	52.5%	52.5%
FEMALE	2	16119	47.7%	47.7%	7872	47.5%	47.5%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP19 Type: Numeric Position: 193-195

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	329	1.0%	1.0%	159	1.0%	1.0%
MA	2	492	1.5%	1.5%	270	1.6%	1.6%
ME	4	494	1.5%	1.5%	238	1.4%	1.4%
NH	5	426	1.3%	1.3%	223	1.3%	1.3%
RI	6	420	1.2%	1.2%	249	1.5%	1.5%
VT	7	611	1.8%	1.8%	318	1.9%	1.9%
NJ	8	684	2.0%	2.0%	264	1.6%	1.6%
NY-REST OF STATE	10	422	1.2%	1.2%	201	1.2%	1.2%
NY-CITY OF NEW YORK	11	839	2.5%	2.5%	326	2.0%	2.0%
DC	12	612	1.8%	1.8%	285	1.7%	1.7%
DE	13	505	1.5%	1.5%	249	1.5%	1.5%
MD	14	1343	4.0%	4.0%	700	4.2%	4.2%
PA-REST OF STATE	16	631	1.9%	1.9%	304	1.8%	1.8%
PA-PHILADELPHIA COUNTY	17	462	1.4%	1.4%	196	1.2%	1.2%
VA	18	725	2.1%	2.1%	358	2.2%	2.2%
WV	19	586	1.7%	1.7%	280	1.7%	1.7%
AL	20	570	1.7%	1.7%	278	1.7%	1.7%
FL	22	953	2.8%	2.8%	390	2.4%	2.4%
GA	25	667	2.0%	2.0%	301	1.8%	1.8%
KY	27	350	1.0%	1.0%	182	1.1%	1.1%
MS	28	655	1.9%	1.9%	307	1.9%	1.9%
NC	29	647	1.9%	1.9%	337	2.0%	2.0%
SC	30	610	1.8%	1.8%	287	1.7%	1.7%
TN	31	378	1.1%	1.1%	179	1.1%	1.1%
IL-REST OF STATE	34	660	2.0%	2.0%	308	1.9%	1.9%
IL-CITY OF CHICAGO	35	298	0.9%	0.9%	148	0.9%	0.9%
IN	36	527	1.6%	1.6%	280	1.7%	1.7%
MI	38	636	1.9%	1.9%	324	2.0%	2.0%
MN	40	415	1.2%	1.2%	190	1.1%	1.1%
OH	41	560	1.7%	1.7%	266	1.6%	1.6%
WI	44	518	1.5%	1.5%	259	1.6%	1.6%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP19 Type: Numeric Position: 193-195

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	713	2.1%	2.1%	376	2.3%	2.3%
LA	47	748	2.2%	2.2%	355	2.1%	2.1%
NM	49	974	2.9%	2.9%	505	3.0%	3.0%
OK	50	606	1.8%	1.8%	302	1.8%	1.8%
TX-REST OF STATE	51	1339	4.0%	4.0%	649	3.9%	3.9%
TX-DALLAS COUNTY	52	500	1.5%	1.5%	198	1.2%	1.2%
TX-EL PASO COUNTY	53	389	1.2%	1.2%	186	1.1%	1.1%
TX-CITY OF HOUSTON	54	397	1.2%	1.2%	160	1.0%	1.0%
TX-BEXAR COUNTY	55	443	1.3%	1.3%	204	1.2%	1.2%
IA	56	378	1.1%	1.1%	203	1.2%	1.2%
KS	57	633	1.9%	1.9%	398	2.4%	2.4%
MO	58	597	1.8%	1.8%	321	1.9%	1.9%
NE	59	404	1.2%	1.2%	228	1.4%	1.4%
CO	60	467	1.4%	1.4%	240	1.4%	1.4%
MT	61	485	1.4%	1.4%	256	1.5%	1.5%
ND	62	442	1.3%	1.3%	232	1.4%	1.4%
SD	63	437	1.3%	1.3%	240	1.4%	1.4%
UT	64	463	1.4%	1.4%	256	1.5%	1.5%
WY	65	432	1.3%	1.3%	271	1.6%	1.6%
AZ	66	516	1.5%	1.5%	260	1.6%	1.6%
CA	68	668	2.0%	2.0%	292	1.8%	1.8%
HI	72	468	1.4%	1.4%	210	1.3%	1.3%
NV	73	765	2.3%	2.3%	387	2.3%	2.3%
AK	74	417	1.2%	1.2%	240	1.4%	1.4%
ID	75	367	1.1%	1.1%	190	1.1%	1.1%
OR	76	341	1.0%	1.0%	161	1.0%	1.0%
WA	77	723	2.1%	2.1%	389	2.3%	2.3%
PUERTO RICO	106	662	2.0%	2.0%	197	1.2%	1.2%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 196-197

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	329	1.0%	1.0%	159	1.0%	1.0%
MA	2	492	1.5%	1.5%	270	1.6%	1.6%
ME	4	494	1.5%	1.5%	238	1.4%	1.5%
NH	5	426	1.3%	1.3%	223	1.3%	1.4%
RI	6	420	1.2%	1.3%	249	1.5%	1.5%
VT	7	611	1.8%	1.8%	318	1.9%	1.9%
NJ	8	684	2.0%	2.1%	264	1.6%	1.6%
NY-REST OF STATE	10	422	1.2%	1.3%	201	1.2%	1.2%
NY-CITY OF NEW YORK	11	839	2.5%	2.5%	326	2.0%	2.0%
DC	12	612	1.8%	1.8%	285	1.7%	1.7%
DE	13	505	1.5%	1.5%	249	1.5%	1.5%
MD	14	1343	4.0%	4.1%	700	4.2%	4.3%
PA-REST OF STATE	16	631	1.9%	1.9%	304	1.8%	1.9%
PA-PHILADELPHIA COUNTY	17	462	1.4%	1.4%	196	1.2%	1.2%
VA	18	725	2.1%	2.2%	358	2.2%	2.2%
WV	19	586	1.7%	1.8%	280	1.7%	1.7%
AL	20	570	1.7%	1.7%	278	1.7%	1.7%
FL	22	953	2.8%	2.9%	390	2.4%	2.4%
GA	25	667	2.0%	2.0%	301	1.8%	1.8%
KY	27	350	1.0%	1.1%	182	1.1%	1.1%
MS	28	655	1.9%	2.0%	307	1.9%	1.9%
NC	29	647	1.9%	2.0%	337	2.0%	2.1%
SC	30	610	1.8%	1.8%	287	1.7%	1.8%
TN	31	378	1.1%	1.1%	179	1.1%	1.1%
IL-REST OF STATE	34	660	2.0%	2.0%	308	1.9%	1.9%
IL-CITY OF CHICAGO	35	298	0.9%	0.9%	148	0.9%	0.9%
IN	36	527	1.6%	1.6%	280	1.7%	1.7%
MI	38	636	1.9%	1.9%	324	2.0%	2.0%
MN	40	415	1.2%	1.3%	190	1.1%	1.2%
OH	41	560	1.7%	1.7%	266	1.6%	1.6%
WI	44	518	1.5%	1.6%	259	1.6%	1.6%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 196-197

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	713	2.1%	2.2%	376	2.3%	2.3%
LA	47	748	2.2%	2.3%	355	2.1%	2.2%
NM	49	974	2.9%	2.9%	505	3.0%	3.1%
OK	50	606	1.8%	1.8%	302	1.8%	1.8%
TX-REST OF STATE	51	2228	6.6%	6.7%	1033	6.2%	6.3%
TX-CITY OF HOUSTON	54	397	1.2%	1.2%	160	1.0%	1.0%
TX-BEXAR COUNTY	55	443	1.3%	1.3%	204	1.2%	1.2%
IA	56	378	1.1%	1.1%	203	1.2%	1.2%
KS	57	633	1.9%	1.9%	398	2.4%	2.4%
MO	58	597	1.8%	1.8%	321	1.9%	2.0%
NE	59	404	1.2%	1.2%	228	1.4%	1.4%
CO	60	467	1.4%	1.4%	240	1.4%	1.5%
MT	61	485	1.4%	1.5%	256	1.5%	1.6%
ND	62	442	1.3%	1.3%	232	1.4%	1.4%
SD	63	437	1.3%	1.3%	240	1.4%	1.5%
UT	64	463	1.4%	1.4%	256	1.5%	1.6%
WY	65	432	1.3%	1.3%	271	1.6%	1.7%
AZ	66	516	1.5%	1.6%	260	1.6%	1.6%
CA	68	668	2.0%	2.0%	292	1.8%	1.8%
HI	72	468	1.4%	1.4%	210	1.3%	1.3%
NV	73	765	2.3%	2.3%	387	2.3%	2.4%
AK	74	417	1.2%	1.3%	240	1.4%	1.5%
ID	75	367	1.1%	1.1%	190	1.1%	1.2%
OR	76	341	1.0%	1.0%	161	1.0%	1.0%
WA	77	723	2.1%	2.2%	389	2.3%	2.4%
<b>SUBTOTALS:</b>		33137	98.0%	100.0%	16365	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	662	2.0%	n/a	197	1.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 198-199

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

## Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	570	1.7%	1.7%	278	1.7%	1.7%
ALASKA	2	417	1.2%	1.2%	240	1.4%	1.4%
ARIZONA	4	516	1.5%	1.5%	260	1.6%	1.6%
ARKANSAS	5	713	2.1%	2.1%	376	2.3%	2.3%
CALIFORNIA	6	668	2.0%	2.0%	292	1.8%	1.8%
COLORADO	8	467	1.4%	1.4%	240	1.4%	1.4%
CONNECTICUT	9	329	1.0%	1.0%	159	1.0%	1.0%
DELAWARE	10	505	1.5%	1.5%	249	1.5%	1.5%
DISTRICT OF COLUMBIA	11	612	1.8%	1.8%	285	1.7%	1.7%
FLORIDA	12	953	2.8%	2.8%	390	2.4%	2.4%
GEORGIA	13	667	2.0%	2.0%	301	1.8%	1.8%
HAWAII	15	468	1.4%	1.4%	210	1.3%	1.3%
IDAHO	16	367	1.1%	1.1%	190	1.1%	1.1%
ILLINOIS	17	958	2.8%	2.8%	456	2.8%	2.8%
INDIANA	18	527	1.6%	1.6%	280	1.7%	1.7%
IOWA	19	378	1.1%	1.1%	203	1.2%	1.2%
KANSAS	20	633	1.9%	1.9%	398	2.4%	2.4%
KENTUCKY	21	350	1.0%	1.0%	182	1.1%	1.1%
LOUISIANA	22	748	2.2%	2.2%	355	2.1%	2.1%
MAINE	23	494	1.5%	1.5%	238	1.4%	1.4%
MARYLAND	24	1343	4.0%	4.0%	700	4.2%	4.2%
MASSACHUSETTS	25	492	1.5%	1.5%	270	1.6%	1.6%
MICHIGAN	26	636	1.9%	1.9%	324	2.0%	2.0%
MINNESOTA	27	415	1.2%	1.2%	190	1.1%	1.1%
MISSISSIPPI	28	655	1.9%	1.9%	307	1.9%	1.9%
MISSOURI	29	597	1.8%	1.8%	321	1.9%	1.9%
MONTANA	30	485	1.4%	1.4%	256	1.5%	1.5%
NEBRASKA	31	404	1.2%	1.2%	228	1.4%	1.4%
NEVADA	32	765	2.3%	2.3%	387	2.3%	2.3%
NEW HAMPSHIRE	33	426	1.3%	1.3%	223	1.3%	1.3%
NEW JERSEY	34	684	2.0%	2.0%	264	1.6%	1.6%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 198-199

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

## Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	974	2.9%	2.9%	505	3.0%	3.0%
NEW YORK	36	1261	3.7%	3.7%	527	3.2%	3.2%
NORTH CAROLINA	37	647	1.9%	1.9%	337	2.0%	2.0%
NORTH DAKOTA	38	442	1.3%	1.3%	232	1.4%	1.4%
OHIO	39	560	1.7%	1.7%	266	1.6%	1.6%
OKLAHOMA	40	606	1.8%	1.8%	302	1.8%	1.8%
OREGON	41	341	1.0%	1.0%	161	1.0%	1.0%
PENNSYLVANIA	42	1093	3.2%	3.2%	500	3.0%	3.0%
RHODE ISLAND	44	420	1.2%	1.2%	249	1.5%	1.5%
SOUTH CAROLINA	45	610	1.8%	1.8%	287	1.7%	1.7%
SOUTH DAKOTA	46	437	1.3%	1.3%	240	1.4%	1.4%
TENNESSEE	47	378	1.1%	1.1%	179	1.1%	1.1%
TEXAS	48	3068	9.1%	9.1%	1397	8.4%	8.4%
UTAH	49	463	1.4%	1.4%	256	1.5%	1.5%
VERMONT	50	611	1.8%	1.8%	318	1.9%	1.9%
VIRGINIA	51	725	2.1%	2.1%	358	2.2%	2.2%
WASHINGTON	53	723	2.1%	2.1%	389	2.3%	2.3%
WEST VIRGINIA	54	586	1.7%	1.7%	280	1.7%	1.7%
WISCONSIN	55	518	1.5%	1.5%	259	1.6%	1.6%
WYOMING	56	432	1.3%	1.3%	271	1.6%	1.6%
PUERTO RICO	72	662	2.0%	2.0%	197	1.2%	1.2%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 200-200

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	222	0.7%	0.7%	164	1.0%	1.0%
1	1	20626	61.0%	67.7%	11076	66.9%	66.9%
2	2	7631	22.6%	25.0%	4344	26.2%	26.2%
3+	3	1990	5.9%	6.5%	978	5.9%	5.9%
<b>SUBTOTALS:</b>		30469	90.1%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	3330	9.9%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: D7 Type: Numeric Position: 201-201

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	21159	62.6%	99.2%	16398	99.0%	100.0%
NO	2	162	0.5%	0.8%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		21321	63.1%	100.0%	16398	99.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12478	36.9%	n/a	164	1.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N\_PRVR Type: Numeric Position: 202-202

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17526	51.9%	51.9%	289	1.7%	1.7%
1	1	13451	39.8%	39.8%	13451	81.2%	81.2%
2	2	2539	7.5%	7.5%	2539	15.3%	15.3%
3+	3	283	0.8%	0.8%	283	1.7%	1.7%
<b>SUBTOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV\_FAC Type: Numeric Position: 203-203

Label: PROVIDER FACILITY TYPES: IMPUTED

Notes: Variable contains some imputed values. Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1785	5.3%	11.0%	1785	10.8%	11.0%
ALL HOSPITAL FACILITIES	2	2811	8.3%	17.3%	2811	17.0%	17.3%
ALL PRIVATE FACILITIES	3	8809	26.1%	54.1%	8809	53.2%	54.1%
ALL MILITARY/OTHER FACILITIES	4	450	1.3%	2.8%	450	2.7%	2.8%
MIXED	5	2418	7.2%	14.9%	2418	14.6%	14.9%
<b>SUBTOTALS:</b>		16273	48.1%	100.0%	16273	98.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17526	51.9%	n/a	289	1.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 204-204

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12203	36.1%	75.0%	12203	73.7%	75.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1094	3.2%	6.7%	1094	6.6%	6.7%
NO PROVIDERS	3	1157	3.4%	7.1%	1157	7.0%	7.1%
UNKNOWN/DON'T KNOW	4	1819	5.4%	11.2%	1819	11.0%	11.2%
<b>SUBTOTALS:</b>		16273	48.1%	100.0%	16273	98.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17526	51.9%	n/a	289	1.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC\_ORDER Type: Numeric Position: 205-205

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12026	35.6%	73.9%	12026	72.6%	73.9%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1137	3.4%	7.0%	1137	6.9%	7.0%
NO PROVIDERS	3	1656	4.9%	10.2%	1656	10.0%	10.2%
UNKNOWN/DON'T KNOW	4	1454	4.3%	8.9%	1454	8.8%	8.9%
<b>SUBTOTALS:</b>		16273	48.1%	100.0%	16273	98.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17526	51.9%	n/a	289	1.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: HEP\_BRTH** Type: Numeric Position: 206-206

**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG**

**Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	13128	38.8%	81.6%	13128	79.3%	81.6%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	2965	8.8%	18.4%	2965	17.9%	18.4%
<b>SUBTOTALS:</b>		16093	47.6%	100.0%	16093	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17706	52.4%	n/a	469	2.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HEP\_FLAG** Type: Numeric Position: 207-207

**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG**

**Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	48	0.1%	100.0%	48	0.3%	100.0%
<b>SUBTOTALS:</b>		48	0.1%	100.0%	48	0.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33751	99.9%	n/a	16514	99.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHEPX Type: Numeric Position: 208-208

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1821	5.4%	11.0%	1821	11.0%	11.0%
1	1	6613	19.6%	39.9%	6613	39.9%	39.9%
2	2	1448	4.3%	8.7%	1448	8.7%	8.7%
3	3	6238	18.5%	37.7%	6238	37.7%	37.7%
4	4	428	1.3%	2.6%	428	2.6%	2.6%
5	5	13	0.0%	0.1%	13	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUHIBX Type: Numeric Position: 209-209

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5043	14.9%	30.4%	5043	30.4%	30.4%
1	1	2758	8.2%	16.7%	2758	16.7%	16.7%
2	2	1498	4.4%	9.0%	1498	9.0%	9.0%
3	3	4558	13.5%	27.5%	4558	27.5%	27.5%
4	4	2680	7.9%	16.2%	2680	16.2%	16.2%
5	5	25	0.1%	0.2%	25	0.2%	0.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHPHB Type: Numeric Position: 210-210

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16535	48.9%	99.8%	16535	99.8%	99.8%
1	1	24	0.1%	0.1%	24	0.1%	0.1%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMDAH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16504	48.8%	99.6%	16504	99.6%	99.6%
1	1	50	0.1%	0.3%	50	0.3%	0.3%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
4	4	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDHI Type: Numeric Position: 212-212

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	7714	22.8%	46.6%	7714	46.6%	46.6%
1	1	1122	3.3%	6.8%	1122	6.8%	6.8%
2	2	1854	5.5%	11.2%	1854	11.2%	11.2%
3	3	5720	16.9%	34.5%	5720	34.5%	34.5%
4	4	146	0.4%	0.9%	146	0.9%	0.9%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMDIH Type: Numeric Position: 213-213

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	8111	24.0%	49.0%	8111	49.0%	49.0%
1	1	1801	5.3%	10.9%	1801	10.9%	10.9%
2	2	1084	3.2%	6.5%	1084	6.5%	6.5%
3	3	2929	8.7%	17.7%	2929	17.7%	17.7%
4	4	2615	7.7%	15.8%	2615	15.8%	15.8%
5	5	21	0.1%	0.1%	21	0.1%	0.1%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDTA Type: Numeric Position: 214-214

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5744	17.0%	34.7%	5744	34.7%	34.7%
1	1	8862	26.2%	53.5%	8862	53.5%	53.5%
2	2	670	2.0%	4.0%	670	4.0%	4.0%
3	3	347	1.0%	2.1%	347	2.1%	2.1%
4	4	929	2.7%	5.6%	929	5.6%	5.6%
5	5	10	0.0%	0.1%	10	0.1%	0.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMDTP Type: Numeric Position: 215-215

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	580	1.7%	3.5%	580	3.5%	3.5%
1	1	168	0.5%	1.0%	168	1.0%	1.0%
2	2	257	0.8%	1.6%	257	1.6%	1.6%
3	3	1495	4.4%	9.0%	1495	9.0%	9.0%
4	4	13847	41.0%	83.6%	13847	83.6%	83.6%
5	5	205	0.6%	1.2%	205	1.2%	1.2%
6	6	8	0.0%	0.0%	8	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLU Type: Numeric Position: 216-216

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4130	12.2%	24.9%	4130	24.9%	24.9%
1	1	1742	5.2%	10.5%	1742	10.5%	10.5%
2	2	3385	10.0%	20.4%	3385	20.4%	20.4%
3	3	5504	16.3%	33.2%	5504	33.2%	33.2%
4	4	1754	5.2%	10.6%	1754	10.6%	10.6%
5	5	42	0.1%	0.3%	42	0.3%	0.3%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMFLUL Type: Numeric Position: 217-217

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16060	47.5%	97.0%	16060	97.0%	97.0%
1	1	216	0.6%	1.3%	216	1.3%	1.3%
2	2	148	0.4%	0.9%	148	0.9%	0.9%
3	3	113	0.3%	0.7%	113	0.7%	0.7%
4	4	24	0.1%	0.1%	24	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUL Type: Numeric Position: 217-217

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMFLUM Type: Numeric Position: 218-218

**Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16456	48.7%	99.4%	16456	99.4%	99.4%
1	1	50	0.1%	0.3%	50	0.3%	0.3%
2	2	24	0.1%	0.1%	24	0.1%	0.1%
3	3	24	0.1%	0.1%	24	0.1%	0.1%
4	4	8	0.0%	0.0%	8	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUN Type: Numeric Position: 219-219

**Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4481	13.3%	27.1%	4481	27.1%	27.1%
1	1	1771	5.2%	10.7%	1771	10.7%	10.7%
2	2	3303	9.8%	19.9%	3303	19.9%	19.9%
3	3	5317	15.7%	32.1%	5317	32.1%	32.1%
4	4	1654	4.9%	10.0%	1654	10.0%	10.0%
5	5	33	0.1%	0.2%	33	0.2%	0.2%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHEA Type: Numeric Position: 220-220

**Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1895	5.6%	11.4%	1895	11.4%	11.4%
1	1	3964	11.7%	23.9%	3964	23.9%	23.9%
2	2	10648	31.5%	64.3%	10648	64.3%	64.3%
3	3	53	0.2%	0.3%	53	0.3%	0.3%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEN Type: Numeric Position: 221-221

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16436	48.6%	99.2%	16436	99.2%	99.2%
1	1	61	0.2%	0.4%	61	0.4%	0.4%
2	2	50	0.1%	0.3%	50	0.3%	0.3%
3	3	15	0.0%	0.1%	15	0.1%	0.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHEP Type: Numeric Position: 222-222

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	477	1.4%	2.9%	477	2.9%	2.9%
1	1	362	1.1%	2.2%	362	2.2%	2.2%
2	2	459	1.4%	2.8%	459	2.8%	2.8%
3	3	9704	28.7%	58.6%	9704	58.6%	58.6%
4	4	5361	15.9%	32.4%	5361	32.4%	32.4%
5	5	187	0.6%	1.1%	187	1.1%	1.1%
6	6	9	0.0%	0.1%	9	0.1%	0.1%
7	7	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHG Type: Numeric Position: 223-223

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15409	45.6%	93.0%	15409	93.0%	93.0%
1	1	378	1.1%	2.3%	378	2.3%	2.3%
2	2	139	0.4%	0.8%	139	0.8%	0.8%
3	3	211	0.6%	1.3%	211	1.3%	1.3%
4	4	424	1.3%	2.6%	424	2.6%	2.6%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHHY Type: Numeric Position: 224-224

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16125	47.7%	97.4%	16125	97.4%	97.4%
1	1	213	0.6%	1.3%	213	1.3%	1.3%
2	2	73	0.2%	0.4%	73	0.4%	0.4%
3	3	102	0.3%	0.6%	102	0.6%	0.6%
4	4	49	0.1%	0.3%	49	0.3%	0.3%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIB Type: Numeric Position: 225-225

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	609	1.8%	3.7%	609	3.7%	3.7%
1	1	253	0.7%	1.5%	253	1.5%	1.5%
2	2	485	1.4%	2.9%	485	2.9%	2.9%
3	3	4561	13.5%	27.5%	4561	27.5%	27.5%
4	4	10498	31.1%	63.4%	10498	63.4%	63.4%
5	5	152	0.4%	0.9%	152	0.9%	0.9%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHIN Type: Numeric Position: 226-226

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15224	45.0%	91.9%	15224	91.9%	91.9%
1	1	485	1.4%	2.9%	485	2.9%	2.9%
2	2	229	0.7%	1.4%	229	1.4%	1.4%
3	3	329	1.0%	2.0%	329	2.0%	2.0%
4	4	292	0.9%	1.8%	292	1.8%	1.8%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIN Type: Numeric Position: 226-226

**Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHION Type: Numeric Position: 227-227

**Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16451	48.7%	99.3%	16451	99.3%	99.3%
1	1	63	0.2%	0.4%	63	0.4%	0.4%
2	2	25	0.1%	0.2%	25	0.2%	0.2%
3	3	20	0.1%	0.1%	20	0.1%	0.1%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHM Type: Numeric Position: 228-228

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	11245	33.3%	67.9%	11245	67.9%	67.9%
1	1	916	2.7%	5.5%	916	5.5%	5.5%
2	2	922	2.7%	5.6%	922	5.6%	5.6%
3	3	3203	9.5%	19.3%	3203	19.3%	19.3%
4	4	273	0.8%	1.6%	273	1.6%	1.6%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMHS Type: Numeric Position: 229-229

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	10679	31.6%	64.5%	10679	64.5%	64.5%
1	1	2434	7.2%	14.7%	2434	14.7%	14.7%
2	2	801	2.4%	4.8%	801	4.8%	4.8%
3	3	1015	3.0%	6.1%	1015	6.1%	6.1%
4	4	1624	4.8%	9.8%	1624	9.8%	9.8%
5	5	9	0.0%	0.1%	9	0.1%	0.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMIPV Type: Numeric Position: 230-230

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14545	43.0%	87.8%	14545	87.8%	87.8%
1	1	797	2.4%	4.8%	797	4.8%	4.8%
2	2	317	0.9%	1.9%	317	1.9%	1.9%
3	3	840	2.5%	5.1%	840	5.1%	5.1%
4	4	62	0.2%	0.4%	62	0.4%	0.4%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMMCN Type: Numeric Position: 231-231

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16496	48.8%	99.6%	16496	99.6%	99.6%
1	1	64	0.2%	0.4%	64	0.4%	0.4%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMR Type: Numeric Position: 232-232

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1224	3.6%	7.4%	1224	7.4%	7.4%
1	1	14866	44.0%	89.8%	14866	89.8%	89.8%
2	2	455	1.3%	2.7%	455	2.7%	2.7%
3	3	16	0.0%	0.1%	16	0.1%	0.1%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMMMRX Type: Numeric Position: 233-233

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3555	10.5%	21.5%	3555	21.5%	21.5%
1	1	12673	37.5%	76.5%	12673	76.5%	76.5%
2	2	322	1.0%	1.9%	322	1.9%	1.9%
3	3	11	0.0%	0.1%	11	0.1%	0.1%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMX Type: Numeric Position: 234-234

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1306	3.9%	7.9%	1306	7.9%	7.9%
1	1	14805	43.8%	89.4%	14805	89.4%	89.4%
2	2	437	1.3%	2.6%	437	2.6%	2.6%
3	3	13	0.0%	0.1%	13	0.1%	0.1%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMMP Type: Numeric Position: 235-235

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16562	49.0%	100.0%	16562	100.0%	100.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMPR Type: Numeric Position: 236-236

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16561	49.0%	100.0%	16561	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMMRV Type: Numeric Position: 237-237

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14234	42.1%	85.9%	14234	85.9%	85.9%
1	1	2288	6.8%	13.8%	2288	13.8%	13.8%
2	2	40	0.1%	0.2%	40	0.2%	0.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMS Type: Numeric Position: 238-238

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16529	48.9%	99.8%	16529	99.8%	99.8%
1	1	32	0.1%	0.2%	32	0.2%	0.2%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMMSM Type: Numeric Position: 239-239

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16562	49.0%	100.0%	16562	100.0%	100.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMSR Type: Numeric Position: 240-240

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16558	49.0%	100.0%	16558	100.0%	100.0%
1	1	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMOLN Type: Numeric Position: 241-241

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16210	48.0%	97.9%	16210	97.9%	97.9%
1	1	84	0.2%	0.5%	84	0.5%	0.5%
2	2	49	0.1%	0.3%	49	0.3%	0.3%
3	3	195	0.6%	1.2%	195	1.2%	1.2%
4	4	22	0.1%	0.1%	22	0.1%	0.1%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMOPV Type: Numeric Position: 242-242

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16517	48.9%	99.7%	16517	99.7%	99.7%
1	1	20	0.1%	0.1%	20	0.1%	0.1%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
3	3	19	0.1%	0.1%	19	0.1%	0.1%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMPCV Type: Numeric Position: 243-243

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	653	1.9%	3.9%	653	3.9%	3.9%
1	1	212	0.6%	1.3%	212	1.3%	1.3%
2	2	346	1.0%	2.1%	346	2.1%	2.1%
3	3	1284	3.8%	7.8%	1284	7.8%	7.8%
4	4	13909	41.2%	84.0%	13909	84.0%	84.0%
5	5	157	0.5%	0.9%	157	0.9%	0.9%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCP Type: Numeric Position: 244-244

**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16410	48.6%	99.1%	16410	99.1%	99.1%
1	1	37	0.1%	0.2%	37	0.2%	0.2%
2	2	9	0.0%	0.1%	9	0.1%	0.1%
3	3	22	0.1%	0.1%	22	0.1%	0.1%
4	4	84	0.2%	0.5%	84	0.5%	0.5%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMPCC Type: Numeric Position: 245-245

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	961	2.8%	5.8%	961	5.8%	5.8%
1	1	300	0.9%	1.8%	300	1.8%	1.8%
2	2	377	1.1%	2.3%	377	2.3%	2.3%
3	3	1314	3.9%	7.9%	1314	7.9%	7.9%
4	4	13485	39.9%	81.4%	13485	81.4%	81.4%
5	5	124	0.4%	0.7%	124	0.7%	0.7%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC7 Type: Numeric Position: 246-246

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16473	48.7%	99.5%	16473	99.5%	99.5%
1	1	26	0.1%	0.2%	26	0.2%	0.2%
2	2	12	0.0%	0.1%	12	0.1%	0.1%
3	3	12	0.0%	0.1%	12	0.1%	0.1%
4	4	39	0.1%	0.2%	39	0.2%	0.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMPCC13 Type: Numeric Position: 247-247

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1013	3.0%	6.1%	1013	6.1%	6.1%
1	1	309	0.9%	1.9%	309	1.9%	1.9%
2	2	378	1.1%	2.3%	378	2.3%	2.3%
3	3	1320	3.9%	8.0%	1320	8.0%	8.0%
4	4	13418	39.7%	81.0%	13418	81.0%	81.0%
5	5	123	0.4%	0.7%	123	0.7%	0.7%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCCN Type: Numeric Position: 248-248

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16561	49.0%	100.0%	16561	100.0%	100.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMPCN Type: Numeric Position: 249-249

**Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16135	47.7%	97.4%	16135	97.4%	97.4%
1	1	113	0.3%	0.7%	113	0.7%	0.7%
2	2	52	0.2%	0.3%	52	0.3%	0.3%
3	3	103	0.3%	0.6%	103	0.6%	0.6%
4	4	157	0.5%	0.9%	157	0.9%	0.9%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPOL Type: Numeric Position: 250-250

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	643	1.9%	3.9%	643	3.9%	3.9%
1	1	184	0.5%	1.1%	184	1.1%	1.1%
2	2	318	0.9%	1.9%	318	1.9%	1.9%
3	3	11474	33.9%	69.3%	11474	69.3%	69.3%
4	4	3873	11.5%	23.4%	3873	23.4%	23.4%
5	5	61	0.2%	0.4%	61	0.4%	0.4%
6	6	8	0.0%	0.0%	8	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMRB Type: Numeric Position: 251-251

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16562	49.0%	100.0%	16562	100.0%	100.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRG Type: Numeric Position: 252-252

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	12549	37.1%	75.8%	12549	75.8%	75.8%
1	1	441	1.3%	2.7%	441	2.7%	2.7%
2	2	3458	10.2%	20.9%	3458	20.9%	20.9%
3	3	113	0.3%	0.7%	113	0.7%	0.7%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMRM Type: Numeric Position: 253-253

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5931	17.5%	35.8%	5931	35.8%	35.8%
1	1	530	1.6%	3.2%	530	3.2%	3.2%
2	2	1181	3.5%	7.1%	1181	7.1%	7.1%
3	3	8909	26.4%	53.8%	8909	53.8%	53.8%
4	4	11	0.0%	0.1%	11	0.1%	0.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRO Type: Numeric Position: 254-254

**Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15846	46.9%	95.7%	15846	95.7%	95.7%
1	1	143	0.4%	0.9%	143	0.9%	0.9%
2	2	249	0.7%	1.5%	249	1.5%	1.5%
3	3	324	1.0%	2.0%	324	2.0%	2.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMROT Type: Numeric Position: 255-255

**Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1680	5.0%	10.1%	1680	10.1%	10.1%
1	1	499	1.5%	3.0%	499	3.0%	3.0%
2	2	4696	13.9%	28.4%	4696	28.4%	28.4%
3	3	9663	28.6%	58.3%	9663	58.3%	58.3%
4	4	24	0.1%	0.1%	24	0.1%	0.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMTPN Type: Numeric Position: 256-256

**Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE  
DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH  
INTERVIEW DATE.**

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16272	48.1%	98.2%	16272	98.2%	98.2%
1	1	134	0.4%	0.8%	134	0.8%	0.8%
2	2	37	0.1%	0.2%	37	0.2%	0.2%
3	3	62	0.2%	0.4%	62	0.4%	0.4%
4	4	55	0.2%	0.3%	55	0.3%	0.3%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMVRC Type: Numeric Position: 257-257

**Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM  
PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1364	4.0%	8.2%	1364	8.2%	8.2%
1	1	14964	44.3%	90.4%	14964	90.4%	90.4%
2	2	233	0.7%	1.4%	233	1.4%	1.4%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMVRN Type: Numeric Position: 258-258

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	16469	48.7%	99.4%	16469	99.4%	99.4%
1	1	92	0.3%	0.6%	92	0.6%	0.6%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_NUMVRX Type: Numeric Position: 259-259

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3710	11.0%	22.4%	3710	22.4%	22.4%
1	1	12733	37.7%	76.9%	12733	76.9%	76.9%
2	2	119	0.4%	0.7%	119	0.7%	0.7%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_U12VRC Type: Numeric Position: 260-260

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1421	4.2%	8.6%	1421	8.6%	8.6%
UTD	1	15141	44.8%	91.4%	15141	91.4%	91.4%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTD331 Type: Numeric Position: 261-261

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1538	4.6%	9.3%	1538	9.3%	9.3%
UTD	1	15024	44.5%	90.7%	15024	90.7%	90.7%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431 Type: Numeric Position: 262-262

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2667	7.9%	16.1%	2667	16.1%	16.1%
UTD	1	13895	41.1%	83.9%	13895	83.9%	83.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDHEP Type: Numeric Position: 263-263

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1298	3.8%	7.8%	1298	7.8%	7.8%
UTD	1	15264	45.2%	92.2%	15264	92.2%	92.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHEPA1 Type: Numeric Position: 264-264

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1895	5.6%	11.4%	1895	11.4%	11.4%
UTD	1	14667	43.4%	88.6%	14667	88.6%	88.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDHEPA2 Type: Numeric Position: 265-265

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5859	17.3%	35.4%	5859	35.4%	35.4%
UTD	1	10703	31.7%	64.6%	10703	64.6%	64.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB Type: Numeric Position: 266-266

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1347	4.0%	8.1%	1347	8.1%	8.1%
UTD	1	15215	45.0%	91.9%	15215	91.9%	91.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDHIB\_ROUT\_S Type: Numeric Position: 267-267

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2718	8.0%	16.4%	2718	16.4%	16.4%
UTD	1	13844	41.0%	83.6%	13844	83.6%	83.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB\_SHORT\_S Type: Numeric Position: 268-268

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1120	3.3%	6.8%	1120	6.8%	6.8%
UTD	1	15442	45.7%	93.2%	15442	93.2%	93.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDMCV Type: Numeric Position: 269-269

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1224	3.6%	7.4%	1224	7.4%	7.4%
UTD	1	15338	45.4%	92.6%	15338	92.6%	92.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDMMX Type: Numeric Position: 270-270

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1306	3.9%	7.9%	1306	7.9%	7.9%
UTD	1	15256	45.1%	92.1%	15256	92.1%	92.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDPC3 Type: Numeric Position: 271-271

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1211	3.6%	7.3%	1211	7.3%	7.3%
UTD	1	15351	45.4%	92.7%	15351	92.7%	92.7%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPCV Type: Numeric Position: 272-272

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2495	7.4%	15.1%	2495	15.1%	15.1%
UTD	1	14067	41.6%	84.9%	14067	84.9%	84.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDPCVB13 Type: Numeric Position: 273-273

Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	39	0.1%	0.2%	39	0.2%	0.2%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	16523	48.9%	99.8%	16523	99.8%	99.8%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPOL Type: Numeric Position: 274-274

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1145	3.4%	6.9%	1145	6.9%	6.9%
UTD	1	15417	45.6%	93.1%	15417	93.1%	93.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDROT\_S Type: Numeric Position: 275-275

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3487	10.3%	21.1%	3487	21.1%	21.1%
UTD	1	13075	38.7%	78.9%	13075	78.9%	78.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDTP3 Type: Numeric Position: 276-276

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1005	3.0%	6.1%	1005	6.1%	6.1%
UTD	1	15557	46.0%	93.9%	15557	93.9%	93.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: P\_UTDTP4 Type: Numeric Position: 277-277

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2500	7.4%	15.1%	2500	15.1%	15.1%
UTD	1	14062	41.6%	84.9%	14062	84.9%	84.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU431331 Type: Numeric Position: 278-278**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3109	9.2%	18.8%	3109	18.8%	18.8%
UTD	1	13453	39.8%	81.2%	13453	81.2%	81.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: P\_UTD431H31\_ROUT\_S Type: Numeric Position: 279-279**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3677	10.9%	22.2%	3677	22.2%	22.2%
UTD	1	12885	38.1%	77.8%	12885	77.8%	77.8%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU4313313 Type: Numeric Position: 280-280**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3154	9.3%	19.0%	3154	19.0%	19.0%
UTD	1	13408	39.7%	81.0%	13408	81.0%	81.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: P\_UTD431H313\_ROUT\_S Type: Numeric Position: 281-281**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3713	11.0%	22.4%	3713	22.4%	22.4%
UTD	1	12849	38.0%	77.6%	12849	77.6%	77.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PU4313314 Type: Numeric Position: 282-282**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3623	10.7%	21.9%	3623	21.9%	21.9%
UTD	1	12939	38.3%	78.1%	12939	78.1%	78.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: P\_UTD431H314\_ROUT\_S Type: Numeric Position: 283-283**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4048	12.0%	24.4%	4048	24.4%	24.4%
UTD	1	12514	37.0%	75.6%	12514	75.6%	75.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PUT43133 Type: Numeric Position: 284-284**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2966	8.8%	17.9%	2966	17.9%	17.9%
UTD	1	13596	40.2%	82.1%	13596	82.1%	82.1%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: P\_UTD431H3\_ROUT\_S Type: Numeric Position: 285-285**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3543	10.5%	21.4%	3543	21.4%	21.4%
UTD	1	13019	38.5%	78.6%	13019	78.6%	78.6%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

**Variable: PUTD4313 Type: Numeric Position: 286-286**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2744	8.1%	16.6%	2744	16.6%	16.6%
UTD	1	13818	40.9%	83.4%	13818	83.4%	83.4%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: P\_UTD431H\_ROUT\_S Type: Numeric Position: 287-287**

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3343	9.9%	20.2%	3343	20.2%	20.2%
UTD	1	13219	39.1%	79.8%	13219	79.8%	79.8%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24\_FLU\_24D Type: Numeric Position: 288-288

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Influenza (FN, FM, FL) at least 4 weeks (minus 4 days) apart, by 24 months of age.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6471	19.1%	39.1%	6471	39.1%	39.1%
UTD	1	10091	29.9%	60.9%	10091	60.9%	60.9%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: U1D\_HEP Type: Numeric Position: 289-289

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5093	15.1%	30.8%	5093	30.8%	30.8%
UTD	1	11469	33.9%	69.2%	11469	69.2%	69.2%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U2D\_HEP Type: Numeric Position: 290-290

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4139	12.2%	25.0%	4139	25.0%	25.0%
UTD	1	12423	36.8%	75.0%	12423	75.0%	75.0%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: U3D\_HEP Type: Numeric Position: 291-291

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd, or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3857	11.4%	23.3%	3857	23.3%	23.3%
UTD	1	12705	37.6%	76.7%	12705	76.7%	76.7%
<b>SUBTOTALS:</b>		16562	49.0%	100.0%	16562	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17237	51.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 292-295

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15985	47.3%	100.0%	15985	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17814	52.7%	n/a	577	3.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.4	63.0	0.0	1132.0	53.7
Adequate Provider Data	73.4	63.0	0.0	1132.0	53.7

Variable: DDTP2 Type: Numeric Position: 296-299

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15827	46.8%	100.0%	15827	95.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17972	53.2%	n/a	735	4.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	143.6	127.0	44.0	1165.0	68.2
Adequate Provider Data	143.6	127.0	44.0	1165.0	68.2



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DDTP3 Type: Numeric Position: 300-303**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15587	46.1%	100.0%	15587	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18212	53.9%	n/a	975	5.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DDTP3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	215.9	191.0	94.0	1145.0	84.4
Adequate Provider Data	215.9	191.0	94.0	1145.0	84.4

**Variable: DDTP4 Type: Numeric Position: 304-307**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14287	42.3%	100.0%	14287	86.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19512	57.7%	n/a	2275	13.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DDTP4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	512.8	477.0	151.0	1324.0	95.3
Adequate Provider Data	512.8	477.0	151.0	1324.0	95.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 308-311

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.7%	100.0%	233	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33566	99.3%	n/a	16329	98.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	595.9	555.0	293.0	1201.0	155.1
Adequate Provider Data	595.9	555.0	293.0	1201.0	155.1

Variable: DDTP6 Type: Numeric Position: 312-315

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33787	100.0%	n/a	16550	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	705.6	707.5	501.0	1016.0	160.5
Adequate Provider Data	705.6	707.5	501.0	1016.0	160.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DDTP7 Type: Numeric Position: 316-318**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DDTP7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	678.0	678.0	608.0	748.0	99.0
Adequate Provider Data	678.0	678.0	608.0	748.0	99.0

**Variable: DDTP8 Type: Numeric Position: 319-319**

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DDTP9** Type: Numeric Position: 320-320

**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DFLU1** Type: Numeric Position: 321-324

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes:** See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12556	37.1%	100.0%	12556	75.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21243	62.9%	n/a	4006	24.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DFLU1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	314.3	274.0	0.0	1201.0	163.7
Adequate Provider Data	314.3	274.0	0.0	1201.0	163.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU2 Type: Numeric Position: 325-328**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10889	32.2%	100.0%	10889	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22910	67.8%	n/a	5673	34.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DFLU2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	380.8	328.0	105.0	1251.0	172.7
Adequate Provider Data	380.8	328.0	105.0	1251.0	172.7

**Variable: DFLU3 Type: Numeric Position: 329-332**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7853	23.2%	100.0%	7853	47.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25946	76.8%	n/a	8709	52.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DFLU3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	613.3	581.0	188.0	1390.0	148.9
Adequate Provider Data	613.3	581.0	188.0	1390.0	148.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU4 Type: Numeric Position: 333-336**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2485	7.4%	100.0%	2485	15.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	31314	92.6%	n/a	14077	85.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DFLU4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	891.8	901.0	222.0	1395.0	137.1
Adequate Provider Data	891.8	901.0	222.0	1395.0	137.1

**Variable: DFLU5 Type: Numeric Position: 337-340**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		130	0.4%	100.0%	130	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33669	99.6%	n/a	16432	99.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DFLU5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1048.8	1108.5	370.0	1355.0	188.6
Adequate Provider Data	1048.8	1108.5	370.0	1355.0	188.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU6 Type: Numeric Position: 341-344

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33791	100.0%	n/a	16554	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DFLU6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	890.0	914.0	475.0	1295.0	278.9
Adequate Provider Data	890.0	914.0	475.0	1295.0	278.9

Variable: DFLU7 Type: Numeric Position: 345-347

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DFLU7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	858.0	858.0	858.0	858.0	.
Adequate Provider Data	858.0	858.0	858.0	858.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric Position: 348-348

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DFLU9 Type: Numeric Position: 349-349

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DHEPA1 Type: Numeric Position: 350-353

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14767	43.7%	100.0%	14767	89.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19032	56.3%	n/a	1795	10.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	424.1	379.0	0.0	1201.0	99.2
Adequate Provider Data	424.1	379.0	0.0	1201.0	99.2

**Variable: DHEPA2 Type: Numeric Position: 354-357****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11551	34.2%	100.0%	11551	69.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22248	65.8%	n/a	5011	30.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPA2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	649.7	596.0	221.0	1324.0	112.6
Adequate Provider Data	649.7	596.0	221.0	1324.0	112.6

**Variable: DHEPA3 Type: Numeric Position: 358-361****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		61	0.2%	100.0%	61	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33738	99.8%	n/a	16501	99.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPA3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	758.7	741.0	541.0	1136.0	148.1
Adequate Provider Data	758.7	741.0	541.0	1136.0	148.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA4 Type: Numeric Position: 362-364**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33796	100.0%	n/a	16559	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPA4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	834.3	756.0	748.0	999.0	142.7
Adequate Provider Data	834.3	756.0	748.0	999.0	142.7

**Variable: DHEPA5 Type: Numeric Position: 365-365**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA6 Type: Numeric Position: 366-366

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DHEPA7 Type: Numeric Position: 367-367

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DHEPA8 Type: Numeric Position: 368-368

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA9 Type: Numeric Position: 369-369**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DHEPB1 Type: Numeric Position: 370-373**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16093	47.6%	100.0%	16093	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17706	52.4%	n/a	469	2.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.8	1.0	0.0	1132.0	62.1
Adequate Provider Data	15.8	1.0	0.0	1132.0	62.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB2 Type: Numeric Position: 374-377**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15732	46.5%	100.0%	15732	95.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18067	53.5%	n/a	830	5.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	82.4	63.0	15.0	1106.0	77.5
Adequate Provider Data	82.4	63.0	15.0	1106.0	77.5

**Variable: DHEPB3 Type: Numeric Position: 378-381**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15305	45.3%	100.0%	15305	92.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18494	54.7%	n/a	1257	7.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	208.7	188.0	54.0	1170.0	105.1
Adequate Provider Data	208.7	188.0	54.0	1170.0	105.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB4 Type: Numeric Position: 382-385**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5570	16.5%	100.0%	5570	33.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28229	83.5%	n/a	10992	66.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	226.0	192.0	83.0	1141.0	103.3
Adequate Provider Data	226.0	192.0	83.0	1141.0	103.3

**Variable: DHEPB5 Type: Numeric Position: 386-389**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		202	0.6%	100.0%	202	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33597	99.4%	n/a	16360	98.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	454.1	461.5	181.0	1076.0	180.3
Adequate Provider Data	454.1	461.5	181.0	1076.0	180.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB6 Type: Numeric Position: 390-392**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33786	100.0%	n/a	16549	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	548.2	547.0	227.0	815.0	143.6
Adequate Provider Data	548.2	547.0	227.0	815.0	143.6

**Variable: DHEPB7 Type: Numeric Position: 393-395**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33796	100.0%	n/a	16559	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHEPB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	705.3	748.0	472.0	896.0	215.2
Adequate Provider Data	705.3	748.0	472.0	896.0	215.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB8 Type: Numeric Position: 396-396

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 397-397

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DHIB1 Type: Numeric Position: 398-401

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15957	47.2%	100.0%	15957	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17842	52.8%	n/a	605	3.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	75.1	64.0	0.0	1165.0	58.9
Adequate Provider Data	75.1	64.0	0.0	1165.0	58.9

**Variable: DHIB2 Type: Numeric Position: 402-405****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15713	46.5%	100.0%	15713	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18086	53.5%	n/a	849	5.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHIB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	143.9	127.0	46.0	1120.0	65.6
Adequate Provider Data	143.9	127.0	46.0	1120.0	65.6

**Variable: DHIB3 Type: Numeric Position: 406-409****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15262	45.2%	100.0%	15262	92.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18537	54.8%	n/a	1300	7.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	271.8	197.0	94.0	1131.0	131.6
Adequate Provider Data	271.8	197.0	94.0	1131.0	131.6

**Variable: DHIB4 Type: Numeric Position: 410-413****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10763	31.8%	100.0%	10763	65.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23036	68.2%	n/a	5799	35.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHIB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	480.9	464.0	151.0	1201.0	92.1
Adequate Provider Data	480.9	464.0	151.0	1201.0	92.1

**Variable: DHIB5 Type: Numeric Position: 414-417****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		163	0.5%	100.0%	163	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33636	99.5%	n/a	16399	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	549.1	506.0	228.0	1110.0	149.2
Adequate Provider Data	549.1	506.0	228.0	1110.0	149.2

**Variable: DHIB6 Type: Numeric Position: 418-420****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33795	100.0%	n/a	16558	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DHIB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	633.0	641.5	501.0	748.0	126.4
Adequate Provider Data	633.0	641.5	501.0	748.0	126.4

**Variable: DHIB7 Type: Numeric Position: 421-423****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	608.0	608.0	608.0	608.0	.
Adequate Provider Data	608.0	608.0	608.0	608.0	.

**Variable: DHIB8 Type: Numeric Position: 424-424****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DHIB9 Type: Numeric Position: 425-425****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR1 Type: Numeric Position: 426-429

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15396	45.6%	100.0%	15396	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18403	54.4%	n/a	1166	7.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	406.2	375.0	4.0	1238.0	80.7
Adequate Provider Data	406.2	375.0	4.0	1238.0	80.7

Variable: DMMR2 Type: Numeric Position: 430-433

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		543	1.6%	100.0%	543	3.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33256	98.4%	n/a	16019	96.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	632.6	576.0	364.0	1237.0	212.9
Adequate Provider Data	632.6	576.0	364.0	1237.0	212.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DMMR3 Type: Numeric Position: 434-437**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33781	99.9%	n/a	16544	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DMMR3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	632.9	548.0	447.0	1112.0	212.6
Adequate Provider Data	632.9	548.0	447.0	1112.0	212.6

**Variable: DMMR4 Type: Numeric Position: 438-440**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DMMR4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	496.0	496.0	496.0	496.0	.
Adequate Provider Data	496.0	496.0	496.0	496.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR5 Type: Numeric Position: 441-441

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMMR6 Type: Numeric Position: 442-442

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 443-443

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR8 Type: Numeric Position: 444-444

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMMR9 Type: Numeric Position: 445-445

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 446-446

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP2 Type: Numeric Position: 447-447

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP3 Type: Numeric Position: 448-448

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP4 Type: Numeric Position: 449-449

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP5 Type: Numeric Position: 450-450

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP6 Type: Numeric Position: 451-451

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP7 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP8 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMP9 Type: Numeric Position: 454-454

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMPRB1 Type: Numeric Position: 455-457

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DMPRB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	379.0	379.0	379.0	379.0	.
Adequate Provider Data	379.0	379.0	379.0	379.0	.

**Variable: DMPRB2 Type: Numeric Position: 458-458****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DMPRB3 Type: Numeric Position: 459-459****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB4 Type: Numeric Position: 460-460

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMPRB5 Type: Numeric Position: 461-461

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMPRB6 Type: Numeric Position: 462-462

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB7 Type: Numeric Position: 463-463

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMPRB8 Type: Numeric Position: 464-464

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DMPRB9 Type: Numeric Position: 465-465

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV1 Type: Numeric Position: 466-469**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15915	47.1%	100.0%	15915	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17884	52.9%	n/a	647	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPCV1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	75.4	64.0	0.0	1165.0	59.0
Adequate Provider Data	75.4	64.0	0.0	1165.0	59.0

**Variable: DPCV2 Type: Numeric Position: 470-473**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15708	46.5%	100.0%	15708	94.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18091	53.5%	n/a	854	5.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPCV2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	144.9	127.0	44.0	1144.0	68.1
Adequate Provider Data	144.9	127.0	44.0	1144.0	68.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV3 Type: Numeric Position: 474-477**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15382	45.5%	100.0%	15382	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18417	54.5%	n/a	1180	7.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPCV3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	218.2	191.0	98.0	1120.0	82.3
Adequate Provider Data	218.2	191.0	98.0	1120.0	82.3

**Variable: DPCV4 Type: Numeric Position: 478-481**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14166	41.9%	100.0%	14166	85.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19633	58.1%	n/a	2396	14.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPCV4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	435.5	401.0	174.0	1251.0	89.2
Adequate Provider Data	435.5	401.0	174.0	1251.0	89.2



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV5 Type: Numeric Position: 482-485

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		166	0.5%	100.0%	166	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33633	99.5%	n/a	16396	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DPCV5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	560.1	507.0	311.0	1124.0	164.1
Adequate Provider Data	560.1	507.0	311.0	1124.0	164.1

Variable: DPCV6 Type: Numeric Position: 486-489

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DPCV6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	917.0	917.0	681.0	1153.0	333.8
Adequate Provider Data	917.0	917.0	681.0	1153.0	333.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV7 Type: Numeric Position: 490-493**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPCV7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	988.5	988.5	748.0	1229.0	340.1
Adequate Provider Data	988.5	988.5	748.0	1229.0	340.1

**Variable: DPCV8 Type: Numeric Position: 494-494**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV9 Type: Numeric Position: 495-495**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DPOLIO1 Type: Numeric Position: 496-499**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15923	47.1%	100.0%	15923	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17876	52.9%	n/a	639	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	74.8	64.0	0.0	1165.0	59.3
Adequate Provider Data	74.8	64.0	0.0	1165.0	59.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO2 Type: Numeric Position: 500-503**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15751	46.6%	100.0%	15751	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18048	53.4%	n/a	811	4.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	145.2	127.0	37.0	1160.0	71.7
Adequate Provider Data	145.2	127.0	37.0	1160.0	71.7

**Variable: DPOLIO3 Type: Numeric Position: 504-507**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15455	45.7%	100.0%	15455	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18344	54.3%	n/a	1107	6.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	222.3	191.0	70.0	1145.0	96.1
Adequate Provider Data	222.3	191.0	70.0	1145.0	96.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO4 Type: Numeric Position: 508-511**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3985	11.8%	100.0%	3985	24.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29814	88.2%	n/a	12577	75.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	494.5	468.0	94.0	1201.0	95.1
Adequate Provider Data	494.5	468.0	94.0	1201.0	95.1

**Variable: DPOLIO5 Type: Numeric Position: 512-514**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		74	0.2%	100.0%	74	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33725	99.8%	n/a	16488	99.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	542.6	549.0	293.0	921.0	117.1
Adequate Provider Data	542.6	549.0	293.0	921.0	117.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO6 Type: Numeric Position: 515-517**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33789	100.0%	n/a	16552	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	705.0	741.0	501.0	896.0	152.8
Adequate Provider Data	705.0	741.0	501.0	896.0	152.8

**Variable: DPOLIO7 Type: Numeric Position: 518-520**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DPOLIO7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	608.0	608.0	608.0	608.0	.
Adequate Provider Data	608.0	608.0	608.0	608.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO8 Type: Numeric Position: 521-521

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DPOLIO9 Type: Numeric Position: 522-522

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB1 Type: Numeric Position: 523-523

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB2 Type: Numeric Position: 524-524

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB3 Type: Numeric Position: 525-525

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB4 Type: Numeric Position: 526-526

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB5 Type: Numeric Position: 527-527

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB6 Type: Numeric Position: 528-528

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB7 Type: Numeric Position: 529-529

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB8 Type: Numeric Position: 530-530

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DRB9 Type: Numeric Position: 531-531

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DROT1 Type: Numeric Position: 532-534

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14883	44.0%	100.0%	14883	89.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18916	56.0%	n/a	1679	10.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DROT1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	67.4	63.0	3.0	804.0	21.0
Adequate Provider Data	67.4	63.0	3.0	804.0	21.0

**Variable: DROT2** Type: Numeric Position: 535-537**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14385	42.6%	100.0%	14385	86.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19414	57.4%	n/a	2177	13.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DROT2** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	133.2	127.0	61.0	905.0	27.3
Adequate Provider Data	133.2	127.0	61.0	905.0	27.3

**Variable: DROT3** Type: Numeric Position: 538-541**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9688	28.7%	100.0%	9688	58.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24111	71.3%	n/a	6874	41.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DROT3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	195.1	189.0	104.0	1159.0	32.4
Adequate Provider Data	195.1	189.0	104.0	1159.0	32.4

**Variable: DROT4 Type: Numeric Position: 542-544****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33775	99.9%	n/a	16538	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DROT4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	401.2	417.0	184.0	792.0	170.8
Adequate Provider Data	401.2	417.0	184.0	792.0	170.8

**Variable: DROT5 Type: Numeric Position: 545-545****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5**

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT6 Type: Numeric Position: 546-546

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DROT7 Type: Numeric Position: 547-547

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DROT8 Type: Numeric Position: 548-548

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DROT9** Type: Numeric Position: 549-549

**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: DVRC1** Type: Numeric Position: 550-553

**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15259	45.1%	100.0%	15259	92.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18540	54.9%	n/a	1303	7.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DVRC1** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	411.8	377.0	3.0	1238.0	84.5
Adequate Provider Data	411.8	377.0	3.0	1238.0	84.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC2 Type: Numeric Position: 554-557

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		284	0.8%	100.0%	284	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33515	99.2%	n/a	16278	98.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DVRC2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	698.8	702.5	364.0	1237.0	199.8
Adequate Provider Data	698.8	702.5	364.0	1237.0	199.8

Variable: DVRC3 Type: Numeric Position: 558-560

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: DVRC3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	999.0	999.0	999.0	999.0	.
Adequate Provider Data	999.0	999.0	999.0	999.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC4 Type: Numeric Position: 561-561

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DVRC5 Type: Numeric Position: 562-562

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DVRC6 Type: Numeric Position: 563-563

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC7 Type: Numeric Position: 564-564

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DVRC8 Type: Numeric Position: 565-565

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: DVRC9 Type: Numeric Position: 566-566

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP1\_AGE** Type: Numeric Position: 567-568

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15985	47.3%	100.0%	15985	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17814	52.7%	n/a	577	3.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.1	2.0	0.0	37.0	1.8
Adequate Provider Data	2.1	2.0	0.0	37.0	1.8

**Variable: DTP2\_AGE** Type: Numeric Position: 569-570

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15827	46.8%	100.0%	15827	95.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17972	53.2%	n/a	735	4.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.4	4.0	1.0	38.0	2.2
Adequate Provider Data	4.4	4.0	1.0	38.0	2.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP3\_AGE** Type: Numeric Position: 571-572

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15587	46.1%	100.0%	15587	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18212	53.9%	n/a	975	5.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.8	6.0	3.0	37.0	2.7
Adequate Provider Data	6.8	6.0	3.0	37.0	2.7

**Variable: DTP4\_AGE** Type: Numeric Position: 573-574

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14287	42.3%	100.0%	14287	86.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19512	57.7%	n/a	2275	13.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.5	15.0	5.0	43.0	3.1
Adequate Provider Data	16.5	15.0	5.0	43.0	3.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP5\_AGE** Type: Numeric Position: 575-576

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.7%	100.0%	233	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33566	99.3%	n/a	16329	98.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.2	18.0	9.0	39.0	5.1
Adequate Provider Data	19.2	18.0	9.0	39.0	5.1

**Variable: DTP6\_AGE** Type: Numeric Position: 577-578

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33787	100.0%	n/a	16550	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	22.8	23.0	16.0	33.0	5.4
Adequate Provider Data	22.8	23.0	16.0	33.0	5.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP7\_AGE** Type: Numeric Position: 579-580

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: DTP7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.0	22.0	20.0	24.0	2.8
Adequate Provider Data	22.0	22.0	20.0	24.0	2.8

**Variable: DTP8\_AGE** Type: Numeric Position: 581-581

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP9\_AGE** Type: Numeric Position: 582-582

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: FLU1\_AGE** Type: Numeric Position: 583-584

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes:** See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12556	37.1%	100.0%	12556	75.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21243	62.9%	n/a	4006	24.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.0	9.0	0.0	39.0	5.3
Adequate Provider Data	10.0	9.0	0.0	39.0	5.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU2\_AGE** Type: Numeric Position: 585-586

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10889	32.2%	100.0%	10889	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22910	67.8%	n/a	5673	34.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	12.1	10.0	3.0	41.0	5.7
Adequate Provider Data	12.1	10.0	3.0	41.0	5.7

**Variable: FLU3\_AGE** Type: Numeric Position: 587-588

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7853	23.2%	100.0%	7853	47.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	25946	76.8%	n/a	8709	52.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.8	19.0	6.0	45.0	4.9
Adequate Provider Data	19.8	19.0	6.0	45.0	4.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU4\_AGE** Type: Numeric Position: 589-590

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2485	7.4%	100.0%	2485	15.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	31314	92.6%	n/a	14077	85.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	28.9	29.0	7.0	45.0	4.5
Adequate Provider Data	28.9	29.0	7.0	45.0	4.5

**Variable: FLU5\_AGE** Type: Numeric Position: 591-592

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		130	0.4%	100.0%	130	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33669	99.6%	n/a	16432	99.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	34.0	36.0	12.0	44.0	6.2
Adequate Provider Data	34.0	36.0	12.0	44.0	6.2



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU6\_AGE** Type: Numeric Position: 593-594

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33791	100.0%	n/a	16554	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.8	29.5	15.0	42.0	9.1
Adequate Provider Data	28.8	29.5	15.0	42.0	9.1

**Variable: FLU7\_AGE** Type: Numeric Position: 595-596

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: FLU7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	28.0	28.0	28.0	28.0	.
Adequate Provider Data	28.0	28.0	28.0	28.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU8\_AGE Type: Numeric Position: 597-597

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: FLU9\_AGE Type: Numeric Position: 598-598

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: HEA1\_AGE Type: Numeric Position: 599-600

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14767	43.7%	100.0%	14767	89.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19032	56.3%	n/a	1795	10.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.6	12.0	0.0	39.0	3.2
Adequate Provider Data	13.6	12.0	0.0	39.0	3.2

**Variable: HEA2\_AGE Type: Numeric Position: 601-602****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11551	34.2%	100.0%	11551	69.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22248	65.8%	n/a	5011	30.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HEA2\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.0	19.0	7.0	43.0	3.7
Adequate Provider Data	21.0	19.0	7.0	43.0	3.7

**Variable: HEA3\_AGE Type: Numeric Position: 603-604****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		61	0.2%	100.0%	61	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33738	99.8%	n/a	16501	99.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA3\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.5	24.0	17.0	37.0	4.9
Adequate Provider Data	24.5	24.0	17.0	37.0	4.9

**Variable: HEA4\_AGE Type: Numeric Position: 605-606****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33796	100.0%	n/a	16559	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HEA4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	26.7	24.0	24.0	32.0	4.6
Adequate Provider Data	26.7	24.0	24.0	32.0	4.6

**Variable: HEA5\_AGE Type: Numeric Position: 607-607****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA6\_AGE** Type: Numeric Position: 608-608

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: HEA7\_AGE** Type: Numeric Position: 609-609

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: HEA8\_AGE** Type: Numeric Position: 610-610

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA9\_AGE Type: Numeric Position: 611-611

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: HEP1\_AGE Type: Numeric Position: 612-613

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16093	47.6%	100.0%	16093	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17706	52.4%	n/a	469	2.8%	n/a
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HEP1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.4	0.0	0.0	37.0	2.0
Adequate Provider Data	0.4	0.0	0.0	37.0	2.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP2\_AGE** Type: Numeric Position: 614-615

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15732	46.5%	100.0%	15732	95.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18067	53.5%	n/a	830	5.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HEP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.4	2.0	0.0	36.0	2.5
Adequate Provider Data	2.4	2.0	0.0	36.0	2.5

**Variable: HEP3\_AGE** Type: Numeric Position: 616-617

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15305	45.3%	100.0%	15305	92.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18494	54.7%	n/a	1257	7.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HEP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.6	6.0	1.0	38.0	3.4
Adequate Provider Data	6.6	6.0	1.0	38.0	3.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP4\_AGE Type: Numeric Position: 618-619

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5570	16.5%	100.0%	5570	33.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	28229	83.5%	n/a	10992	66.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HEP4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.1	6.0	2.0	37.0	3.4
Adequate Provider Data	7.1	6.0	2.0	37.0	3.4

Variable: HEP5\_AGE Type: Numeric Position: 620-621

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		202	0.6%	100.0%	202	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33597	99.4%	n/a	16360	98.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HEP5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.6	15.0	5.0	35.0	5.9
Adequate Provider Data	14.6	15.0	5.0	35.0	5.9



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP6\_AGE Type: Numeric Position: 622-623

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33786	100.0%	n/a	16549	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HEP6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.7	18.0	7.0	26.0	4.7
Adequate Provider Data	17.7	18.0	7.0	26.0	4.7

Variable: HEP7\_AGE Type: Numeric Position: 624-625

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33796	100.0%	n/a	16559	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HEP7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.7	24.0	15.0	29.0	7.1
Adequate Provider Data	22.7	24.0	15.0	29.0	7.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP8\_AGE Type: Numeric Position: 626-626

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: HEP9\_AGE Type: Numeric Position: 627-627

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: HIB1\_AGE Type: Numeric Position: 628-629

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15957	47.2%	100.0%	15957	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17842	52.8%	n/a	605	3.7%	n/a
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	38.0	1.9
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9

**Variable: HIB2\_AGE** Type: Numeric Position: 630-631**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15713	46.5%	100.0%	15713	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18086	53.5%	n/a	849	5.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: HIB2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	36.0	2.1
Adequate Provider Data	4.4	4.0	1.0	36.0	2.1

**Variable: HIB3\_AGE** Type: Numeric Position: 632-633**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15262	45.2%	100.0%	15262	92.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18537	54.8%	n/a	1300	7.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.6	6.0	3.0	37.0	4.3
Adequate Provider Data	8.6	6.0	3.0	37.0	4.3

Variable: HIB4\_AGE Type: Numeric Position: 634-635

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10763	31.8%	100.0%	10763	65.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23036	68.2%	n/a	5799	35.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HIB4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.5	15.0	5.0	39.0	3.0
Adequate Provider Data	15.5	15.0	5.0	39.0	3.0

Variable: HIB5\_AGE Type: Numeric Position: 636-637

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		163	0.5%	100.0%	163	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33636	99.5%	n/a	16399	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.7	16.0	7.0	36.0	4.9
Adequate Provider Data	17.7	16.0	7.0	36.0	4.9

Variable: HIB6\_AGE Type: Numeric Position: 638-639

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33795	100.0%	n/a	16558	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: HIB6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.5	21.0	16.0	24.0	4.1
Adequate Provider Data	20.5	21.0	16.0	24.0	4.1

Variable: HIB7\_AGE Type: Numeric Position: 640-641

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.0	20.0	20.0	20.0	.
Adequate Provider Data	20.0	20.0	20.0	20.0	.

Variable: HIB8\_AGE Type: Numeric Position: 642-642

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: HIB9\_AGE Type: Numeric Position: 643-643

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1\_AGE Type: Numeric Position: 644-645

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15396	45.6%	100.0%	15396	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18403	54.4%	n/a	1166	7.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: MMR1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.1	12.0	0.0	40.0	2.6
Adequate Provider Data	13.1	12.0	0.0	40.0	2.6

Variable: MMR2\_AGE Type: Numeric Position: 646-647

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		543	1.6%	100.0%	543	3.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33256	98.4%	n/a	16019	96.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: MMR2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.4	18.0	11.0	40.0	7.0
Adequate Provider Data	20.4	18.0	11.0	40.0	7.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3\_AGE Type: Numeric Position: 648-649

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33781	99.9%	n/a	16544	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: MMR3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.4	17.5	14.0	36.0	7.0
Adequate Provider Data	20.4	17.5	14.0	36.0	7.0

Variable: MMR4\_AGE Type: Numeric Position: 650-651

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: MMR4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.0	16.0	16.0	16.0	.
Adequate Provider Data	16.0	16.0	16.0	16.0	.



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR5\_AGE Type: Numeric Position: 652-652

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MMR6\_AGE Type: Numeric Position: 653-653

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MMR7\_AGE Type: Numeric Position: 654-654

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR8\_AGE Type: Numeric Position: 655-655

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MMR9\_AGE Type: Numeric Position: 656-656

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP1\_AGE Type: Numeric Position: 657-657

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP2\_AGE Type: Numeric Position: 658-658

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP3\_AGE Type: Numeric Position: 659-659

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP4\_AGE Type: Numeric Position: 660-660

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP5\_AGE Type: Numeric Position: 661-661

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP6\_AGE Type: Numeric Position: 662-662

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP7\_AGE Type: Numeric Position: 663-663

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP8\_AGE Type: Numeric Position: 664-664

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MP9\_AGE Type: Numeric Position: 665-665

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR1\_AGE Type: Numeric Position: 666-667

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.0	12.0	12.0	12.0	.
Adequate Provider Data	12.0	12.0	12.0	12.0	.

Variable: MPR2\_AGE Type: Numeric Position: 668-668

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR3\_AGE Type: Numeric Position: 669-669

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR4\_AGE Type: Numeric Position: 670-670

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR5\_AGE Type: Numeric Position: 671-671

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR6\_AGE Type: Numeric Position: 672-672

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR7\_AGE Type: Numeric Position: 673-673

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR8\_AGE Type: Numeric Position: 674-674

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: MPR9\_AGE Type: Numeric Position: 675-675

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV1\_AGE** Type: Numeric Position: 676-677

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15915	47.1%	100.0%	15915	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17884	52.9%	n/a	647	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	38.0	1.9
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9

**Variable: PCV2\_AGE** Type: Numeric Position: 678-679

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15708	46.5%	100.0%	15708	94.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18091	53.5%	n/a	854	5.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.5	4.0	1.0	37.0	2.2
Adequate Provider Data	4.5	4.0	1.0	37.0	2.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV3\_AGE** Type: Numeric Position: 680-681

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15382	45.5%	100.0%	15382	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18417	54.5%	n/a	1180	7.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	3.0	36.0	2.7
Adequate Provider Data	6.9	6.0	3.0	36.0	2.7

**Variable: PCV4\_AGE** Type: Numeric Position: 682-683

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14166	41.9%	100.0%	14166	85.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19633	58.1%	n/a	2396	14.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.0	13.0	5.0	41.0	2.9
Adequate Provider Data	14.0	13.0	5.0	41.0	2.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV5\_AGE** Type: Numeric Position: 684-685

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		166	0.5%	100.0%	166	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33633	99.5%	n/a	16396	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	18.0	16.0	10.0	36.0	5.3
Adequate Provider Data	18.0	16.0	10.0	36.0	5.3

**Variable: PCV6\_AGE** Type: Numeric Position: 686-687

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: PCV6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	29.5	29.5	22.0	37.0	10.6
Adequate Provider Data	29.5	29.5	22.0	37.0	10.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV7\_AGE Type: Numeric Position: 688-689

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: PCV7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	32.0	32.0	24.0	40.0	11.3
Adequate Provider Data	32.0	32.0	24.0	40.0	11.3

Variable: PCV8\_AGE Type: Numeric Position: 690-690

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV9\_AGE Type: Numeric Position: 691-691

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: POL1\_AGE Type: Numeric Position: 692-693

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15923	47.1%	100.0%	15923	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17876	52.9%	n/a	639	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: POL1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	38.0	1.9
Adequate Provider Data	2.2	2.0	0.0	38.0	1.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: POL2\_AGE** Type: Numeric Position: 694-695

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15751	46.6%	100.0%	15751	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18048	53.4%	n/a	811	4.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: POL2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.5	4.0	1.0	38.0	2.3
Adequate Provider Data	4.5	4.0	1.0	38.0	2.3

**Variable: POL3\_AGE** Type: Numeric Position: 696-697

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15455	45.7%	100.0%	15455	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18344	54.3%	n/a	1107	6.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: POL3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.0	6.0	2.0	37.0	3.1
Adequate Provider Data	7.0	6.0	2.0	37.0	3.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4\_AGE Type: Numeric Position: 698-699

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3985	11.8%	100.0%	3985	24.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29814	88.2%	n/a	12577	75.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: POL4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.9	15.0	3.0	39.0	3.1
Adequate Provider Data	15.9	15.0	3.0	39.0	3.1

Variable: POL5\_AGE Type: Numeric Position: 700-701

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		74	0.2%	100.0%	74	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33725	99.8%	n/a	16488	99.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: POL5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.4	18.0	9.0	30.0	3.9
Adequate Provider Data	17.4	18.0	9.0	30.0	3.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6\_AGE Type: Numeric Position: 702-703

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:	.	10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33789	100.0%	n/a	16552	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: POL6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.7	24.0	16.0	29.0	5.1
Adequate Provider Data	22.7	24.0	16.0	29.0	5.1

Variable: POL7\_AGE Type: Numeric Position: 704-705

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:	.	1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: POL7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.0	20.0	20.0	20.0	.
Adequate Provider Data	20.0	20.0	20.0	20.0	.



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8\_AGE Type: Numeric Position: 706-706

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: POL9\_AGE Type: Numeric Position: 707-707

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB1\_AGE Type: Numeric Position: 708-708

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB2\_AGE Type: Numeric Position: 709-709

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB3\_AGE Type: Numeric Position: 710-710

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB4\_AGE Type: Numeric Position: 711-711

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB5\_AGE Type: Numeric Position: 712-712

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB6\_AGE Type: Numeric Position: 713-713

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB7\_AGE Type: Numeric Position: 714-714

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB8\_AGE Type: Numeric Position: 715-715

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: RB9\_AGE Type: Numeric Position: 716-716

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: ROT1\_AGE Type: Numeric Position: 717-718

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14883	44.0%	100.0%	14883	89.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18916	56.0%	n/a	1679	10.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1.9	2.0	0.0	26.0	0.7
Adequate Provider Data	1.9	2.0	0.0	26.0	0.7

Variable: ROT2\_AGE Type: Numeric Position: 719-720

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14385	42.6%	100.0%	14385	86.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19414	57.4%	n/a	2177	13.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: ROT2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.1	4.0	2.0	29.0	0.9
Adequate Provider Data	4.1	4.0	2.0	29.0	0.9

Variable: ROT3\_AGE Type: Numeric Position: 721-722

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9688	28.7%	100.0%	9688	58.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24111	71.3%	n/a	6874	41.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.1	6.0	3.0	38.0	1.0
Adequate Provider Data	6.1	6.0	3.0	38.0	1.0

Variable: ROT4\_AGE Type: Numeric Position: 723-724

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33775	99.9%	n/a	16538	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: ROT4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.9	13.0	6.0	26.0	5.6
Adequate Provider Data	12.9	13.0	6.0	26.0	5.6

Variable: ROT5\_AGE Type: Numeric Position: 725-725

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT6\_AGE Type: Numeric Position: 726-726

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: ROT7\_AGE Type: Numeric Position: 727-727

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: ROT8\_AGE Type: Numeric Position: 728-728

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT9\_AGE Type: Numeric Position: 729-729

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: VRC1\_AGE Type: Numeric Position: 730-731

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15259	45.1%	100.0%	15259	92.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18540	54.9%	n/a	1303	7.9%	n/a
TOTALS:		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: VRC1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	13.2	12.0	0.0	40.0	2.7
Adequate Provider Data	13.2	12.0	0.0	40.0	2.7



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC2\_AGE Type: Numeric Position: 732-733

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		284	0.8%	100.0%	284	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33515	99.2%	n/a	16278	98.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: VRC2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	22.6	23.0	11.0	40.0	6.6
Adequate Provider Data	22.6	23.0	11.0	40.0	6.6

Variable: VRC3\_AGE Type: Numeric Position: 734-735

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: VRC3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	32.0	32.0	32.0	32.0	.
Adequate Provider Data	32.0	32.0	32.0	32.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC4\_AGE Type: Numeric Position: 736-736

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: VRC5\_AGE Type: Numeric Position: 737-737

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: VRC6\_AGE Type: Numeric Position: 738-738

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC7\_AGE Type: Numeric Position: 739-739

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: VRC8\_AGE Type: Numeric Position: 740-740

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: VRC9\_AGE Type: Numeric Position: 741-741

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY1 Type: Character Position: 742-743

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	167	0.5%	1.0%	167	1.0%	1.0%
DTAP	04	1597	4.7%	10.0%	1597	9.6%	10.0%
DTAP-HIB	07	7	0.0%	0.0%	7	0.0%	0.0%
DTAP-HEPB-IPV	08	8171	24.2%	51.1%	8171	49.3%	51.1%
DTAP-IPV-HIB	D3	6043	17.9%	37.8%	6043	36.5%	37.8%
<b>SUBTOTALS:</b>		15985	47.3%	100.0%	15985	96.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17814	52.7%	n/a	577	3.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XDTPTY2 Type: Character Position: 744-745

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	152	0.4%	1.0%	152	0.9%	1.0%
DTAP	04	1704	5.0%	10.8%	1704	10.3%	10.8%
DTAP-HIB	07	12	0.0%	0.1%	12	0.1%	0.1%
DTAP-HEPB-IPV	08	6578	19.5%	41.6%	6578	39.7%	41.6%
DTAP-IPV-HIB	D3	7381	21.8%	46.6%	7381	44.6%	46.6%
<b>SUBTOTALS:</b>		15827	46.8%	100.0%	15827	95.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17972	53.2%	n/a	735	4.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY3 Type: Character Position: 746-747

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	133	0.4%	0.9%	133	0.8%	0.9%
DTAP	04	1572	4.7%	10.1%	1572	9.5%	10.1%
DTAP-HIB	07	8	0.0%	0.1%	8	0.0%	0.1%
DTAP-HEPB-IPV	08	7614	22.5%	48.8%	7614	46.0%	48.8%
DTAP-IPV-HIB	D3	6260	18.5%	40.2%	6260	37.8%	40.2%
<b>SUBTOTALS:</b>		15587	46.1%	100.0%	15587	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18212	53.9%	n/a	975	5.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XDTPTY4 Type: Character Position: 748-749

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	174	0.5%	1.2%	174	1.1%	1.2%
DTAP	04	10185	30.1%	71.3%	10185	61.5%	71.3%
DTAP-HIB	07	51	0.2%	0.4%	51	0.3%	0.4%
DTAP-HEPB-IPV	08	241	0.7%	1.7%	241	1.5%	1.7%
DTAP-IPV-HIB	D3	3636	10.8%	25.4%	3636	22.0%	25.4%
<b>SUBTOTALS:</b>		14287	42.3%	100.0%	14287	86.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19512	57.7%	n/a	2275	13.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY5 Type: Character Position: 750-751

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	4	0.0%	1.7%	4	0.0%	1.7%
DTAP	04	158	0.5%	67.8%	158	1.0%	67.8%
DTAP-HEPB-IPV	08	21	0.1%	9.0%	21	0.1%	9.0%
DTAP-IPV-HIB	D3	50	0.1%	21.5%	50	0.3%	21.5%
<b>SUBTOTALS:</b>		233	0.7%	100.0%	233	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33566	99.3%	n/a	16329	98.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XDTPTY6 Type: Character Position: 752-753

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	7	0.0%	58.3%	7	0.0%	58.3%
DTAP-HEPB-IPV	08	3	0.0%	25.0%	3	0.0%	25.0%
DTAP-IPV-HIB	D3	2	0.0%	16.7%	2	0.0%	16.7%
<b>SUBTOTALS:</b>		12	0.0%	100.0%	12	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33787	100.0%	n/a	16550	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY7 Type: Character Position: 754-755

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	50.0%	1	0.0%	50.0%
DTAP-IPV-HIB	D3	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XDTPTY8 Type: Character Position: 756-756

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XDTPTY9 Type: Character Position: 757-757**

**Label: DT-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: XFLUTY1 Type: Character Position: 758-759**

**Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	425	1.3%	3.4%	425	2.6%	3.4%
SEASONAL FLU SPRAY	FM	85	0.3%	0.7%	85	0.5%	0.7%
SEASONAL FLU INJECTED	FN	12046	35.6%	95.9%	12046	72.7%	95.9%
<b>SUBTOTALS:</b>		12556	37.1%	100.0%	12556	75.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		21243	62.9%	n/a	4006	24.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY2 Type: Character Position: 760-761

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	311	0.9%	2.9%	311	1.9%	2.9%
SEASONAL FLU SPRAY	FM	62	0.2%	0.6%	62	0.4%	0.6%
SEASONAL FLU INJECTED	FN	10516	31.1%	96.6%	10516	63.5%	96.6%
<b>SUBTOTALS:</b>		10889	32.2%	100.0%	10889	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		22910	67.8%	n/a	5673	34.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XFLUTY3 Type: Character Position: 762-763

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	199	0.6%	2.5%	199	1.2%	2.5%
SEASONAL FLU SPRAY	FM	45	0.1%	0.6%	45	0.3%	0.6%
SEASONAL FLU INJECTED	FN	7609	22.5%	96.9%	7609	45.9%	96.9%
<b>SUBTOTALS:</b>		7853	23.2%	100.0%	7853	47.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		25946	76.8%	n/a	8709	52.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY4 Type: Character Position: 764-765

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	97	0.3%	3.9%	97	0.6%	3.9%
SEASONAL FLU SPRAY	FM	27	0.1%	1.1%	27	0.2%	1.1%
SEASONAL FLU INJECTED	FN	2361	7.0%	95.0%	2361	14.3%	95.0%
<b>SUBTOTALS:</b>		2485	7.4%	100.0%	2485	15.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		31314	92.6%	n/a	14077	85.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XFLUTY5 Type: Character Position: 766-767

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	15	0.0%	11.5%	15	0.1%	11.5%
SEASONAL FLU SPRAY	FM	1	0.0%	0.8%	1	0.0%	0.8%
SEASONAL FLU INJECTED	FN	114	0.3%	87.7%	114	0.7%	87.7%
<b>SUBTOTALS:</b>		130	0.4%	100.0%	130	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33669	99.6%	n/a	16432	99.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY6 Type: Character Position: 768-769

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	8	0.0%	100.0%	8	0.0%	100.0%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33791	100.0%	n/a	16554	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XFLUTY7 Type: Character Position: 770-771

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY8 Type: Character Position: 772-772

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XFLUTY9 Type: Character Position: 773-773

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XHEPTY1 Type: Character Position: 774-775

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1505	4.5%	9.4%	1505	9.1%	9.4%
HEPB-HIB	43	5	0.0%	0.0%	5	0.0%	0.0%
HEPB ONLY	60	14563	43.1%	90.5%	14563	87.9%	90.5%
HEPB-UNKNOWN	HB	20	0.1%	0.1%	20	0.1%	0.1%
SUBTOTALS:		16093	47.6%	100.0%	16093	97.2%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY1 Type: Character Position: 774-775

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		17706	52.4%	n/a	469	2.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHEPTY2 Type: Character Position: 776-777

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8140	24.1%	51.7%	8140	49.1%	51.7%
HEPB-HIB	43	7	0.0%	0.0%	7	0.0%	0.0%
HEPB ONLY	60	7503	22.2%	47.7%	7503	45.3%	47.7%
HEPB-UNKNOWN	HB	82	0.2%	0.5%	82	0.5%	0.5%
<b>SUBTOTALS:</b>		15732	46.5%	100.0%	15732	95.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18067	53.5%	n/a	830	5.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY3 Type: Character Position: 778-779

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7936	23.5%	51.9%	7936	47.9%	51.9%
HEPB-HIB	43	6	0.0%	0.0%	6	0.0%	0.0%
HEPB ONLY	60	7281	21.5%	47.6%	7281	44.0%	47.6%
HEPB-UNKNOWN	HB	82	0.2%	0.5%	82	0.5%	0.5%
<b>SUBTOTALS:</b>		15305	45.3%	100.0%	15305	92.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18494	54.7%	n/a	1257	7.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHEPTY4 Type: Character Position: 780-781

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4882	14.4%	87.6%	4882	29.5%	87.6%
HEPB-HIB	43	7	0.0%	0.1%	7	0.0%	0.1%
HEPB ONLY	60	662	2.0%	11.9%	662	4.0%	11.9%
HEPB-UNKNOWN	HB	19	0.1%	0.3%	19	0.1%	0.3%
<b>SUBTOTALS:</b>		5570	16.5%	100.0%	5570	33.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		28229	83.5%	n/a	10992	66.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character Position: 782-783

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	154	0.5%	76.2%	154	0.9%	76.2%
HEPB-HIB	43	5	0.0%	2.5%	5	0.0%	2.5%
HEPB ONLY	60	40	0.1%	19.8%	40	0.2%	19.8%
HEPB-UNKNOWN	HB	3	0.0%	1.5%	3	0.0%	1.5%
<b>SUBTOTALS:</b>		202	0.6%	100.0%	202	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33597	99.4%	n/a	16360	98.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHEPTY6 Type: Character Position: 784-785

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9	0.0%	69.2%	9	0.1%	69.2%
HEPB ONLY	60	4	0.0%	30.8%	4	0.0%	30.8%
<b>SUBTOTALS:</b>		13	0.0%	100.0%	13	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33786	100.0%	n/a	16549	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHEPTY7 Type: Character Position: 786-787**

**Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	100.0%	3	0.0%	100.0%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33796	100.0%	n/a	16559	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

**Variable: XHEPTY8 Type: Character Position: 788-788**

**Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: XHEPTY9 Type: Character Position: 789-789**

**Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character Position: 790-791

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	7	0.0%	0.0%	7	0.0%	0.0%
HEPB-HIB	43	11	0.0%	0.1%	11	0.1%	0.1%
HIB ONLY-UNKNOWN	44	67	0.2%	0.4%	67	0.4%	0.4%
DTAP-IPV-HIB	D3	6086	18.0%	38.1%	6086	36.7%	38.1%
HIB (GLAXOSMITHKLINE)	HG	730	2.2%	4.6%	730	4.4%	4.6%
HIB-UNKNOWN	HI	957	2.8%	6.0%	957	5.8%	6.0%
HIB (MERCK)	HM	4445	13.2%	27.9%	4445	26.8%	27.9%
HIB (SANOFI)	HS	3416	10.1%	21.4%	3416	20.6%	21.4%
HIB-MENCY	HY	238	0.7%	1.5%	238	1.4%	1.5%
<b>SUBTOTALS:</b>		15957	47.2%	100.0%	15957	96.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17842	52.8%	n/a	605	3.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY2 Type: Character Position: 792-793

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	12	0.0%	0.1%	12	0.1%	0.1%
HEPB-HIB	43	3	0.0%	0.0%	3	0.0%	0.0%
HIB ONLY-UNKNOWN	44	57	0.2%	0.4%	57	0.3%	0.4%
DTAP-IPV-HIB	D3	7394	21.9%	47.1%	7394	44.6%	47.1%
HIB (GLAXOSMITHKLINE)	HG	689	2.0%	4.4%	689	4.2%	4.4%
HIB-UNKNOWN	HI	805	2.4%	5.1%	805	4.9%	5.1%
HIB (MERCK)	HM	4042	12.0%	25.7%	4042	24.4%	25.7%
HIB (SANOFI)	HS	2566	7.6%	16.3%	2566	15.5%	16.3%
HIB-MENCY	HY	145	0.4%	0.9%	145	0.9%	0.9%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY2 Type: Character Position: 792-793

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		15713	46.5%	100.0%	15713	94.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18086	53.5%	n/a	849	5.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY3 Type: Character Position: 794-795

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	15	0.0%	0.1%	15	0.1%	0.1%
HEPB-HIB	43	2	0.0%	0.0%	2	0.0%	0.0%
HIB ONLY-UNKNOWN	44	52	0.2%	0.3%	52	0.3%	0.3%
DTAP-IPV-HIB	D3	6376	18.9%	41.8%	6376	38.5%	41.8%
HIB (GLAXOSMITHKLINE)	HG	796	2.4%	5.2%	796	4.8%	5.2%
HIB-UNKNOWN	HI	749	2.2%	4.9%	749	4.5%	4.9%
HIB (MERCK)	HM	3850	11.4%	25.2%	3850	23.2%	25.2%
HIB (SANOFI)	HS	3231	9.6%	21.2%	3231	19.5%	21.2%
HIB-MENCY	HY	191	0.6%	1.3%	191	1.2%	1.3%
<b>SUBTOTALS:</b>		15262	45.2%	100.0%	15262	92.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18537	54.8%	n/a	1300	7.8%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY4 Type: Character Position: 796-797

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	43	0.1%	0.4%	43	0.3%	0.4%
HEPB-HIB	43	13	0.0%	0.1%	13	0.1%	0.1%
HIB ONLY-UNKNOWN	44	9	0.0%	0.1%	9	0.1%	0.1%
DTAP-IPV-HIB	D3	3451	10.2%	32.1%	3451	20.8%	32.1%
HIB (GLAXOSMITHKLINE)	HG	780	2.3%	7.2%	780	4.7%	7.2%
HIB-UNKNOWN	HI	606	1.8%	5.6%	606	3.7%	5.6%
HIB (MERCK)	HM	1162	3.4%	10.8%	1162	7.0%	10.8%
HIB (SANOFI)	HS	4415	13.1%	41.0%	4415	26.7%	41.0%
HIB-MENCY	HY	284	0.8%	2.6%	284	1.7%	2.6%
<b>SUBTOTALS:</b>		10763	31.8%	100.0%	10763	65.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23036	68.2%	n/a	5799	35.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY5 Type: Character Position: 798-799

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	1	0.0%	0.6%	1	0.0%	0.6%
HEPB-HIB	43	1	0.0%	0.6%	1	0.0%	0.6%
DTAP-IPV-HIB	D3	63	0.2%	38.7%	63	0.4%	38.7%
HIB (GLAXOSMITHKLINE)	HG	5	0.0%	3.1%	5	0.0%	3.1%
HIB-UNKNOWN	HI	10	0.0%	6.1%	10	0.1%	6.1%
HIB (MERCK)	HM	35	0.1%	21.5%	35	0.2%	21.5%
HIB (SANOFI)	HS	43	0.1%	26.4%	43	0.3%	26.4%
HIB-MENCY	HY	5	0.0%	3.1%	5	0.0%	3.1%
<b>SUBTOTALS:</b>		163	0.5%	100.0%	163	1.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character Position: 798-799

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		33636	99.5%	n/a	16399	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY6 Type: Character Position: 800-801

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	3	0.0%	75.0%	3	0.0%	75.0%
HIB-MENCY	HY	1	0.0%	25.0%	1	0.0%	25.0%
<b>SUBTOTALS:</b>		4	0.0%	100.0%	4	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33795	100.0%	n/a	16558	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY7 Type: Character Position: 802-803

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character Position: 802-803

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XHIBTY8 Type: Character Position: 804-804

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XHIBTY9 Type: Character Position: 805-805

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character Position: 806-807

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	13024	38.5%	84.6%	13024	78.6%	84.6%
MEASLES ONLY	31	33	0.1%	0.2%	33	0.2%	0.2%
MEASLES-RUBELLA	33	3	0.0%	0.0%	3	0.0%	0.0%
MCV-UNKNOWN	MM	61	0.2%	0.4%	61	0.4%	0.4%
MMR-VARICELLA	VM	2275	6.7%	14.8%	2275	13.7%	14.8%
<b>SUBTOTALS:</b>		15396	45.6%	100.0%	15396	93.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18403	54.4%	n/a	1166	7.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XMMRTY2 Type: Character Position: 808-809

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	407	1.2%	75.0%	407	2.5%	75.0%
MEASLES ONLY	31	1	0.0%	0.2%	1	0.0%	0.2%
MEASLES-RUBELLA	33	1	0.0%	0.2%	1	0.0%	0.2%
MCV-UNKNOWN	MM	7	0.0%	1.3%	7	0.0%	1.3%
MMR-VARICELLA	VM	127	0.4%	23.4%	127	0.8%	23.4%
<b>SUBTOTALS:</b>		543	1.6%	100.0%	543	3.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33256	98.4%	n/a	16019	96.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character Position: 810-811

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	17	0.1%	94.4%	17	0.1%	94.4%
MMR-VARICELLA	VM	1	0.0%	5.6%	1	0.0%	5.6%
<b>SUBTOTALS:</b>		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33781	99.9%	n/a	16544	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XMMRTY4 Type: Character Position: 812-813

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY5 Type: Character Position: 814-814

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XMMRTY6 Type: Character Position: 815-815

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XMMRTY7 Type: Character Position: 816-816

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY8 Type: Character Position: 817-817

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XMMRTY9 Type: Character Position: 818-818

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XPCVTY1 Type: Character Position: 819-820

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	114	0.3%	0.7%	114	0.7%	0.7%
PCV-UNKNOWN	72	341	1.0%	2.1%	341	2.1%	2.1%
PCV CONJUGATE-7	73	74	0.2%	0.5%	74	0.4%	0.5%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 819-820

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	15385	45.5%	96.7%	15385	92.9%	96.7%
<b>SUBTOTALS:</b>		15915	47.1%	100.0%	15915	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17884	52.9%	n/a	647	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 821-822

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	114	0.3%	0.7%	114	0.7%	0.7%
PCV-UNKNOWN	72	315	0.9%	2.0%	315	1.9%	2.0%
PCV CONJUGATE-7	73	65	0.2%	0.4%	65	0.4%	0.4%
PCV CONJUGATE-13	74	15213	45.0%	96.8%	15213	91.9%	96.8%
<b>SUBTOTALS:</b>		15708	46.5%	100.0%	15708	94.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18091	53.5%	n/a	854	5.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 823-824

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	109	0.3%	0.7%	109	0.7%	0.7%
PCV-UNKNOWN	72	292	0.9%	1.9%	292	1.8%	1.9%
PCV CONJUGATE-7	73	57	0.2%	0.4%	57	0.3%	0.4%
PCV CONJUGATE-13	74	14924	44.2%	97.0%	14924	90.1%	97.0%
<b>SUBTOTALS:</b>		15382	45.5%	100.0%	15382	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18417	54.5%	n/a	1180	7.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 825-826

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	103	0.3%	0.7%	103	0.6%	0.7%
PCV-UNKNOWN	72	215	0.6%	1.5%	215	1.3%	1.5%
PCV CONJUGATE-7	73	48	0.1%	0.3%	48	0.3%	0.3%
PCV CONJUGATE-13	74	13800	40.8%	97.4%	13800	83.3%	97.4%
<b>SUBTOTALS:</b>		14166	41.9%	100.0%	14166	85.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19633	58.1%	n/a	2396	14.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 827-828

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	20	0.1%	12.0%	20	0.1%	12.0%
PCV-UNKNOWN	72	5	0.0%	3.0%	5	0.0%	3.0%
PCV CONJUGATE-13	74	141	0.4%	84.9%	141	0.9%	84.9%
<b>SUBTOTALS:</b>		166	0.5%	100.0%	166	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33633	99.5%	n/a	16396	99.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 829-830

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	50.0%	1	0.0%	50.0%
PCV CONJUGATE-13	74	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 831-832

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	2	0.0%	100.0%	2	0.0%	100.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33797	100.0%	n/a	16560	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPCVTY8 Type: Character Position: 833-833

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XPCVTY9 Type: Character Position: 834-834

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY1 Type: Character Position: 835-836

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8190	24.2%	51.4%	8190	49.5%	51.4%
OPV	20	26	0.1%	0.2%	26	0.2%	0.2%
IPV	21	1341	4.0%	8.4%	1341	8.1%	8.4%
POLIO-UNKNOWN	22	294	0.9%	1.8%	294	1.8%	1.8%
DTAP-IPV-HIB	D3	6072	18.0%	38.1%	6072	36.7%	38.1%
<b>SUBTOTALS:</b>		15923	47.1%	100.0%	15923	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17876	52.9%	n/a	639	3.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPOLTY2 Type: Character Position: 837-838

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6604	19.5%	41.9%	6604	39.9%	41.9%
OPV	20	26	0.1%	0.2%	26	0.2%	0.2%
IPV	21	1456	4.3%	9.2%	1456	8.8%	9.2%
POLIO-UNKNOWN	22	272	0.8%	1.7%	272	1.6%	1.7%
DTAP-IPV-HIB	D3	7393	21.9%	46.9%	7393	44.6%	46.9%
<b>SUBTOTALS:</b>		15751	46.6%	100.0%	15751	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18048	53.4%	n/a	811	4.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY3 Type: Character Position: 839-840

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7609	22.5%	49.2%	7609	45.9%	49.2%
OPV	20	31	0.1%	0.2%	31	0.2%	0.2%
IPV	21	1260	3.7%	8.2%	1260	7.6%	8.2%
POLIO-UNKNOWN	22	248	0.7%	1.6%	248	1.5%	1.6%
DTAP-IPV-HIB	D3	6307	18.7%	40.8%	6307	38.1%	40.8%
<b>SUBTOTALS:</b>		15455	45.7%	100.0%	15455	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18344	54.3%	n/a	1107	6.7%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPOLTY4 Type: Character Position: 841-842

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	214	0.6%	5.4%	214	1.3%	5.4%
OPV	20	8	0.0%	0.2%	8	0.0%	0.2%
IPV	21	158	0.5%	4.0%	158	1.0%	4.0%
POLIO-UNKNOWN	22	54	0.2%	1.4%	54	0.3%	1.4%
DTAP-IPV-HIB	D3	3551	10.5%	89.1%	3551	21.4%	89.1%
<b>SUBTOTALS:</b>		3985	11.8%	100.0%	3985	24.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		29814	88.2%	n/a	12577	75.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY5 Type: Character Position: 843-844

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	10	0.0%	13.5%	10	0.1%	13.5%
OPV	20	2	0.0%	2.7%	2	0.0%	2.7%
IPV	21	15	0.0%	20.3%	15	0.1%	20.3%
POLIO-UNKNOWN	22	2	0.0%	2.7%	2	0.0%	2.7%
DTAP-IPV-HIB	D3	45	0.1%	60.8%	45	0.3%	60.8%
<b>SUBTOTALS:</b>		74	0.2%	100.0%	74	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33725	99.8%	n/a	16488	99.6%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPOLTY6 Type: Character Position: 845-846

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	2	0.0%	20.0%	2	0.0%	20.0%
IPV	21	4	0.0%	40.0%	4	0.0%	40.0%
DTAP-IPV-HIB	D3	4	0.0%	40.0%	4	0.0%	40.0%
<b>SUBTOTALS:</b>		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33789	100.0%	n/a	16552	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY7 Type: Character Position: 847-848

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XPOLTY8 Type: Character Position: 849-849

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XPOLTY9 Type: Character Position: 850-850

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 851-852

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3822	11.3%	25.7%	3822	23.1%	25.7%
ROTATEQ (MERCK)	RM	10417	30.8%	70.0%	10417	62.9%	70.0%
ROTAVIRUS-UNKNOWN	RO	644	1.9%	4.3%	644	3.9%	4.3%
<b>SUBTOTALS:</b>		14883	44.0%	100.0%	14883	89.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18916	56.0%	n/a	1679	10.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 853-854

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3667	10.8%	25.5%	3667	22.1%	25.5%
ROTATEQ (MERCK)	RM	10123	30.0%	70.4%	10123	61.1%	70.4%
ROTAVIRUS-UNKNOWN	RO	595	1.8%	4.1%	595	3.6%	4.1%
<b>SUBTOTALS:</b>		14385	42.6%	100.0%	14385	86.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19414	57.4%	n/a	2177	13.1%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 855-856

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	209	0.6%	2.2%	209	1.3%	2.2%
ROTATEQ (MERCK)	RM	9109	27.0%	94.0%	9109	55.0%	94.0%
ROTAVIRUS-UNKNOWN	RO	370	1.1%	3.8%	370	2.2%	3.8%
<b>SUBTOTALS:</b>		9688	28.7%	100.0%	9688	58.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		24111	71.3%	n/a	6874	41.5%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 857-858

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3	0.0%	12.5%	3	0.0%	12.5%
ROTATEQ (MERCK)	RM	16	0.0%	66.7%	16	0.1%	66.7%
ROTAVIRUS-UNKNOWN	RO	5	0.0%	20.8%	5	0.0%	20.8%
<b>SUBTOTALS:</b>		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33775	99.9%	n/a	16538	99.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY5 Type: Character Position: 859-859

Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XROTTY6 Type: Character Position: 860-860

Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XROTTY7 Type: Character Position: 861-861

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY8 Type: Character Position: 862-862

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 863-863

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
TOTALS:		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XVRCTY1 Type: Character Position: 864-865

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	90	0.3%	0.6%	90	0.5%	0.6%
MMR-VARICELLA	VM	2285	6.8%	15.0%	2285	13.8%	15.0%
VARICELLA-ONLY	VO	12884	38.1%	84.4%	12884	77.8%	84.4%
SUBTOTALS:		15259	45.1%	100.0%	15259	92.1%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 864-865

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		18540	54.9%	n/a	1303	7.9%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 866-867

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	6	0.0%	2.1%	6	0.0%	2.1%
MMR-VARICELLA	VM	118	0.3%	41.5%	118	0.7%	41.5%
VARICELLA-ONLY	VO	160	0.5%	56.3%	160	1.0%	56.3%
<b>SUBTOTALS:</b>		284	0.8%	100.0%	284	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33515	99.2%	n/a	16278	98.3%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XVRCTY3 Type: Character Position: 868-869

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-ONLY	VO	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character Position: 868-869

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		33798	100.0%	n/a	16561	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: XVRCTY4 Type: Character Position: 870-870

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

Variable: XVRCTY5 Type: Character Position: 871-871

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY6 Type: Character Position: 872-872**

**Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: XVRCTY7 Type: Character Position: 873-873**

**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

**Variable: XVRCTY8 Type: Character Position: 874-874**

**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY9 Type: Character Position: 875-875**

**Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		33799	100.0%	n/a	16562	100.0%	n/a
<b>TOTALS:</b>		33799	100.0%	n/a	16562	100.0%	n/a

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS\_STAT2\_I Type: Numeric Position: 876-876

Label: INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED):  
IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE ONLY	1	8803	26.0%	53.8%	8803	53.2%	53.8%
ANY MEDICAID	2	5706	16.9%	34.9%	5706	34.5%	34.9%
OTHER INSURANCE (CHIP, IHS, MILITARY, OR OTHER, ALONE OR IN COMB. WITH PRIVATE INSURANCE)	3	1356	4.0%	8.3%	1356	8.2%	8.3%
UNINSURED	4	500	1.5%	3.1%	500	3.0%	3.1%
<b>SUBTOTALS:</b>		16365	48.4%	100.0%	16365	98.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17434	51.6%	n/a	197	1.2%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

Variable: INS\_BREAK\_I Type: Numeric Position: 877-877

Label: CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	1093	3.2%	6.7%	1093	6.6%	6.7%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	14744	43.6%	90.3%	14744	89.0%	90.3%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	349	1.0%	2.1%	349	2.1%	2.1%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	144	0.4%	0.9%	144	0.9%	0.9%
<b>SUBTOTALS:</b>		16330	48.3%	100.0%	16330	98.6%	100.0%

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: **INS\_BREAK\_I** Type: **Numeric** Position: **877-877**Label: **CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED**

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING	.	17469	51.7%	n/a	232	1.4%	n/a
<b>TOTALS:</b>		33799	100.0%	100.0%	16562	100.0%	100.0%

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	102	102	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	127	127	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	128	128	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	103	110	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	111	118	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	119	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	129	129	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	130	131	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	132	133	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	134	134	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	135	135	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	136	137	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	138	139	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	200	200	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	201	201	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	292	295	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	296	299	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	300	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	304	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	308	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	312	315	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	316	318	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	319	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	320	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	321	324	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	325	328	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	329	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	333	336	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	337	340	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU6	341	344	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	345	347	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	348	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	349	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	350	353	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	354	357	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	358	361	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	362	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	365	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	369	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	370	373	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	374	377	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	378	381	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	382	385	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	386	389	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	390	392	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	393	395	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	396	396	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	397	397	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	402	405	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	406	409	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	410	413	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	414	417	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	418	420	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	421	423	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	424	424	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	425	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	426	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	430	433	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	434	437	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR4	438	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	442	442	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	443	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	444	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	445	445	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	446	446	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	447	447	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	448	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	451	451	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	455	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	460	460	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	466	469	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	470	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	474	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	478	481	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	482	485	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	486	489	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	490	493	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	494	494	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	495	495	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	496	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	500	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	504	507	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	508	511	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO5	512	514	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	515	517	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	518	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	521	521	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	522	522	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	523	523	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	524	524	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	525	525	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	532	534	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	535	537	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	538	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	542	544	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	545	545	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	546	546	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	547	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	582	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	550	553	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	554	557	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	558	560	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	561	561	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	562	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC6	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	140	140	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
ESTIAP19	193	195	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	196	197	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	141	141	3	FIRST BORN STATUS OF CHILD: IMPUTED
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	603	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7



## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA8_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	206	206	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	207	207	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	143	158	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	159	174	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	175	175	3	POVERTY STATUS
INCQ298A	176	177	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	877	877	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT2_I	876	876	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
I_HISP_K	142	142	3	HISPANIC ORIGIN OF CHILD: IMPUTED

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
LANGUAGE	178	178	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	180	180	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MMR1_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	181	181	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
MP1_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	658	658	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	659	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR7_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	179	179	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
NUM_CELLS_HH	184	185	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	186	187	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	182	183	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	202	202	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	676	677	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	678	679	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	680	681	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	682	683	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	684	685	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	686	687	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	688	689	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	692	693	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	694	695	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	696	697	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	706	706	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_C	13	32	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	33	52	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	203	203	7	PROVIDER FACILITY TYPES: IMPUTED
PU431331	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	208	208	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	209	209	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	210	210	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	211	211	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	212	212	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	213	213	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	214	214	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	215	215	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMFLU	216	216	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	217	217	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	218	218	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	219	219	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	220	220	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	221	221	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	222	222	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	223	223	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	224	224	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	225	225	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	226	226	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	227	227	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	228	228	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	229	229	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMIPV	230	230	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	231	231	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	232	232	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	233	233	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	234	234	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	235	235	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	236	236	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	237	237	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	238	238	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	239	239	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	240	240	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	241	241	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	242	242	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	247	247	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCC7	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	248	248	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	249	249	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	244	244	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	243	243	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	250	250	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	251	251	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	252	252	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	253	253	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	254	254	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	255	255	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	256	256	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	257	257	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	258	258	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRX	259	259	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.



## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHIB_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	271	271	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	273	273	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	189	189	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RACE_K	188	188	3	RACE OF CHILD: IMPUTED (RECODE)
RB1_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	709	709	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB6_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_C	53	71	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	72	90	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	204	204	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	190	191	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	717	718	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	725	725	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	726	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	727	727	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	728	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	192	192	3	SEX OF CHILD: IMPUTED
STATE	198	199	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	91	94	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
U1D_HEP	289	289	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U24_FLU_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U2D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	205	205	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	730	731	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	732	733	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	734	735	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
VRC4_AGE	736	736	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	737	737	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	738	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	742	743	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	744	745	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	746	747	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	748	749	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	750	751	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	752	753	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	754	755	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	756	756	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	757	757	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	758	759	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	760	761	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	762	763	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	764	765	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	766	767	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	768	769	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	770	771	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	772	772	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	773	773	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	774	775	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	776	777	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	778	779	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	780	781	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	782	783	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	784	785	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	786	787	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	788	788	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	789	789	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	790	791	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	792	793	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	794	795	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	796	797	9	HIB-CONTAINING VACCINATION #4 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHIBTY5	798	799	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	800	801	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	802	803	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	804	804	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	805	805	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	806	807	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	808	809	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	810	811	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	812	813	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	814	814	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	815	815	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	816	816	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	817	817	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	818	818	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	819	820	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	821	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	833	833	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	834	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	835	836	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	837	838	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	839	840	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	841	842	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	843	844	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	845	846	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	847	848	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	849	849	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	850	850	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	851	852	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	853	854	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	855	856	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	857	858	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	859	859	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XROTTY6	860	860	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	861	861	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	862	862	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	864	865	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	866	867	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	868	869	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	870	870	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	871	871	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	872	872	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	873	873	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	874	874	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	875	875	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	95	98	1	YEAR OF INTERVIEW